

Commercial Fishing Area Value Potentially Affected by MLPA Central Coast MPA Package 1 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>TOTALS</i> | <i>Ano Nuevo SMR</i> | <i>Greyhound Rock SMCA</i> | <i>Greyhound Rock SMR</i> | <i>Elkhorn Slough SMR</i> | <i>Moro Cojo Estuary SMR</i> | <i>Monterey Submarine Canyon No Bottom Contact SMCA</i> | <i>Ed Ricketts SMCA</i> |
|--|----------------------|-----------------------------|-----------------------------------|----------------------------------|----------------------------------|-------------------------------------|--|----------------------------------|
| Subregion | | Pigeon Point to Capitola | Pigeon Point to Capitola | Pigeon Point to Capitola | Capitola to Monterey Breakwater | Capitola to Monterey Breakwater | Capitola to Monterey Breakwater | Monterey Breakwater to Point Sur |
| Type of MPA | | SMR | SMCA | SMR | SMR | SMR | SMCA | SMCA |
| Level of Protection | | SMR | SMCA moderate | SMR + SMCA moderate | SMR | SMR | SMCA high | SMCA low |
| Commercial Fishery | | | | | | | | |
| Anchovy % of Area Affected (G) | 4.39% | 0.02% | 0.00% | 0.14% | 0.00% | 0.00% | 0.00% | 0.01% |
| Anchovy % of Area Affected (SA) | 10.14% | 0.05% | 0.00% | 0.32% | 0.00% | 0.00% | 0.00% | 0.01% |
| Anchovy % of Value Affected (G) | 3.65% | 0.02% | 0.00% | 0.19% | 0.00% | 0.00% | 0.00% | 0.02% |
| Anchovy % of Value Affected (SA) | 5.72% | 0.03% | 0.00% | 0.29% | 0.00% | 0.00% | 0.00% | 0.03% |
| | | | | | | | | |
| Cabazon % of Area Affected (G) | 13.27% | 0.08% | 1.04% | 0.49% | 0.00% | 0.00% | 0.00% | 0.02% |
| Cabazon % of Area Affected (SA) | 15.11% | 0.09% | 1.19% | 0.55% | 0.00% | 0.00% | 0.00% | 0.02% |
| Cabazon % of Value Affected (G) | 14.42% | 0.03% | 0.41% | 0.14% | 0.00% | 0.00% | 0.00% | 0.01% |
| Cabazon % of Value Affected (SA) | 14.64% | 0.03% | 0.41% | 0.14% | 0.00% | 0.00% | 0.00% | 0.01% |
| | | | | | | | | |
| Dungeness crab % of Area Affected (G) | 3.38% | 0.04% | 0.00% | 0.24% | 0.00% | 0.00% | 0.01% | 0.01% |
| Dungeness crab % of Area Affected (SA) | 6.96% | 0.07% | 0.00% | 0.50% | 0.00% | 0.00% | 0.03% | 0.02% |
| Dungeness crab % of Value Affected (G) | 1.92% | 0.02% | 0.00% | 0.12% | 0.00% | 0.00% | 0.00% | 0.01% |
| Dungeness crab % of Value Affected (SA) | 4.50% | 0.05% | 0.00% | 0.29% | 0.00% | 0.00% | 0.01% | 0.01% |
| | | | | | | | | |
| Deep Nearshore Rockfish % of Area Affected (G) | 13.02% | 0.09% | 1.15% | 0.54% | 0.00% | 0.00% | 0.00% | 0.02% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 14.39% | 0.09% | 1.27% | 0.59% | 0.00% | 0.00% | 0.00% | 0.03% |
| Deep Nearshore Rockfish % of Value Affected (G) | 15.78% | 0.01% | 0.35% | 0.09% | 0.00% | 0.00% | 0.00% | 0.00% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 16.49% | 0.01% | 0.36% | 0.09% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Halibut % of Area Affected (G) | 9.08% | 0.07% | 1.32% | 0.45% | 0.00% | 0.00% | 0.00% | 0.02% |
| Halibut % of Area Affected (SA) | 11.07% | 0.08% | 1.61% | 0.55% | 0.00% | 0.00% | 0.00% | 0.02% |
| Halibut % of Value Affected (G) | 5.92% | 0.03% | 0.78% | 0.36% | 0.00% | 0.00% | 0.00% | 0.04% |
| Halibut % of Value Affected (SA) | 6.44% | 0.04% | 0.85% | 0.39% | 0.00% | 0.00% | 0.00% | 0.04% |
| | | | | | | | | |
| Kelp Greenling % of Area Affected (G) | 12.33% | 0.11% | 1.43% | 0.67% | 0.00% | 0.00% | 0.00% | 0.03% |
| Kelp Greenling % of Area Affected (SA) | 12.74% | 0.11% | 1.48% | 0.69% | 0.00% | 0.00% | 0.00% | 0.03% |
| Kelp Greenling % of Value Affected (G) | 12.95% | 0.04% | 0.53% | 0.25% | 0.00% | 0.00% | 0.00% | 0.01% |
| Kelp Greenling % of Value Affected (SA) | 13.12% | 0.04% | 0.53% | 0.25% | 0.00% | 0.00% | 0.00% | 0.01% |
| | | | | | | | | |
| Lingcod % of Area Affected (G) | 12.61% | 0.09% | 1.30% | 0.60% | 0.00% | 0.00% | 0.00% | 0.02% |
| Lingcod % of Area Affected (SA) | 13.32% | 0.09% | 1.37% | 0.63% | 0.00% | 0.00% | 0.00% | 0.03% |

G = fishing grounds SA = study area SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area Value Potentially Affected by MLPA Central Coast MPA Package 1 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>TOTALS</i> | <i>Ano Nuevo SMR</i> | <i>Greyhound Rock SMCA</i> | <i>Greyhound Rock SMR</i> | <i>Elkhorn Slough SMR</i> | <i>Moro Cojo Estuary SMR</i> | <i>Monterey Submarine Canyon No Bottom Contact SMCA</i> | <i>Ed Ricketts SMCA</i> |
|---|----------------------|-----------------------------|---------------------------------------|----------------------------------|----------------------------------|---|--|--------------------------------|
| Lingcod % of Value Affected (G) | 12.87% | 0.06% | 1.10% | 0.41% | 0.00% | 0.00% | 0.00% | 0.01% |
| Lingcod % of Value Affected (SA) | 13.11% | 0.06% | 1.12% | 0.42% | 0.00% | 0.00% | 0.00% | 0.01% |
| Mackerel % of Area Affected (G) | 6.66% | 0.04% | 0.00% | 0.25% | 0.00% | 0.00% | 0.00% | 0.01% |
| Mackerel % of Area Affected (SA) | 9.49% | 0.05% | 0.00% | 0.36% | 0.00% | 0.00% | 0.00% | 0.01% |
| Mackerel % of Value Affected (G) | 4.52% | 0.03% | 0.00% | 0.32% | 0.00% | 0.00% | 0.00% | 0.02% |
| Mackerel % of Value Affected (SA) | 5.36% | 0.03% | 0.00% | 0.38% | 0.00% | 0.00% | 0.00% | 0.02% |
| Rockfish Nearshore % of Area Affected (G) | 11.92% | 0.06% | 1.23% | 0.43% | 0.00% | 0.00% | 0.00% | 0.02% |
| Rockfish Nearshore % of Area Affected (SA) | 13.73% | 0.07% | 1.41% | 0.50% | 0.00% | 0.00% | 0.00% | 0.02% |
| Rockfish Nearshore % of Value Affected (G) | 13.82% | 0.06% | 1.08% | 0.39% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Nearshore % of Value Affected (SA) | 14.30% | 0.06% | 1.12% | 0.40% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (G) | 5.18% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 5.67% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 6.99% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 7.46% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (G) | 0.64% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.26% | 0.00% |
| Rockfish Slope % of Area Affected (SA) | 14.33% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 5.80% | 0.00% |
| Rockfish Slope % of Value Affected (G) | 0.64% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.26% | 0.00% |
| Rockfish Slope % of Value Affected (SA) | 14.33% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 5.80% | 0.00% |
| Rock Crab % of Area Affected (G) | 4.79% | 0.00% | 0.06% | 0.00% | 0.00% | 0.00% | 0.08% | 0.00% |
| Rock Crab % of Area Affected (SA) | 11.28% | 0.00% | 0.14% | 0.00% | 0.00% | 0.00% | 0.18% | 0.00% |
| Rock Crab % of Value Affected (G) | 5.79% | 0.00% | 0.03% | 0.00% | 0.00% | 0.00% | 0.04% | 0.00% |
| Rock Crab % of Value Affected (SA) | 11.99% | 0.00% | 0.06% | 0.00% | 0.00% | 0.00% | 0.08% | 0.00% |
| Salmon % of Area Affected (G) | 0.44% | 0.00% | 0.00% | 0.02% | 0.00% | 0.00% | 0.00% | 0.00% |
| Salmon % of Area Affected (SA) | 6.07% | 0.05% | 0.00% | 0.32% | 0.00% | 0.00% | 0.00% | 0.01% |
| Salmon % of Value Affected (G) | 0.77% | 0.01% | 0.00% | 0.05% | 0.00% | 0.00% | 0.00% | 0.00% |
| Salmon % of Value Affected (SA) | 3.42% | 0.02% | 0.00% | 0.23% | 0.00% | 0.00% | 0.00% | 0.01% |
| Sardine % of Area Affected (G) | 4.38% | 0.02% | 0.00% | 0.14% | 0.00% | 0.00% | 0.00% | 0.01% |
| Sardine % of Area Affected (SA) | 10.14% | 0.05% | 0.00% | 0.32% | 0.00% | 0.00% | 0.00% | 0.01% |
| Sardine % of Value Affected (G) | 3.45% | 0.02% | 0.00% | 0.20% | 0.00% | 0.00% | 0.00% | 0.02% |
| Sardine % of Value Affected (SA) | 5.24% | 0.03% | 0.00% | 0.31% | 0.00% | 0.00% | 0.00% | 0.03% |
| Sablefish % of Area Affected (G) | 0.86% | 0.00% | 0.05% | 0.00% | 0.00% | 0.00% | 0.81% | 0.00% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area Value Potentially Affected by MLPA Central Coast MPA Package 1 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>TOTALS</i> | <i>Ano Nuevo SMR</i> | <i>Greyhound Rock SMCA</i> | <i>Greyhound Rock SMR</i> | <i>Elkhorn Slough SMR</i> | <i>Moro Cojo Estuary SMR</i> | <i>Monterey Submarine Canyon No Bottom Contact SMCA</i> | <i>Ed Ricketts SMCA</i> |
|--|----------------------|-----------------------------|---------------------------------------|----------------------------------|----------------------------------|---|--|--------------------------------|
| Sablefish % of Area Affected (SA) | 8.05% | 0.00% | 0.42% | 0.00% | 0.00% | 0.00% | 7.63% | 0.00% |
| Sablefish % of Value Affected (G) | 0.90% | 0.00% | 0.05% | 0.00% | 0.00% | 0.00% | 0.85% | 0.00% |
| Sablefish % of Value Affected (SA) | 6.83% | 0.00% | 0.37% | 0.00% | 0.00% | 0.00% | 6.46% | 0.00% |
| | | | | | | | | |
| White seabass % of Area Affected (G) | 9.47% | 0.02% | 1.63% | 0.56% | 0.00% | 0.00% | 0.00% | 0.02% |
| White seabass % of Area Affected (SA) | 11.56% | 0.02% | 2.00% | 0.68% | 0.00% | 0.00% | 0.00% | 0.03% |
| White seabass % of Value Affected (G) | 8.21% | 0.01% | 1.15% | 0.39% | 0.00% | 0.00% | 0.00% | 0.02% |
| White seabass % of Value Affected (SA) | 9.11% | 0.02% | 1.27% | 0.43% | 0.00% | 0.00% | 0.00% | 0.03% |
| | | | | | | | | |
| Surfperch % of Area Affected (G) | 8.07% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (SA) | 8.07% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (G) | 2.73% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (SA) | 2.73% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Spot Prawn % of Area Affected (G) | 0.87% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (SA) | 6.49% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (G) | 1.97% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (SA) | 7.28% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Squid % of Area Affected (G) | 6.82% | 0.05% | 0.00% | 0.35% | 0.00% | 0.00% | 0.00% | 0.01% |
| Squid % of Area Affected (SA) | 9.00% | 0.07% | 0.00% | 0.46% | 0.00% | 0.00% | 0.00% | 0.02% |
| Squid % of Value Affected (G) | 5.87% | 0.01% | 0.00% | 0.43% | 0.00% | 0.00% | 0.00% | 0.02% |
| Squid % of Value Affected (SA) | 6.27% | 0.01% | 0.00% | 0.46% | 0.00% | 0.00% | 0.00% | 0.02% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area Value Potentially Affected by MLPA Central Coast MPA Package 1 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Hopkins SMR</i> | <i>Pacific Grove – Monterey SMCA</i> | <i>Carmel Pinnacles SMR</i> | <i>Carmel Bay SMCA</i> | <i>Pt. Lobos SMCA</i> | <i>Point Lobos SMR</i> | <i>Point Sur Deep Reef SMCA</i> | <i>Julia Pfeiffer Burns SMR</i> |
|--|-------------------------------------|--|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Subregion | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Point Sur to San Martin | Point Sur to San Martin |
| Type of MPA | SMR | SMCA | SMR | SMCA | SMCA | SMR | SMCA | SMR |
| Level of Protection | SMR | SMCA low | SMR | SMCA low | SMCA moderate | SMR | SMCA high | SMR |
| Commercial Fishery | | | | | | | | |
| Anchovy % of Area Affected (G) | 0.01% | 0.00% | 0.00% | 0.00% | 0.45% | 0.08% | 0.39% | 0.23% |
| Anchovy % of Area Affected (SA) | 0.02% | 0.00% | 0.01% | 0.00% | 1.04% | 0.19% | 0.90% | 0.54% |
| Anchovy % of Value Affected (G) | 0.02% | 0.00% | 0.01% | 0.00% | 0.32% | 0.19% | 0.46% | 0.19% |
| Anchovy % of Value Affected (SA) | 0.04% | 0.00% | 0.02% | 0.00% | 0.50% | 0.30% | 0.72% | 0.29% |
| | | | | | | | | |
| Cabazon % of Area Affected (G) | 0.01% | 0.13% | 0.01% | 0.00% | 0.20% | 0.31% | 1.31% | 0.50% |
| Cabazon % of Area Affected (SA) | 0.01% | 0.15% | 0.01% | 0.00% | 0.23% | 0.35% | 1.49% | 0.57% |
| Cabazon % of Value Affected (G) | 0.00% | 0.22% | 0.04% | 0.00% | 0.06% | 0.22% | 0.36% | 1.57% |
| Cabazon % of Value Affected (SA) | 0.00% | 0.23% | 0.04% | 0.00% | 0.06% | 0.22% | 0.36% | 1.60% |
| | | | | | | | | |
| Dungeness crab % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.46% | 0.01% | 0.00% | 0.00% |
| Dungeness crab % of Area Affected (SA) | 0.01% | 0.00% | 0.00% | 0.00% | 0.95% | 0.02% | 0.00% | 0.00% |
| Dungeness crab % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.14% | 0.00% | 0.00% | 0.00% |
| Dungeness crab % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.33% | 0.01% | 0.00% | 0.00% |
| | | | | | | | | |
| Deep Nearshore Rockfish % of Area Affected (G) | 0.01% | 0.08% | 0.05% | 0.33% | 0.00% | 0.27% | 0.00% | 0.52% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 0.01% | 0.09% | 0.05% | 0.36% | 0.00% | 0.30% | 0.00% | 0.58% |
| Deep Nearshore Rockfish % of Value Affected (G) | 0.00% | 0.05% | 0.14% | 0.78% | 0.00% | 0.65% | 0.00% | 1.68% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 0.00% | 0.05% | 0.14% | 0.81% | 0.00% | 0.68% | 0.00% | 1.76% |
| | | | | | | | | |
| Halibut % of Area Affected (G) | 0.04% | 0.44% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Area Affected (SA) | 0.05% | 0.54% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Value Affected (G) | 0.01% | 0.24% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Value Affected (SA) | 0.01% | 0.26% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Kelp Greenling % of Area Affected (G) | 0.01% | 0.10% | 0.01% | 0.00% | 0.00% | 0.11% | 0.00% | 0.65% |
| Kelp Greenling % of Area Affected (SA) | 0.01% | 0.11% | 0.01% | 0.00% | 0.00% | 0.11% | 0.00% | 0.67% |
| Kelp Greenling % of Value Affected (G) | 0.00% | 0.33% | 0.06% | 0.00% | 0.00% | 0.23% | 0.00% | 2.24% |
| Kelp Greenling % of Value Affected (SA) | 0.00% | 0.34% | 0.06% | 0.00% | 0.00% | 0.23% | 0.00% | 2.26% |
| | | | | | | | | |
| Lingcod % of Area Affected (G) | 0.01% | 0.24% | 0.01% | 0.00% | 0.18% | 0.35% | 0.00% | 0.89% |
| Lingcod % of Area Affected (SA) | 0.01% | 0.25% | 0.01% | 0.00% | 0.19% | 0.37% | 0.00% | 0.94% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area Value Potentially Affected by MLPA Central Coast MPA Package 1 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Hopkins SMR</i> | <i>Pacific Grove – Monterey SMCA</i> | <i>Carmel Pinnacles SMR</i> | <i>Carmel Bay SMCA</i> | <i>Pt. Lobos SMCA</i> | <i>Point Lobos SMR</i> | <i>Point Sur Deep Reef SMCA</i> | <i>Julia Pfeiffer Burns SMR</i> |
|---|--------------------|--|---------------------------------|------------------------|-----------------------|------------------------|-------------------------------------|-------------------------------------|
| Lingcod % of Value Affected (G) | 0.00% | 0.19% | 0.04% | 0.00% | 0.00% | 0.13% | 0.00% | 1.64% |
| Lingcod % of Value Affected (SA) | 0.00% | 0.20% | 0.04% | 0.00% | 0.00% | 0.14% | 0.00% | 1.67% |
| Mackerel % of Area Affected (G) | 0.01% | 0.00% | 0.01% | 0.00% | 0.69% | 0.15% | 0.68% | 0.41% |
| Mackerel % of Area Affected (SA) | 0.02% | 0.00% | 0.01% | 0.00% | 0.98% | 0.21% | 0.97% | 0.59% |
| Mackerel % of Value Affected (G) | 0.03% | 0.00% | 0.03% | 0.00% | 0.10% | 0.32% | 0.69% | 0.27% |
| Mackerel % of Value Affected (SA) | 0.03% | 0.00% | 0.04% | 0.00% | 0.12% | 0.38% | 0.82% | 0.32% |
| Rockfish Nearshore % of Area Affected (G) | 0.00% | 0.11% | 0.01% | 0.00% | 0.17% | 0.25% | 1.11% | 0.46% |
| Rockfish Nearshore % of Area Affected (SA) | 0.01% | 0.13% | 0.01% | 0.00% | 0.19% | 0.29% | 1.28% | 0.52% |
| Rockfish Nearshore % of Value Affected (G) | 0.00% | 0.06% | 0.01% | 0.00% | 0.04% | 0.22% | 0.39% | 1.23% |
| Rockfish Nearshore % of Value Affected (SA) | 0.00% | 0.06% | 0.01% | 0.00% | 0.04% | 0.23% | 0.40% | 1.28% |
| Rockfish Shelf % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.38% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 8.53% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.38% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 8.53% | 0.00% | 0.00% | 0.00% |
| Rock Crab % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.57% | 0.04% | 0.00% | 0.00% |
| Rock Crab % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 1.35% | 0.10% | 0.00% | 0.00% |
| Rock Crab % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.29% | 0.02% | 0.00% | 0.00% |
| Rock Crab % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.61% | 0.05% | 0.00% | 0.00% |
| Salmon % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.01% | 0.00% | 0.02% | 0.00% | 0.04% |
| Salmon % of Area Affected (SA) | 0.03% | 0.00% | 0.04% | 0.18% | 0.00% | 0.32% | 0.00% | 0.53% |
| Salmon % of Value Affected (G) | 0.00% | 0.00% | 0.01% | 0.01% | 0.00% | 0.10% | 0.00% | 0.08% |
| Salmon % of Value Affected (SA) | 0.01% | 0.00% | 0.03% | 0.03% | 0.00% | 0.43% | 0.00% | 0.38% |
| Sardine % of Area Affected (G) | 0.01% | 0.00% | 0.00% | 0.00% | 0.45% | 0.08% | 0.39% | 0.23% |
| Sardine % of Area Affected (SA) | 0.02% | 0.00% | 0.01% | 0.00% | 1.04% | 0.19% | 0.90% | 0.54% |
| Sardine % of Value Affected (G) | 0.02% | 0.00% | 0.02% | 0.00% | 0.29% | 0.21% | 0.45% | 0.17% |
| Sardine % of Value Affected (SA) | 0.03% | 0.00% | 0.03% | 0.00% | 0.44% | 0.31% | 0.68% | 0.26% |
| Sablefish % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area Value Potentially Affected by MLPA Central Coast MPA Package 1 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Hopkins SMR</i> | <i>Pacific Grove – Monterey SMCA</i> | <i>Carmel Pinnacles SMR</i> | <i>Carmel Bay SMCA</i> | <i>Pt. Lobos SMCA</i> | <i>Point Lobos SMR</i> | <i>Point Sur Deep Reef SMCA</i> | <i>Julia Pfeiffer Burns SMR</i> |
|--|--------------------|--|---------------------------------|------------------------|-----------------------|------------------------|-------------------------------------|-------------------------------------|
| Sablefish % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| White seabass % of Area Affected (G) | 0.01% | 0.32% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Area Affected (SA) | 0.01% | 0.39% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Value Affected (G) | 0.01% | 0.41% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Value Affected (SA) | 0.01% | 0.45% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Surfperch % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Spot Prawn % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.07% | 0.15% |
| Spot Prawn % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% | 0.55% | 1.13% |
| Spot Prawn % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.16% | 0.33% |
| Spot Prawn % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% | 0.59% | 1.21% |
| | | | | | | | | |
| Squid % of Area Affected (G) | 0.02% | 0.00% | 0.01% | 0.00% | 0.02% | 0.17% | 0.85% | 0.45% |
| Squid % of Area Affected (SA) | 0.02% | 0.00% | 0.02% | 0.00% | 0.03% | 0.22% | 1.12% | 0.60% |
| Squid % of Value Affected (G) | 0.02% | 0.00% | 0.14% | 0.00% | 0.03% | 0.58% | 0.45% | 0.65% |
| Squid % of Value Affected (SA) | 0.02% | 0.00% | 0.15% | 0.00% | 0.03% | 0.62% | 0.48% | 0.69% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area Value Potentially Affected by MLPA Central Coast MPA Package 1 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Julia Pfeiffer Burns Offshore SMCA</i> | <i>Julia Pfeiffer Burns Offshore SMR</i> | <i>Big Creek SMR</i> | <i>Alder Creek SMR</i> | <i>Alder Creek SMCA</i> | <i>Point Piedras Blancas SMR</i> | <i>Cambria SMP</i> | <i>Morro Bay Harbor SMCA</i> |
|--|---|--|-------------------------|----------------------------|----------------------------|--------------------------------------|----------------------------|-----------------------------------|
| Subregion | Point Sur to San Martin | Point Sur to San Martin | Point Sur to San Martin | San Martin to Point Estero | San Martin to Point Estero | San Martin to Point Estero | San Martin to Point Estero | Point Estero to Santa Maria River |
| Type of MPA | SMCA | SMR | SMR | SMR | SMCA | SMR | SMP | SMCA |
| Level of Protection | SMCA moderate | SMR | SMR | SMR | SMCA high | SMR | SMP low | SMCA low |
| Commercial Fishery | | | | | | | | |
| Anchovy % of Area Affected (G) | 0.24% | 0.27% | 0.01% | 0.25% | 0.00% | 0.03% | 0.17% | 0.10% |
| Anchovy % of Area Affected (SA) | 0.54% | 0.63% | 0.01% | 0.57% | 0.00% | 0.06% | 0.39% | 0.23% |
| Anchovy % of Value Affected (G) | 0.15% | 0.16% | 0.00% | 0.20% | 0.00% | 0.02% | 0.10% | 0.06% |
| Anchovy % of Value Affected (SA) | 0.23% | 0.25% | 0.01% | 0.32% | 0.00% | 0.03% | 0.15% | 0.09% |
| Cabezon % of Area Affected (G) | 0.00% | 0.00% | 0.02% | 0.92% | 0.42% | 0.10% | 0.62% | 0.37% |
| Cabezon % of Area Affected (SA) | 0.00% | 0.00% | 0.02% | 1.05% | 0.48% | 0.11% | 0.71% | 0.42% |
| Cabezon % of Value Affected (G) | 0.00% | 0.00% | 0.01% | 1.29% | 0.23% | 0.27% | 1.49% | 0.05% |
| Cabezon % of Value Affected (SA) | 0.00% | 0.00% | 0.01% | 1.31% | 0.24% | 0.28% | 1.51% | 0.05% |
| Dungeness crab % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.04% | 0.17% |
| Dungeness crab % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.07% | 0.35% |
| Dungeness crab % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% | 0.04% |
| Dungeness crab % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% | 0.09% |
| Deep Nearshore Rockfish % of Area Affected (G) | 0.00% | 0.00% | 0.23% | 0.83% | 0.01% | 0.11% | 0.68% | 0.41% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 0.00% | 0.00% | 0.26% | 0.92% | 0.01% | 0.12% | 0.76% | 0.45% |
| Deep Nearshore Rockfish % of Value Affected (G) | 0.00% | 0.00% | 0.55% | 0.40% | 0.00% | 0.10% | 0.44% | 0.18% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 0.00% | 0.00% | 0.57% | 0.41% | 0.01% | 0.11% | 0.46% | 0.19% |
| Halibut % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.64% | 0.14% | 0.09% | 0.53% | 0.32% |
| Halibut % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.77% | 0.17% | 0.10% | 0.65% | 0.39% |
| Halibut % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.20% | 0.04% | 0.23% | 0.86% | 0.80% |
| Halibut % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.22% | 0.05% | 0.25% | 0.93% | 0.87% |
| Kelp Greenling % of Area Affected (G) | 0.00% | 0.00% | 0.02% | 1.03% | 0.02% | 0.14% | 0.85% | 0.51% |
| Kelp Greenling % of Area Affected (SA) | 0.00% | 0.00% | 0.02% | 1.07% | 0.02% | 0.14% | 0.88% | 0.52% |
| Kelp Greenling % of Value Affected (G) | 0.00% | 0.00% | 0.02% | 1.12% | 0.00% | 0.27% | 0.67% | 0.09% |
| Kelp Greenling % of Value Affected (SA) | 0.00% | 0.00% | 0.02% | 1.14% | 0.00% | 0.28% | 0.68% | 0.09% |
| Lingcod % of Area Affected (G) | 0.10% | 0.00% | 0.02% | 0.87% | 0.01% | 0.11% | 0.72% | 0.43% |
| Lingcod % of Area Affected (SA) | 0.11% | 0.00% | 0.02% | 0.92% | 0.01% | 0.12% | 0.76% | 0.45% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area Value Potentially Affected by MLPA Central Coast MPA Package 1 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Julia Pfeiffer Burns Offshore SMCA</i> | <i>Julia Pfeiffer Burns Offshore SMR</i> | <i>Big Creek SMR</i> | <i>Alder Creek SMR</i> | <i>Alder Creek SMCA</i> | <i>Point Piedras Blancas SMR</i> | <i>Cambria SMP</i> | <i>Morro Bay Harbor SMCA</i> |
|---|---|--|----------------------|------------------------|-------------------------|--------------------------------------|--------------------|----------------------------------|
| Lingcod % of Value Affected (G) | 0.00% | 0.00% | 0.02% | 0.93% | 0.00% | 0.32% | 1.22% | 0.05% |
| Lingcod % of Value Affected (SA) | 0.00% | 0.00% | 0.02% | 0.95% | 0.00% | 0.33% | 1.24% | 0.05% |
| Mackerel % of Area Affected (G) | 0.06% | 0.02% | 0.01% | 0.44% | 0.00% | 0.05% | 0.30% | 0.18% |
| Mackerel % of Area Affected (SA) | 0.09% | 0.03% | 0.02% | 0.63% | 0.00% | 0.07% | 0.43% | 0.25% |
| Mackerel % of Value Affected (G) | 0.04% | 0.02% | 0.01% | 0.29% | 0.00% | 0.02% | 0.14% | 0.08% |
| Mackerel % of Value Affected (SA) | 0.05% | 0.02% | 0.01% | 0.34% | 0.00% | 0.03% | 0.17% | 0.10% |
| Rockfish Nearshore % of Area Affected (G) | 0.00% | 0.00% | 0.01% | 0.76% | 0.56% | 0.08% | 0.51% | 0.31% |
| Rockfish Nearshore % of Area Affected (SA) | 0.00% | 0.00% | 0.02% | 0.88% | 0.65% | 0.09% | 0.59% | 0.35% |
| Rockfish Nearshore % of Value Affected (G) | 0.00% | 0.00% | 0.02% | 1.20% | 0.35% | 0.24% | 1.06% | 0.11% |
| Rockfish Nearshore % of Value Affected (SA) | 0.00% | 0.00% | 0.02% | 1.24% | 0.36% | 0.25% | 1.09% | 0.11% |
| Rockfish Shelf % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rock Crab % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.33% | 0.61% | 0.04% | 0.23% | 0.13% |
| Rock Crab % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.79% | 1.43% | 0.08% | 0.53% | 0.31% |
| Rock Crab % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.27% | 0.41% | 0.03% | 0.18% | 0.11% |
| Rock Crab % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.56% | 0.85% | 0.06% | 0.38% | 0.22% |
| Salmon % of Area Affected (G) | 0.00% | 0.05% | 0.02% | 0.04% | 0.00% | 0.00% | 0.03% | 0.02% |
| Salmon % of Area Affected (SA) | 0.00% | 0.62% | 0.20% | 0.57% | 0.00% | 0.06% | 0.38% | 0.23% |
| Salmon % of Value Affected (G) | 0.00% | 0.10% | 0.01% | 0.07% | 0.00% | 0.01% | 0.04% | 0.02% |
| Salmon % of Value Affected (SA) | 0.00% | 0.46% | 0.05% | 0.31% | 0.00% | 0.02% | 0.18% | 0.11% |
| Sardine % of Area Affected (G) | 0.23% | 0.27% | 0.01% | 0.25% | 0.00% | 0.03% | 0.17% | 0.10% |
| Sardine % of Area Affected (SA) | 0.54% | 0.63% | 0.01% | 0.57% | 0.00% | 0.06% | 0.39% | 0.23% |
| Sardine % of Value Affected (G) | 0.14% | 0.15% | 0.00% | 0.19% | 0.00% | 0.01% | 0.09% | 0.05% |
| Sardine % of Value Affected (SA) | 0.21% | 0.23% | 0.01% | 0.28% | 0.00% | 0.02% | 0.14% | 0.08% |
| Sablefish % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area Value Potentially Affected by MLPA Central Coast MPA Package 1 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Julia Pfeiffer Burns Offshore SMCA</i> | <i>Julia Pfeiffer Burns Offshore SMR</i> | <i>Big Creek SMR</i> | <i>Alder Creek SMR</i> | <i>Alder Creek SMCA</i> | <i>Point Piedras Blancas SMR</i> | <i>Cambria SMP</i> | <i>Morro Bay Harbor SMCA</i> |
|--|---|--|----------------------|------------------------|-------------------------|--------------------------------------|--------------------|----------------------------------|
| Sablefish % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| White seabass % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.40% | 0.23% | 0.11% | 0.00% | 0.39% |
| White seabass % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.49% | 0.28% | 0.13% | 0.00% | 0.48% |
| White seabass % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.93% | 0.53% | 0.41% | 0.00% | 1.14% |
| White seabass % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 1.03% | 0.58% | 0.46% | 0.00% | 1.27% |
| | | | | | | | | |
| Surfperch % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 2.30% | 4.97% | 0.00% |
| Surfperch % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 2.30% | 4.97% | 0.00% |
| Surfperch % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.69% | 1.50% | 0.00% |
| Surfperch % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.69% | 1.50% | 0.00% |
| | | | | | | | | |
| Spot Prawn % of Area Affected (G) | 0.00% | 0.63% | 0.01% | 0.00% | 0.01% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (SA) | 0.00% | 4.64% | 0.05% | 0.00% | 0.10% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (G) | 0.00% | 1.47% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (SA) | 0.00% | 5.41% | 0.05% | 0.00% | 0.01% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Squid % of Area Affected (G) | 0.09% | 0.03% | 0.01% | 0.61% | 0.86% | 0.07% | 0.14% | 0.25% |
| Squid % of Area Affected (SA) | 0.12% | 0.04% | 0.01% | 0.81% | 1.13% | 0.09% | 0.18% | 0.33% |
| Squid % of Value Affected (G) | 0.02% | 0.01% | 0.02% | 1.21% | 0.50% | 0.01% | 0.12% | 0.08% |
| Squid % of Value Affected (SA) | 0.02% | 0.01% | 0.02% | 1.29% | 0.54% | 0.02% | 0.13% | 0.09% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area Value Potentially Affected by MLPA Central Coast MPA Package 1 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Morro Bay South SMRMA</i> | <i>Point Buchon SMR</i> | <i>Point Buchon SMCA</i> | <i>Diablo Canyon Security Zone SMCA</i> | <i>Vandenberg SMR</i> | <i>Vandenberg Danger Zone 4 SMCA</i> |
|--|---|-----------------------------------|-----------------------------------|--|---------------------------------------|---|
| Subregion | Point Estero to Santa Maria River | Point Estero to Santa Maria River | Point Estero to Santa Maria River | Point Estero to Santa Maria River | Santa Maria River to Point Conception | Santa Maria River to Point Conception |
| Type of MPA | SMRMA | SMR | SMCA | SMCA | SMR | SMCA |
| Level of Protection | SMCA high | SMR | SMCA high | SMCA high | SMR | SMCA moderate |
| Commercial Fishery | | | | | | |
| Anchovy % of Area Affected (G) | 0.02% | 0.05% | 0.37% | 0.12% | 0.80% | 0.63% |
| Anchovy % of Area Affected (SA) | 0.06% | 0.12% | 0.85% | 0.28% | 1.86% | 1.46% |
| Anchovy % of Value Affected (G) | 0.01% | 0.03% | 0.22% | 0.07% | 0.64% | 0.57% |
| Anchovy % of Value Affected (SA) | 0.02% | 0.05% | 0.34% | 0.11% | 1.01% | 0.89% |
| | | | | | | |
| Cabazon % of Area Affected (G) | 0.09% | 0.20% | 0.64% | 0.45% | 2.99% | 2.35% |
| Cabazon % of Area Affected (SA) | 0.11% | 0.22% | 0.73% | 0.51% | 3.41% | 2.68% |
| Cabazon % of Value Affected (G) | 0.01% | 1.59% | 1.15% | 2.48% | 2.47% | 0.32% |
| Cabazon % of Value Affected (SA) | 0.01% | 1.61% | 1.17% | 2.52% | 2.51% | 0.32% |
| | | | | | | |
| Dungeness crab % of Area Affected (G) | 0.04% | 0.09% | 0.64% | 0.21% | 1.42% | 0.00% |
| Dungeness crab % of Area Affected (SA) | 0.09% | 0.19% | 1.31% | 0.43% | 2.92% | 0.00% |
| Dungeness crab % of Value Affected (G) | 0.01% | 0.02% | 0.35% | 0.05% | 1.15% | 0.00% |
| Dungeness crab % of Value Affected (SA) | 0.02% | 0.05% | 0.81% | 0.11% | 2.69% | 0.00% |
| | | | | | | |
| Deep Nearshore Rockfish % of Area Affected (G) | 0.10% | 0.22% | 0.63% | 0.50% | 3.70% | 2.54% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 0.11% | 0.24% | 0.69% | 0.55% | 4.10% | 2.81% |
| Deep Nearshore Rockfish % of Value Affected (G) | 0.04% | 0.15% | 0.12% | 1.09% | 6.53% | 2.43% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 0.04% | 0.16% | 0.12% | 1.14% | 6.84% | 2.54% |
| | | | | | | |
| Halibut % of Area Affected (G) | 0.08% | 0.08% | 0.00% | 0.27% | 2.57% | 2.02% |
| Halibut % of Area Affected (SA) | 0.10% | 0.10% | 0.00% | 0.33% | 3.14% | 2.47% |
| Halibut % of Value Affected (G) | 0.20% | 0.02% | 0.00% | 0.11% | 1.12% | 0.88% |
| Halibut % of Value Affected (SA) | 0.22% | 0.02% | 0.00% | 0.12% | 1.22% | 0.95% |
| | | | | | | |
| Kelp Greenling % of Area Affected (G) | 0.13% | 0.27% | 0.27% | 0.61% | 4.11% | 1.25% |
| Kelp Greenling % of Area Affected (SA) | 0.13% | 0.28% | 0.28% | 0.64% | 4.25% | 1.29% |
| Kelp Greenling % of Value Affected (G) | 0.02% | 1.45% | 0.36% | 1.98% | 3.03% | 0.25% |
| Kelp Greenling % of Value Affected (SA) | 0.02% | 1.47% | 0.36% | 2.01% | 3.07% | 0.26% |
| | | | | | | |
| Lingcod % of Area Affected (G) | 0.11% | 0.23% | 1.27% | 0.52% | 3.47% | 1.06% |
| Lingcod % of Area Affected (SA) | 0.11% | 0.24% | 1.34% | 0.55% | 3.68% | 1.12% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area Value Potentially Affected by MLPA Central Coast MPA Package 1 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Morro Bay South SMRMA</i> | <i>Point Buchon SMR</i> | <i>Point Buchon SMCA</i> | <i>Diablo Canyon Security Zone SMCA</i> | <i>Vandenberg SMR</i> | <i>Vandenberg Danger Zone 4 SMCA</i> |
|---|---|--------------------------------|---------------------------------|--|------------------------------|---|
| Lingcod % of Value Affected (G) | 0.01% | 1.23% | 0.75% | 2.13% | 2.48% | 0.15% |
| Lingcod % of Value Affected (SA) | 0.01% | 1.25% | 0.76% | 2.17% | 2.52% | 0.15% |
| Mackerel % of Area Affected (G) | 0.04% | 0.09% | 0.43% | 0.22% | 1.44% | 1.13% |
| Mackerel % of Area Affected (SA) | 0.06% | 0.13% | 0.61% | 0.31% | 2.05% | 1.61% |
| Mackerel % of Value Affected (G) | 0.02% | 0.04% | 0.20% | 0.10% | 0.93% | 0.82% |
| Mackerel % of Value Affected (SA) | 0.02% | 0.05% | 0.24% | 0.12% | 1.10% | 0.97% |
| Rockfish Nearshore % of Area Affected (G) | 0.08% | 0.16% | 0.80% | 0.37% | 2.48% | 1.95% |
| Rockfish Nearshore % of Area Affected (SA) | 0.09% | 0.19% | 0.92% | 0.43% | 2.85% | 2.24% |
| Rockfish Nearshore % of Value Affected (G) | 0.03% | 1.07% | 1.22% | 1.85% | 2.69% | 0.50% |
| Rockfish Nearshore % of Value Affected (SA) | 0.03% | 1.11% | 1.26% | 1.92% | 2.79% | 0.52% |
| Rockfish Shelf % of Area Affected (G) | 0.00% | 0.67% | 0.86% | 1.87% | 1.78% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 0.00% | 0.73% | 0.94% | 2.05% | 1.95% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 0.00% | 1.00% | 1.04% | 3.72% | 1.23% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 0.00% | 1.07% | 1.11% | 3.97% | 1.31% | 0.00% |
| Rockfish Slope % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rock Crab % of Area Affected (G) | 0.03% | 0.07% | 0.50% | 0.16% | 1.09% | 0.85% |
| Rock Crab % of Area Affected (SA) | 0.08% | 0.17% | 1.17% | 0.38% | 2.56% | 2.01% |
| Rock Crab % of Value Affected (G) | 0.03% | 0.14% | 0.92% | 0.33% | 1.65% | 1.34% |
| Rock Crab % of Value Affected (SA) | 0.06% | 0.30% | 1.90% | 0.68% | 3.41% | 2.77% |
| Salmon % of Area Affected (G) | 0.00% | 0.01% | 0.00% | 0.02% | 0.16% | 0.00% |
| Salmon % of Area Affected (SA) | 0.06% | 0.12% | 0.00% | 0.28% | 2.07% | 0.00% |
| Salmon % of Value Affected (G) | 0.01% | 0.02% | 0.00% | 0.04% | 0.19% | 0.00% |
| Salmon % of Value Affected (SA) | 0.03% | 0.07% | 0.00% | 0.19% | 0.86% | 0.00% |
| Sardine % of Area Affected (G) | 0.02% | 0.05% | 0.37% | 0.12% | 0.80% | 0.63% |
| Sardine % of Area Affected (SA) | 0.06% | 0.12% | 0.85% | 0.28% | 1.86% | 1.46% |
| Sardine % of Value Affected (G) | 0.01% | 0.03% | 0.20% | 0.07% | 0.59% | 0.52% |
| Sardine % of Value Affected (SA) | 0.02% | 0.04% | 0.30% | 0.10% | 0.90% | 0.79% |
| Sablefish % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |

G = fishing grounds *SA* = study area SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area Value Potentially Affected by MLPA Central Coast MPA Package 1 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Morro Bay South SMRMA</i> | <i>Point Buchon SMR</i> | <i>Point Buchon SMCA</i> | <i>Diablo Canyon Security Zone SMCA</i> | <i>Vandenberg SMR</i> | <i>Vandenberg Danger Zone 4 SMCA</i> |
|--|----------------------------------|-------------------------|--------------------------|---|-----------------------|--|
| Sablefish % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | |
| White seabass % of Area Affected (G) | 0.10% | 0.00% | 0.00% | 0.00% | 3.18% | 2.50% |
| White seabass % of Area Affected (SA) | 0.12% | 0.00% | 0.00% | 0.00% | 3.88% | 3.05% |
| White seabass % of Value Affected (G) | 0.28% | 0.00% | 0.00% | 0.00% | 1.65% | 1.28% |
| White seabass % of Value Affected (SA) | 0.31% | 0.00% | 0.00% | 0.00% | 1.83% | 1.42% |
| | | | | | | |
| Surfperch % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.80% | 0.00% | 0.00% |
| Surfperch % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.80% | 0.00% | 0.00% |
| Surfperch % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.54% | 0.00% | 0.00% |
| Surfperch % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.54% | 0.00% | 0.00% |
| | | | | | | |
| Spot Prawn % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | |
| Squid % of Area Affected (G) | 0.06% | 0.00% | 0.00% | 0.00% | 1.19% | 1.58% |
| Squid % of Area Affected (SA) | 0.08% | 0.00% | 0.00% | 0.00% | 1.56% | 2.09% |
| Squid % of Value Affected (G) | 0.02% | 0.00% | 0.00% | 0.00% | 0.86% | 0.69% |
| Squid % of Value Affected (SA) | 0.02% | 0.00% | 0.00% | 0.00% | 0.91% | 0.74% |

G = fishing grounds SA = study area SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 2 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>TOTALS</i> | <i>Ano Nuevo SMR</i> | <i>Baldwin to Natural Bridges SMR</i> | <i>Elkhorn Slough SMR</i> | <i>Morro Cojo Estuary SMR</i> | <i>Soquel Canyon SMCA</i> | <i>Portuguese Ledge SMR</i> | <i>Edward C. Cooper SMR</i> |
|--|---------------|--------------------------|---------------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|----------------------------------|
| Subregion | | Pigeon Point to Capitola | Pigeon Point to Capitola | Capitola to Monterey Breakwater | Capitola to Monterey Breakwater | Capitola to Monterey Breakwater | Capitola to Monterey Breakwater | Monterey Breakwater to Point Sur |
| Type of MPA | | SMR | SMR | SMR | SMR | SMCA | SMR | SMR |
| Level of Protection | | SMR + SMCA moderate | SMR | SMR | SMR | SMCA high | SMR | SMR |
| Commercial Fisheries | | | | | | | | |
| Anchovy % of Area Affected (G) | 7.98% | 0.72% | 0.02% | 0.00% | 0.00% | 0.88% | 0.41% | 0.01% |
| Anchovy % of Area Affected (SA) | 18.40% | 1.66% | 0.05% | 0.00% | 0.00% | 2.03% | 0.96% | 0.02% |
| Anchovy % of Value Affected (G) | 6.97% | 0.97% | 0.03% | 0.00% | 0.00% | 0.83% | 0.28% | 0.03% |
| Anchovy % of Value Affected (SA) | 10.89% | 1.52% | 0.05% | 0.00% | 0.00% | 1.30% | 0.44% | 0.04% |
| | | | | | | | | |
| Cabazon % of Area Affected (G) | 16.96% | 1.95% | 0.08% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| Cabazon % of Area Affected (SA) | 19.31% | 2.22% | 0.09% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| Cabazon % of Value Affected (G) | 27.34% | 0.73% | 0.02% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| Cabazon % of Value Affected (SA) | 27.72% | 0.74% | 0.02% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| | | | | | | | | |
| Dungeness crab % of Area Affected (G) | 7.09% | 1.25% | 0.04% | 0.00% | 0.00% | 1.26% | 0.51% | 0.01% |
| Dungeness crab % of Area Affected (SA) | 14.57% | 2.57% | 0.07% | 0.00% | 0.00% | 2.59% | 1.05% | 0.03% |
| Dungeness crab % of Value Affected (G) | 5.50% | 0.99% | 0.02% | 0.00% | 0.00% | 1.32% | 0.56% | 0.01% |
| Dungeness crab % of Value Affected (SA) | 12.83% | 2.31% | 0.05% | 0.00% | 0.00% | 3.08% | 1.30% | 0.02% |
| | | | | | | | | |
| Deep Nearshore Rockfish % of Area Affected (G) | 16.54% | 2.15% | 0.09% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 18.26% | 2.38% | 0.09% | 0.00% | 0.00% | 0.00% | 0.00% | 0.04% |
| Deep Nearshore Rockfish % of Value Affected (G) | 21.81% | 0.55% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 22.82% | 0.57% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| | | | | | | | | |
| Halibut % of Area Affected (G) | 10.09% | 2.31% | 0.07% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% |
| Halibut % of Area Affected (SA) | 12.30% | 2.81% | 0.08% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| Halibut % of Value Affected (G) | 9.24% | 1.43% | 0.08% | 0.00% | 0.00% | 0.00% | 0.00% | 0.06% |
| Halibut % of Value Affected (SA) | 10.00% | 1.55% | 0.09% | 0.00% | 0.00% | 0.00% | 0.00% | 0.06% |
| | | | | | | | | |
| Kelp Greenling % of Area Affected (G) | 17.74% | 2.68% | 0.11% | 0.00% | 0.00% | 0.00% | 0.00% | 0.04% |
| Kelp Greenling % of Area Affected (SA) | 18.35% | 2.77% | 0.11% | 0.00% | 0.00% | 0.00% | 0.00% | 0.04% |
| Kelp Greenling % of Value Affected (G) | 23.60% | 0.98% | 0.04% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| Kelp Greenling % of Value Affected (SA) | 23.91% | 1.00% | 0.04% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| | | | | | | | | |
| Lingcod % of Area Affected (G) | 18.44% | 2.44% | 0.09% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| Lingcod % of Area Affected (SA) | 19.53% | 2.59% | 0.09% | 0.00% | 0.00% | 0.00% | 0.00% | 0.04% |
| Lingcod % of Value Affected (G) | 25.15% | 1.90% | 0.02% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 2 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>TOTALS</i> | <i>Ano Nuevo SMR</i> | <i>Baldwin to Natural Bridges SMR</i> | <i>Elkhorn Slough SMR</i> | <i>Morro Cojo Estuary SMR</i> | <i>Soquel Canyon SMCA</i> | <i>Portuguese Ledge SMR</i> | <i>Edward C. Cooper SMR</i> |
|---|----------------------|-----------------------------|--|----------------------------------|--|----------------------------------|--|--|
| Lingcod % of Value Affected (SA) | 25.58% | 1.94% | 0.02% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| Mackerel % of Area Affected (G) | 12.30% | 1.29% | 0.04% | 0.00% | 0.00% | 1.57% | 0.74% | 0.01% |
| Mackerel % of Area Affected (SA) | 17.58% | 1.84% | 0.05% | 0.00% | 0.00% | 2.24% | 1.06% | 0.02% |
| Mackerel % of Value Affected (G) | 8.72% | 1.72% | 0.05% | 0.00% | 0.00% | 0.94% | 0.05% | 0.03% |
| Mackerel % of Value Affected (SA) | 10.28% | 2.03% | 0.05% | 0.00% | 0.00% | 1.11% | 0.06% | 0.03% |
| Rockfish Nearshore % of Area Affected (G) | 15.39% | 2.14% | 0.06% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% |
| Rockfish Nearshore % of Area Affected (SA) | 17.70% | 2.46% | 0.07% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| Rockfish Nearshore % of Value Affected (G) | 24.78% | 2.03% | 0.08% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Nearshore % of Value Affected (SA) | 25.65% | 2.10% | 0.09% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (G) | 13.21% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 14.48% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 11.86% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 12.67% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (G) | 1.10% | 0.00% | 0.00% | 0.00% | 0.00% | 0.52% | 0.06% | 0.00% |
| Rockfish Slope % of Area Affected (SA) | 24.76% | 0.00% | 0.00% | 0.00% | 0.00% | 11.64% | 1.41% | 0.00% |
| Rockfish Slope % of Value Affected (G) | 1.10% | 0.00% | 0.00% | 0.00% | 0.00% | 0.52% | 0.06% | 0.00% |
| Rockfish Slope % of Value Affected (SA) | 24.76% | 0.00% | 0.00% | 0.00% | 0.00% | 11.64% | 1.41% | 0.00% |
| Rock Crab % of Area Affected (G) | 6.63% | 0.08% | 0.00% | 0.00% | 0.00% | 1.02% | 0.45% | 0.00% |
| Rock Crab % of Area Affected (SA) | 15.59% | 0.19% | 0.00% | 0.00% | 0.00% | 2.40% | 1.06% | 0.00% |
| Rock Crab % of Value Affected (G) | 6.42% | 0.04% | 0.00% | 0.00% | 0.00% | 0.52% | 0.23% | 0.00% |
| Rock Crab % of Value Affected (SA) | 13.29% | 0.09% | 0.00% | 0.00% | 0.00% | 1.08% | 0.48% | 0.00% |
| Salmon % of Area Affected (G) | 1.05% | 0.13% | 0.00% | 0.00% | 0.00% | 0.00% | 0.07% | 0.00% |
| Salmon % of Area Affected (SA) | 13.82% | 1.65% | 0.05% | 0.00% | 0.00% | 0.00% | 0.95% | 0.02% |
| Salmon % of Value Affected (G) | 2.31% | 0.32% | 0.01% | 0.00% | 0.00% | 0.00% | 0.35% | 0.00% |
| Salmon % of Value Affected (SA) | 10.30% | 1.41% | 0.03% | 0.00% | 0.00% | 0.00% | 1.56% | 0.01% |
| Sardine % of Area Affected (G) | 7.91% | 0.72% | 0.02% | 0.00% | 0.00% | 0.87% | 0.41% | 0.01% |
| Sardine % of Area Affected (SA) | 18.40% | 1.66% | 0.05% | 0.00% | 0.00% | 2.03% | 0.96% | 0.02% |
| Sardine % of Value Affected (G) | 7.30% | 1.09% | 0.03% | 0.00% | 0.00% | 1.15% | 0.42% | 0.02% |
| Sardine % of Value Affected (SA) | 11.08% | 1.66% | 0.04% | 0.00% | 0.00% | 1.75% | 0.63% | 0.04% |
| Sablefish % of Area Affected (G) | 2.26% | 0.09% | 0.00% | 0.00% | 0.00% | 2.04% | 0.13% | 0.00% |
| Sablefish % of Area Affected (SA) | 21.22% | 0.84% | 0.00% | 0.00% | 0.00% | 19.17% | 1.21% | 0.00% |
| Sablefish % of Value Affected (G) | 3.09% | 0.11% | 0.00% | 0.00% | 0.00% | 2.92% | 0.06% | 0.00% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 2 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>TOTALS</i> | <i>Ano Nuevo SMR</i> | <i>Baldwin to Natural Bridges SMR</i> | <i>Elkhorn Slough SMR</i> | <i>Morro Cojo Estuary SMR</i> | <i>Soquel Canyon SMCA</i> | <i>Portuguese Ledge SMR</i> | <i>Edward C. Cooper SMR</i> |
|--|---------------|----------------------|---|---------------------------|-----------------------------------|---------------------------|---------------------------------|---------------------------------|
| Sablefish % of Value Affected (SA) | 23.30% | 0.80% | 0.00% | 0.00% | 0.00% | 22.07% | 0.43% | 0.00% |
| | | | | | | | | |
| White seabass % of Area Affected (G) | 7.84% | 2.68% | 0.08% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| White seabass % of Area Affected (SA) | 9.58% | 3.28% | 0.10% | 0.00% | 0.00% | 0.00% | 0.00% | 0.04% |
| White seabass % of Value Affected (G) | 7.38% | 1.88% | 0.06% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| White seabass % of Value Affected (SA) | 8.16% | 2.09% | 0.06% | 0.00% | 0.00% | 0.00% | 0.00% | 0.04% |
| | | | | | | | | |
| Surfperch % of Area Affected (G) | 16.77% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (SA) | 16.79% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (G) | 5.06% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (SA) | 5.06% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Spot Prawn % of Area Affected (G) | 2.50% | 0.00% | 0.00% | 0.00% | 0.00% | 0.18% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (SA) | 18.36% | 0.00% | 0.00% | 0.00% | 0.00% | 1.31% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (G) | 4.19% | 0.00% | 0.00% | 0.00% | 0.00% | 0.26% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (SA) | 15.48% | 0.00% | 0.00% | 0.00% | 0.00% | 0.96% | 0.00% | 0.00% |
| | | | | | | | | |
| Squid % of Area Affected (G) | 10.89% | 1.81% | 0.05% | 0.00% | 0.00% | 0.00% | 0.70% | 0.02% |
| Squid % of Area Affected (SA) | 14.37% | 2.38% | 0.06% | 0.00% | 0.00% | 0.00% | 0.92% | 0.03% |
| Squid % of Value Affected (G) | 9.49% | 2.12% | 0.01% | 0.00% | 0.00% | 0.00% | 0.44% | 0.02% |
| Squid % of Value Affected (SA) | 10.13% | 2.27% | 0.01% | 0.00% | 0.00% | 0.00% | 0.47% | 0.02% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 2 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Hopkins SMR</i> | <i>Pacific Grove SMCA</i> | <i>Asilomar SMR</i> | <i>Carmel Pinnacles SMR</i> | <i>Carmel Bay SMCA</i> | <i>Point Lobos SMR</i> | <i>Point Lobos SMCA</i> | <i>Point Sur SMR</i> |
|--|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|-------------------------|
| Subregion | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Point Sur to San Martin |
| Type of MPA | SMR | SMCA | SMR | SMR | SMCA | SMR | SMCA | SMR |
| Level of Protection | SMR | SMCA low | SMR | SMR | SMCA low | SMR | SMCA moderate | SMR |
| Commercial Fisheries | | | | | | | | |
| Anchovy % of Area Affected (G) | 0.01% | 0.02% | 0.03% | 0.03% | 0.00% | 0.11% | 0.43% | 0.74% |
| Anchovy % of Area Affected (SA) | 0.02% | 0.03% | 0.07% | 0.07% | 0.00% | 0.26% | 0.99% | 1.71% |
| Anchovy % of Value Affected (G) | 0.03% | 0.05% | 0.06% | 0.05% | 0.00% | 0.23% | 0.34% | 0.74% |
| Anchovy % of Value Affected (SA) | 0.04% | 0.08% | 0.10% | 0.08% | 0.00% | 0.35% | 0.53% | 1.16% |
| Cabazon % of Area Affected (G) | 0.01% | 0.00% | 0.01% | 0.10% | 0.00% | 0.42% | 0.26% | 2.57% |
| Cabazon % of Area Affected (SA) | 0.01% | 0.00% | 0.01% | 0.12% | 0.00% | 0.48% | 0.30% | 2.93% |
| Cabazon % of Value Affected (G) | 0.00% | 0.00% | 0.08% | 0.86% | 0.01% | 0.32% | 0.19% | 4.67% |
| Cabazon % of Value Affected (SA) | 0.00% | 0.00% | 0.08% | 0.87% | 0.01% | 0.32% | 0.19% | 4.74% |
| Dungeness crab % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% | 0.33% | 0.00% |
| Dungeness crab % of Area Affected (SA) | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% | 0.06% | 0.68% | 0.00% |
| Dungeness crab % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% | 0.10% | 0.00% |
| Dungeness crab % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% | 0.24% | 0.00% |
| Deep Nearshore Rockfish % of Area Affected (G) | 0.01% | 0.00% | 0.01% | 0.17% | 0.26% | 0.33% | 0.03% | 1.16% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 0.01% | 0.00% | 0.01% | 0.18% | 0.29% | 0.36% | 0.03% | 1.28% |
| Deep Nearshore Rockfish % of Value Affected (G) | 0.00% | 0.00% | 0.02% | 0.59% | 0.59% | 0.81% | 0.09% | 3.91% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 0.00% | 0.00% | 0.02% | 0.62% | 0.62% | 0.85% | 0.09% | 4.09% |
| Halibut % of Area Affected (G) | 0.04% | 0.05% | 0.10% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Area Affected (SA) | 0.05% | 0.06% | 0.13% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Value Affected (G) | 0.01% | 0.01% | 0.03% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Value Affected (SA) | 0.01% | 0.01% | 0.03% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Kelp Greenling % of Area Affected (G) | 0.01% | 0.00% | 0.01% | 0.13% | 0.00% | 0.20% | 0.02% | 1.44% |
| Kelp Greenling % of Area Affected (SA) | 0.01% | 0.00% | 0.01% | 0.13% | 0.00% | 0.21% | 0.02% | 1.49% |
| Kelp Greenling % of Value Affected (G) | 0.00% | 0.00% | 0.13% | 1.38% | 0.01% | 0.36% | 0.22% | 4.23% |
| Kelp Greenling % of Value Affected (SA) | 0.00% | 0.00% | 0.13% | 1.40% | 0.02% | 0.36% | 0.22% | 4.28% |
| Lingcod % of Area Affected (G) | 0.01% | 0.00% | 0.01% | 0.12% | 0.00% | 0.48% | 0.26% | 1.32% |
| Lingcod % of Area Affected (SA) | 0.01% | 0.00% | 0.01% | 0.13% | 0.00% | 0.51% | 0.27% | 1.39% |
| Lingcod % of Value Affected (G) | 0.00% | 0.00% | 0.07% | 0.85% | 0.01% | 0.21% | 0.13% | 4.30% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 2 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Hopkins SMR</i> | <i>Pacific Grove SMCA</i> | <i>Asilomar SMR</i> | <i>Carmel Pinnacles SMR</i> | <i>Carmel Bay SMCA</i> | <i>Point Lobos SMR</i> | <i>Point Lobos SMCA</i> | <i>Point Sur SMR</i> |
|---|--------------------|---------------------------|---------------------|-----------------------------|------------------------|------------------------|-------------------------|----------------------|
| Lingcod % of Value Affected (SA) | 0.00% | 0.00% | 0.07% | 0.86% | 0.01% | 0.21% | 0.13% | 4.38% |
| Mackerel % of Area Affected (G) | 0.01% | 0.03% | 0.06% | 0.05% | 0.00% | 0.20% | 0.69% | 1.32% |
| Mackerel % of Area Affected (SA) | 0.02% | 0.04% | 0.08% | 0.08% | 0.00% | 0.29% | 0.99% | 1.88% |
| Mackerel % of Value Affected (G) | 0.03% | 0.05% | 0.06% | 0.11% | 0.00% | 0.37% | 0.19% | 1.19% |
| Mackerel % of Value Affected (SA) | 0.03% | 0.06% | 0.07% | 0.13% | 0.00% | 0.44% | 0.22% | 1.40% |
| Rockfish Nearshore % of Area Affected (G) | 0.00% | 0.00% | 0.01% | 0.09% | 0.00% | 0.35% | 0.22% | 2.23% |
| Rockfish Nearshore % of Area Affected (SA) | 0.01% | 0.00% | 0.02% | 0.10% | 0.00% | 0.40% | 0.25% | 2.56% |
| Rockfish Nearshore % of Value Affected (G) | 0.00% | 0.00% | 0.02% | 0.36% | 0.00% | 0.36% | 0.07% | 4.23% |
| Rockfish Nearshore % of Value Affected (SA) | 0.00% | 0.00% | 0.02% | 0.37% | 0.00% | 0.37% | 0.07% | 4.38% |
| Rockfish Shelf % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.52% | 0.00% |
| Rockfish Slope % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 11.71% | 0.00% |
| Rockfish Slope % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.52% | 0.00% |
| Rockfish Slope % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 11.71% | 0.00% |
| Rock Crab % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.06% | 0.49% | 0.00% |
| Rock Crab % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.14% | 1.15% | 0.00% |
| Rock Crab % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% | 0.25% | 0.00% |
| Rock Crab % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.06% | 0.52% | 0.00% |
| Salmon % of Area Affected (G) | 0.00% | 0.00% | 0.01% | 0.01% | 0.01% | 0.03% | 0.00% | 0.13% |
| Salmon % of Area Affected (SA) | 0.03% | 0.03% | 0.07% | 0.11% | 0.15% | 0.38% | 0.00% | 1.69% |
| Salmon % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.02% | 0.01% | 0.08% | 0.00% | 0.35% |
| Salmon % of Value Affected (SA) | 0.01% | 0.01% | 0.02% | 0.09% | 0.02% | 0.37% | 0.00% | 1.54% |
| Sardine % of Area Affected (G) | 0.01% | 0.01% | 0.03% | 0.03% | 0.00% | 0.11% | 0.43% | 0.74% |
| Sardine % of Area Affected (SA) | 0.02% | 0.03% | 0.07% | 0.07% | 0.00% | 0.26% | 0.99% | 1.71% |
| Sardine % of Value Affected (G) | 0.02% | 0.05% | 0.06% | 0.07% | 0.00% | 0.24% | 0.33% | 0.77% |
| Sardine % of Value Affected (SA) | 0.03% | 0.07% | 0.09% | 0.10% | 0.00% | 0.37% | 0.50% | 1.17% |
| Sablefish % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 2 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Hopkins SMR</i> | <i>Pacific Grove SMCA</i> | <i>Asilomar SMR</i> | <i>Carmel Pinnacles SMR</i> | <i>Carmel Bay SMCA</i> | <i>Point Lobos SMR</i> | <i>Point Lobos SMCA</i> | <i>Point Sur SMR</i> |
|--|--------------------|---------------------------|---------------------|-----------------------------|------------------------|------------------------|-------------------------|----------------------|
| Sablefish % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Area Affected (G) | 0.01% | 0.00% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Area Affected (SA) | 0.01% | 0.00% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Value Affected (G) | 0.01% | 0.00% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Value Affected (SA) | 0.01% | 0.00% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.14% |
| Spot Prawn % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 1.04% |
| Spot Prawn % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.30% |
| Spot Prawn % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 1.12% |
| Squid % of Area Affected (G) | 0.02% | 0.02% | 0.00% | 0.04% | 0.00% | 0.19% | 0.06% | 1.40% |
| Squid % of Area Affected (SA) | 0.02% | 0.03% | 0.00% | 0.06% | 0.00% | 0.25% | 0.08% | 1.85% |
| Squid % of Value Affected (G) | 0.02% | 0.02% | 0.00% | 0.37% | 0.00% | 0.65% | 0.14% | 0.66% |
| Squid % of Value Affected (SA) | 0.02% | 0.02% | 0.00% | 0.39% | 0.00% | 0.70% | 0.14% | 0.71% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 2 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Julia Pfeiffer Burns SMR</i> | <i>Big Creek SMR</i> | <i>Big Creek SMCA</i> | <i>Piedras Blancas SMR</i> | <i>Cambria SMP</i> | <i>Ken Norris SMR</i> | <i>Estero Bluff SMR</i> | <i>Morro Bay SMCA</i> |
|--|-------------------------------------|-------------------------|-------------------------|----------------------------|----------------------------|----------------------------|-----------------------------------|-----------------------------------|
| Subregion | Point Sur to San Martin | Point Sur to San Martin | Point Sur to San Martin | San Martin to Point Estero | San Martin to Point Estero | San Martin to Point Estero | Point Estero to Santa Maria River | Point Estero to Santa Maria River |
| Type of MPA | SMR | SMR | SMCA | SMR | SMP | SMR | SMR | SMCA |
| Level of Protection | SMR | SMR | SMCA moderate | SMR | SMP low | SMR + SMCA low | SMR | SMCA low |
| Commercial Fisheries | | | | | | | | |
| Anchovy % of Area Affected (G) | 0.68% | 0.04% | 0.49% | 0.84% | 0.37% | 0.21% | 0.00% | 0.08% |
| Anchovy % of Area Affected (SA) | 1.58% | 0.10% | 1.12% | 1.93% | 0.86% | 0.48% | 0.01% | 0.18% |
| Anchovy % of Value Affected (G) | 0.46% | 0.03% | 0.31% | 0.69% | 0.22% | 0.12% | 0.00% | 0.05% |
| Anchovy % of Value Affected (SA) | 0.72% | 0.05% | 0.48% | 1.09% | 0.34% | 0.19% | 0.00% | 0.07% |
| | | | | | | | | |
| Cabezon % of Area Affected (G) | 0.48% | 0.13% | 0.15% | 2.79% | 1.39% | 0.78% | 0.02% | 0.30% |
| Cabezon % of Area Affected (SA) | 0.54% | 0.15% | 0.18% | 3.18% | 1.58% | 0.89% | 0.02% | 0.34% |
| Cabezon % of Value Affected (G) | 1.44% | 0.09% | 0.36% | 4.49% | 2.24% | 1.48% | 0.04% | 0.04% |
| Cabezon % of Value Affected (SA) | 1.46% | 0.09% | 0.37% | 4.56% | 2.27% | 1.50% | 0.04% | 0.04% |
| | | | | | | | | |
| Dungeness crab % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.33% | 0.00% | 0.01% | 0.14% |
| Dungeness crab % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.68% | 0.00% | 0.02% | 0.28% |
| Dungeness crab % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.13% | 0.00% | 0.00% | 0.03% |
| Dungeness crab % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.31% | 0.00% | 0.00% | 0.07% |
| | | | | | | | | |
| Deep Nearshore Rockfish % of Area Affected (G) | 0.52% | 0.35% | 0.16% | 2.81% | 1.36% | 0.47% | 0.02% | 0.33% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 0.58% | 0.38% | 0.18% | 3.10% | 1.51% | 0.53% | 0.02% | 0.36% |
| Deep Nearshore Rockfish % of Value Affected (G) | 1.68% | 0.98% | 0.49% | 1.86% | 0.81% | 0.33% | 0.02% | 0.15% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 1.76% | 1.03% | 0.51% | 1.95% | 0.85% | 0.34% | 0.02% | 0.15% |
| | | | | | | | | |
| Halibut % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 1.21% | 1.19% | 0.67% | 0.02% | 0.25% |
| Halibut % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 1.47% | 1.45% | 0.82% | 0.02% | 0.31% |
| Halibut % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 1.58% | 2.06% | 0.78% | 0.05% | 0.65% |
| Halibut % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 1.71% | 2.23% | 0.85% | 0.05% | 0.70% |
| | | | | | | | | |
| Kelp Greenling % of Area Affected (G) | 0.65% | 0.16% | 0.19% | 2.23% | 1.70% | 0.82% | 0.02% | 0.41% |
| Kelp Greenling % of Area Affected (SA) | 0.67% | 0.17% | 0.20% | 2.31% | 1.76% | 0.85% | 0.03% | 0.42% |
| Kelp Greenling % of Value Affected (G) | 2.28% | 0.09% | 0.63% | 2.49% | 0.80% | 0.92% | 0.03% | 0.07% |
| Kelp Greenling % of Value Affected (SA) | 2.31% | 0.10% | 0.64% | 2.52% | 0.81% | 0.93% | 0.03% | 0.07% |
| | | | | | | | | |
| Lingcod % of Area Affected (G) | 0.97% | 0.18% | 0.21% | 2.35% | 1.44% | 0.89% | 0.02% | 0.34% |
| Lingcod % of Area Affected (SA) | 1.02% | 0.19% | 0.23% | 2.49% | 1.52% | 0.94% | 0.02% | 0.36% |
| Lingcod % of Value Affected (G) | 1.51% | 0.11% | 0.37% | 3.73% | 1.44% | 1.37% | 0.04% | 0.04% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 2 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Julia Pfeiffer Burns SMR</i> | <i>Big Creek SMR</i> | <i>Big Creek SMCA</i> | <i>Piedras Blancas SMR</i> | <i>Cambria SMP</i> | <i>Ken Norris SMR</i> | <i>Estero Bluff SMR</i> | <i>Morro Bay SMCA</i> |
|---|-------------------------------------|----------------------|-----------------------|----------------------------|--------------------|-----------------------|-------------------------|-----------------------|
| Lingcod % of Value Affected (SA) | 1.53% | 0.11% | 0.38% | 3.79% | 1.46% | 1.39% | 0.04% | 0.04% |
| Mackerel % of Area Affected (G) | 0.47% | 0.08% | 0.16% | 1.49% | 0.66% | 0.37% | 0.01% | 0.14% |
| Mackerel % of Area Affected (SA) | 0.68% | 0.11% | 0.23% | 2.13% | 0.95% | 0.53% | 0.01% | 0.20% |
| Mackerel % of Value Affected (G) | 0.31% | 0.05% | 0.11% | 1.00% | 0.32% | 0.18% | 0.00% | 0.07% |
| Mackerel % of Value Affected (SA) | 0.37% | 0.06% | 0.13% | 1.19% | 0.37% | 0.21% | 0.00% | 0.08% |
| Rockfish Nearshore % of Area Affected (G) | 0.43% | 0.11% | 0.13% | 2.35% | 1.15% | 0.64% | 0.01% | 0.25% |
| Rockfish Nearshore % of Area Affected (SA) | 0.50% | 0.13% | 0.15% | 2.69% | 1.32% | 0.74% | 0.02% | 0.28% |
| Rockfish Nearshore % of Value Affected (G) | 1.12% | 0.18% | 0.27% | 3.91% | 1.56% | 1.06% | 0.02% | 0.09% |
| Rockfish Nearshore % of Value Affected (SA) | 1.16% | 0.19% | 0.28% | 4.05% | 1.61% | 1.09% | 0.02% | 0.09% |
| Rockfish Shelf % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rock Crab % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 1.13% | 0.50% | 0.28% | 0.01% | 0.11% |
| Rock Crab % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 2.66% | 1.18% | 0.66% | 0.02% | 0.25% |
| Rock Crab % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.91% | 0.40% | 0.29% | 0.01% | 0.09% |
| Rock Crab % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 1.88% | 0.84% | 0.60% | 0.02% | 0.18% |
| Salmon % of Area Affected (G) | 0.12% | 0.02% | 0.00% | 0.15% | 0.06% | 0.04% | 0.00% | 0.01% |
| Salmon % of Area Affected (SA) | 1.57% | 0.28% | 0.00% | 1.91% | 0.85% | 0.48% | 0.01% | 0.18% |
| Salmon % of Value Affected (G) | 0.26% | 0.02% | 0.00% | 0.28% | 0.11% | 0.07% | 0.00% | 0.02% |
| Salmon % of Value Affected (SA) | 1.15% | 0.10% | 0.00% | 1.26% | 0.48% | 0.30% | 0.01% | 0.09% |
| Sardine % of Area Affected (G) | 0.68% | 0.04% | 0.48% | 0.83% | 0.37% | 0.21% | 0.00% | 0.08% |
| Sardine % of Area Affected (SA) | 1.58% | 0.10% | 1.12% | 1.93% | 0.86% | 0.48% | 0.01% | 0.18% |
| Sardine % of Value Affected (G) | 0.42% | 0.03% | 0.28% | 0.64% | 0.20% | 0.11% | 0.00% | 0.04% |
| Sardine % of Value Affected (SA) | 0.64% | 0.05% | 0.43% | 0.97% | 0.30% | 0.17% | 0.00% | 0.07% |
| Sablefish % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |

G = fishing grounds SA = study area SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 2 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Julia Pfeiffer Burns SMR</i> | <i>Big Creek SMR</i> | <i>Big Creek SMCA</i> | <i>Piedras Blancas SMR</i> | <i>Cambria SMP</i> | <i>Ken Norris SMR</i> | <i>Estero Bluff SMR</i> | <i>Morro Bay SMCA</i> |
|--|-------------------------------------|----------------------|-----------------------|----------------------------|--------------------|-----------------------|-------------------------|-----------------------|
| Sablefish % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| White seabass % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.26% | 0.15% | 0.00% | 0.02% | 0.31% |
| White seabass % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.32% | 0.18% | 0.00% | 0.02% | 0.38% |
| White seabass % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 1.03% | 0.59% | 0.00% | 0.06% | 0.93% |
| White seabass % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 1.14% | 0.65% | 0.00% | 0.07% | 1.03% |
| | | | | | | | | |
| Surfperch % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 9.34% | 7.43% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 9.35% | 7.44% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 2.82% | 2.24% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 2.82% | 2.24% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Spot Prawn % of Area Affected (G) | 1.41% | 0.03% | 0.00% | 0.74% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (SA) | 10.33% | 0.26% | 0.00% | 5.42% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (G) | 3.19% | 0.07% | 0.00% | 0.37% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (SA) | 11.74% | 0.28% | 0.00% | 1.38% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Squid % of Area Affected (G) | 0.53% | 0.07% | 0.20% | 2.09% | 0.72% | 0.11% | 0.01% | 0.20% |
| Squid % of Area Affected (SA) | 0.70% | 0.10% | 0.26% | 2.76% | 0.95% | 0.15% | 0.02% | 0.26% |
| Squid % of Value Affected (G) | 0.44% | 0.18% | 0.09% | 1.04% | 0.82% | 0.10% | 0.01% | 0.07% |
| Squid % of Value Affected (SA) | 0.47% | 0.20% | 0.09% | 1.11% | 0.88% | 0.11% | 0.01% | 0.07% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 2 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Morro Bay East SMR</i> | <i>Morro Bay SMRMA</i> | <i>Point Buchon SMR</i> | <i>Point Buchon SMCA</i> | <i>Purisma Point SMR</i> | <i>Point Arguello SMR</i> |
|--|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|---------------------------------------|---------------------------------------|
| Subregion | Point Estero to Santa Maria River | Point Estero to Santa Maria River | Point Estero to Santa Maria River | Point Estero to Santa Maria River | Santa Maria River to Point Conception | Santa Maria River to Point Conception |
| Type of MPA | SMR | SMRMA | SMR | SMCA | SMR | SMR |
| Level of Protection | SMR | SMCA high | SMR | SMCA high | SMR | SMR |
| Commercial Fisheries | | | | | | |
| Anchovy % of Area Affected (G) | 0.01% | 0.03% | 0.32% | 0.46% | 0.73% | 0.31% |
| Anchovy % of Area Affected (SA) | 0.03% | 0.07% | 0.74% | 1.05% | 1.67% | 0.71% |
| Anchovy % of Value Affected (G) | 0.01% | 0.02% | 0.19% | 0.27% | 0.50% | 0.46% |
| Anchovy % of Value Affected (SA) | 0.01% | 0.03% | 0.29% | 0.42% | 0.79% | 0.72% |
| | | | | | | |
| Cabazon % of Area Affected (G) | 0.06% | 0.11% | 1.18% | 0.30% | 2.70% | 1.14% |
| Cabazon % of Area Affected (SA) | 0.06% | 0.12% | 1.34% | 0.34% | 3.08% | 1.30% |
| Cabazon % of Value Affected (G) | 0.01% | 0.01% | 5.64% | 0.50% | 2.72% | 1.39% |
| Cabazon % of Value Affected (SA) | 0.01% | 0.01% | 5.72% | 0.50% | 2.76% | 1.41% |
| | | | | | | |
| Dungeness crab % of Area Affected (G) | 0.03% | 0.05% | 0.55% | 0.79% | 1.26% | 0.50% |
| Dungeness crab % of Area Affected (SA) | 0.05% | 0.10% | 1.14% | 1.63% | 2.59% | 1.02% |
| Dungeness crab % of Value Affected (G) | 0.01% | 0.01% | 0.12% | 0.53% | 1.41% | 0.25% |
| Dungeness crab % of Value Affected (SA) | 0.01% | 0.03% | 0.29% | 1.23% | 3.30% | 0.57% |
| | | | | | | |
| Deep Nearshore Rockfish % of Area Affected (G) | 0.06% | 0.12% | 1.22% | 0.24% | 2.98% | 1.66% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 0.07% | 0.13% | 1.35% | 0.26% | 3.29% | 1.83% |
| Deep Nearshore Rockfish % of Value Affected (G) | 0.02% | 0.05% | 0.55% | 0.04% | 6.22% | 2.03% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 0.03% | 0.05% | 0.58% | 0.04% | 6.51% | 2.12% |
| | | | | | | |
| Halibut % of Area Affected (G) | 0.05% | 0.09% | 0.67% | 0.05% | 2.32% | 0.98% |
| Halibut % of Area Affected (SA) | 0.06% | 0.11% | 0.82% | 0.06% | 2.83% | 1.19% |
| Halibut % of Value Affected (G) | 0.12% | 0.23% | 0.63% | 0.05% | 1.01% | 0.46% |
| Halibut % of Value Affected (SA) | 0.13% | 0.25% | 0.68% | 0.06% | 1.10% | 0.49% |
| | | | | | | |
| Kelp Greenling % of Area Affected (G) | 0.08% | 0.15% | 1.53% | 0.05% | 3.68% | 1.43% |
| Kelp Greenling % of Area Affected (SA) | 0.08% | 0.15% | 1.58% | 0.05% | 3.81% | 1.48% |
| Kelp Greenling % of Value Affected (G) | 0.01% | 0.03% | 3.43% | 0.04% | 4.15% | 1.27% |
| Kelp Greenling % of Value Affected (SA) | 0.01% | 0.03% | 3.48% | 0.04% | 4.20% | 1.28% |
| | | | | | | |
| Lingcod % of Area Affected (G) | 0.06% | 0.12% | 1.38% | 1.39% | 3.12% | 1.21% |
| Lingcod % of Area Affected (SA) | 0.07% | 0.13% | 1.46% | 1.48% | 3.30% | 1.28% |
| Lingcod % of Value Affected (G) | 0.01% | 0.01% | 3.70% | 0.61% | 3.53% | 1.18% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 2 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Morro Bay East SMR</i> | <i>Morro Bay SMRMA</i> | <i>Point Buchon SMR</i> | <i>Point Buchon SMCA</i> | <i>Purisma Point SMR</i> | <i>Point Arguello SMR</i> |
|---|---------------------------|------------------------|-------------------------|--------------------------|--------------------------|---------------------------|
| Lingcod % of Value Affected (SA) | 0.01% | 0.01% | 3.77% | 0.62% | 3.60% | 1.20% |
| Mackerel % of Area Affected (G) | 0.03% | 0.05% | 0.57% | 0.42% | 1.29% | 0.55% |
| Mackerel % of Area Affected (SA) | 0.04% | 0.07% | 0.81% | 0.60% | 1.85% | 0.78% |
| Mackerel % of Value Affected (G) | 0.01% | 0.02% | 0.27% | 0.20% | 0.73% | 0.66% |
| Mackerel % of Value Affected (SA) | 0.01% | 0.03% | 0.32% | 0.24% | 0.86% | 0.78% |
| Rockfish Nearshore % of Area Affected (G) | 0.05% | 0.09% | 0.98% | 0.90% | 2.24% | 0.94% |
| Rockfish Nearshore % of Area Affected (SA) | 0.05% | 0.10% | 1.13% | 1.04% | 2.57% | 1.08% |
| Rockfish Nearshore % of Value Affected (G) | 0.02% | 0.03% | 3.90% | 0.79% | 3.80% | 0.88% |
| Rockfish Nearshore % of Value Affected (SA) | 0.02% | 0.03% | 4.04% | 0.82% | 3.94% | 0.91% |
| Rockfish Shelf % of Area Affected (G) | 0.00% | 0.00% | 4.40% | 0.16% | 8.65% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 0.00% | 0.00% | 4.82% | 0.18% | 9.48% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 0.00% | 0.00% | 5.83% | 0.21% | 5.82% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 0.00% | 0.00% | 6.23% | 0.22% | 6.22% | 0.00% |
| Rockfish Slope % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rock Crab % of Area Affected (G) | 0.02% | 0.04% | 0.43% | 0.62% | 0.98% | 0.41% |
| Rock Crab % of Area Affected (SA) | 0.05% | 0.09% | 1.01% | 1.45% | 2.31% | 0.97% |
| Rock Crab % of Value Affected (G) | 0.02% | 0.03% | 0.61% | 0.85% | 1.75% | 0.39% |
| Rock Crab % of Value Affected (SA) | 0.03% | 0.06% | 1.27% | 1.76% | 3.61% | 0.81% |
| Salmon % of Area Affected (G) | 0.00% | 0.00% | 0.06% | 0.00% | 0.13% | 0.07% |
| Salmon % of Area Affected (SA) | 0.03% | 0.07% | 0.73% | 0.00% | 1.66% | 0.92% |
| Salmon % of Value Affected (G) | 0.00% | 0.01% | 0.10% | 0.00% | 0.22% | 0.08% |
| Salmon % of Value Affected (SA) | 0.02% | 0.03% | 0.46% | 0.00% | 0.97% | 0.36% |
| Sardine % of Area Affected (G) | 0.01% | 0.03% | 0.32% | 0.45% | 0.72% | 0.30% |
| Sardine % of Area Affected (SA) | 0.03% | 0.07% | 0.74% | 1.05% | 1.67% | 0.71% |
| Sardine % of Value Affected (G) | 0.01% | 0.02% | 0.17% | 0.25% | 0.46% | 0.42% |
| Sardine % of Value Affected (SA) | 0.01% | 0.02% | 0.26% | 0.37% | 0.70% | 0.64% |
| Sablefish % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |

G = fishing grounds

SA = study area

SMCA = state marine conservation area

SMP = state marine park

SMR = state marine reserve

SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 2 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Morro Bay East SMR</i> | <i>Morro Bay SMRMA</i> | <i>Point Buchon SMR</i> | <i>Point Buchon SMCA</i> | <i>Purisma Point SMR</i> | <i>Point Arguello SMR</i> |
|--|---------------------------|------------------------|-------------------------|--------------------------|--------------------------|---------------------------|
| Sablefish % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Area Affected (G) | 0.06% | 0.11% | 0.04% | 0.00% | 2.87% | 1.21% |
| White seabass % of Area Affected (SA) | 0.07% | 0.14% | 0.05% | 0.00% | 3.50% | 1.48% |
| White seabass % of Value Affected (G) | 0.17% | 0.32% | 0.07% | 0.00% | 1.47% | 0.75% |
| White seabass % of Value Affected (SA) | 0.18% | 0.35% | 0.08% | 0.00% | 1.62% | 0.83% |
| Surfperch % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Squid % of Area Affected (G) | 0.04% | 0.07% | 0.23% | 0.15% | 1.40% | 0.76% |
| Squid % of Area Affected (SA) | 0.05% | 0.09% | 0.30% | 0.20% | 1.84% | 1.01% |
| Squid % of Value Affected (G) | 0.01% | 0.02% | 0.16% | 0.04% | 0.15% | 1.91% |
| Squid % of Value Affected (SA) | 0.01% | 0.02% | 0.17% | 0.04% | 0.16% | 2.04% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 3 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>TOTALS</i> | <i>Ano Nuevo SMR</i> | <i>Natural Bridges Intertidal SMR</i> | <i>Opal Cliffs SMP</i> | <i>Elkhorn SMR</i> | <i>Moro Cojo SMR</i> | <i>Soquel Canyon SMCA</i> | <i>Portuguese Ledge SMCA</i> |
|--|---------------|--------------------------|---------------------------------------|--------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| Subregion | | Pigeon Point to Capitola | Pigeon Point to Capitola | Pigeon Point to Capitola | Capitola to Monterey Breakwater | Capitola to Monterey Breakwater | Capitola to Monterey Breakwater | Capitola to Monterey Breakwater |
| Type of MPA | | SMR | SMR | SMP | SMR | SMR | SMCA | SMCA |
| Level of Protection | | SMR + SMCA moderate | SMR | SMP low | SMR | SMR | SMCA moderate | SMCA high |
| Commercial Fisheries | | | | | | | | |
| Anchovy % of Area Affected (G) | 6.01% | 0.69% | 0.02% | 0.01% | 0.00% | 0.00% | 0.00% | 0.41% |
| Anchovy % of Area Affected (SA) | 13.88% | 1.60% | 0.05% | 0.02% | 0.00% | 0.00% | 0.00% | 0.96% |
| Anchovy % of Value Affected (G) | 5.26% | 0.95% | 0.03% | 0.03% | 0.00% | 0.00% | 0.00% | 0.28% |
| Anchovy % of Value Affected (SA) | 8.24% | 1.48% | 0.05% | 0.04% | 0.00% | 0.00% | 0.00% | 0.44% |
| | | | | | | | | |
| Cabazon % of Area Affected (G) | 14.95% | 1.85% | 0.08% | 0.03% | 0.00% | 0.00% | 0.00% | 0.00% |
| Cabazon % of Area Affected (SA) | 17.05% | 2.11% | 0.09% | 0.04% | 0.00% | 0.00% | 0.00% | 0.00% |
| Cabazon % of Value Affected (G) | 21.85% | 0.70% | 0.02% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% |
| Cabazon % of Value Affected (SA) | 22.15% | 0.71% | 0.02% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Dungeness crab % of Area Affected (G) | 6.75% | 1.21% | 0.04% | 0.01% | 0.00% | 0.00% | 1.26% | 0.51% |
| Dungeness crab % of Area Affected (SA) | 13.87% | 2.48% | 0.07% | 0.03% | 0.00% | 0.00% | 2.59% | 1.05% |
| Dungeness crab % of Value Affected (G) | 5.78% | 0.96% | 0.02% | 0.00% | 0.00% | 0.00% | 1.32% | 0.56% |
| Dungeness crab % of Value Affected (SA) | 13.52% | 2.24% | 0.05% | 0.01% | 0.00% | 0.00% | 3.08% | 1.30% |
| | | | | | | | | |
| Deep Nearshore Rockfish % of Area Affected (G) | 14.97% | 2.04% | 0.09% | 0.03% | 0.00% | 0.00% | 0.00% | 0.00% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 16.54% | 2.26% | 0.09% | 0.04% | 0.00% | 0.00% | 0.00% | 0.00% |
| Deep Nearshore Rockfish % of Value Affected (G) | 17.54% | 0.53% | 0.01% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 18.39% | 0.55% | 0.01% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Halibut % of Area Affected (G) | 9.50% | 2.22% | 0.07% | 0.03% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Area Affected (SA) | 11.59% | 2.71% | 0.08% | 0.03% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Value Affected (G) | 9.66% | 1.39% | 0.08% | 0.04% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Value Affected (SA) | 10.49% | 1.50% | 0.09% | 0.04% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Kelp Greenling % of Area Affected (G) | 16.16% | 2.54% | 0.11% | 0.04% | 0.00% | 0.00% | 0.00% | 0.00% |
| Kelp Greenling % of Area Affected (SA) | 16.73% | 2.63% | 0.11% | 0.05% | 0.00% | 0.00% | 0.00% | 0.00% |
| Kelp Greenling % of Value Affected (G) | 18.44% | 0.93% | 0.04% | 0.02% | 0.00% | 0.00% | 0.00% | 0.00% |
| Kelp Greenling % of Value Affected (SA) | 18.66% | 0.94% | 0.04% | 0.02% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Lingcod % of Area Affected (G) | 16.31% | 2.33% | 0.09% | 0.04% | 0.00% | 0.00% | 0.00% | 0.00% |
| Lingcod % of Area Affected (SA) | 17.25% | 2.46% | 0.10% | 0.04% | 0.00% | 0.00% | 0.00% | 0.00% |
| Lingcod % of Value Affected (G) | 21.30% | 1.84% | 0.02% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 3 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>TOTALS</i> | <i>Ano Nuevo SMR</i> | <i>Natural Bridges Intertidal SMR</i> | <i>Opal Cliffs SMP</i> | <i>Elkhorn SMR</i> | <i>Moro Cojo SMR</i> | <i>Soquel Canyon SMCA</i> | <i>Portuguese Ledge SMCA</i> |
|---|---------------|----------------------|---|------------------------|--------------------|----------------------|---------------------------|----------------------------------|
| Lingcod % of Value Affected (SA) | 21.68% | 1.87% | 0.02% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Mackerel % of Area Affected (G) | 9.41% | 1.24% | 0.04% | 0.02% | 0.00% | 0.00% | 0.00% | 0.74% |
| Mackerel % of Area Affected (SA) | 13.44% | 1.77% | 0.05% | 0.02% | 0.00% | 0.00% | 0.00% | 1.06% |
| Mackerel % of Value Affected (G) | 6.83% | 1.68% | 0.05% | 0.03% | 0.00% | 0.00% | 0.00% | 0.05% |
| Mackerel % of Value Affected (SA) | 8.09% | 1.99% | 0.05% | 0.04% | 0.00% | 0.00% | 0.00% | 0.06% |
| | | | | | | | | |
| Rockfish Nearshore % of Area Affected (G) | 13.70% | 2.06% | 0.06% | 0.03% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Nearshore % of Area Affected (SA) | 15.73% | 2.36% | 0.07% | 0.03% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Nearshore % of Value Affected (G) | 20.83% | 1.96% | 0.08% | 0.02% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Nearshore % of Value Affected (SA) | 21.56% | 2.03% | 0.09% | 0.02% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Rockfish Shelf % of Area Affected (G) | 16.13% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 17.68% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 15.33% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 16.37% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Rockfish Slope % of Area Affected (G) | 0.97% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.52% | 0.06% |
| Rockfish Slope % of Area Affected (SA) | 21.87% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 11.64% | 1.41% |
| Rockfish Slope % of Value Affected (G) | 0.97% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.52% | 0.06% |
| Rockfish Slope % of Value Affected (SA) | 21.87% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 11.64% | 1.41% |
| | | | | | | | | |
| Rock Crab % of Area Affected (G) | 6.10% | 0.08% | 0.00% | 0.00% | 0.00% | 0.00% | 1.02% | 0.45% |
| Rock Crab % of Area Affected (SA) | 14.38% | 0.19% | 0.00% | 0.00% | 0.00% | 0.00% | 2.40% | 1.06% |
| Rock Crab % of Value Affected (G) | 6.78% | 0.04% | 0.00% | 0.00% | 0.00% | 0.00% | 0.52% | 0.23% |
| Rock Crab % of Value Affected (SA) | 14.07% | 0.09% | 0.00% | 0.00% | 0.00% | 0.00% | 1.08% | 0.48% |
| | | | | | | | | |
| Salmon % of Area Affected (G) | 0.91% | 0.12% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Salmon % of Area Affected (SA) | 11.85% | 1.59% | 0.05% | 0.02% | 0.00% | 0.00% | 0.00% | 0.00% |
| Salmon % of Value Affected (G) | 1.89% | 0.31% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Salmon % of Value Affected (SA) | 8.49% | 1.38% | 0.03% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Sardine % of Area Affected (G) | 5.16% | 0.69% | 0.02% | 0.01% | 0.00% | 0.00% | 0.00% | 0.41% |
| Sardine % of Area Affected (SA) | 11.98% | 1.60% | 0.05% | 0.02% | 0.00% | 0.00% | 0.00% | 0.96% |
| Sardine % of Value Affected (G) | 4.57% | 1.07% | 0.03% | 0.02% | 0.00% | 0.00% | 0.00% | 0.42% |
| Sardine % of Value Affected (SA) | 6.94% | 1.63% | 0.04% | 0.04% | 0.00% | 0.00% | 0.00% | 0.63% |
| | | | | | | | | |
| Sablefish % of Area Affected (G) | 2.26% | 0.09% | 0.00% | 0.00% | 0.00% | 0.00% | 2.04% | 0.13% |
| Sablefish % of Area Affected (SA) | 21.22% | 0.84% | 0.00% | 0.00% | 0.00% | 0.00% | 19.17% | 1.21% |
| Sablefish % of Value Affected (G) | 3.09% | 0.11% | 0.00% | 0.00% | 0.00% | 0.00% | 2.92% | 0.06% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 3 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>TOTALS</i> | <i>Ano Nuevo SMR</i> | <i>Natural Bridges Intertidal SMR</i> | <i>Opal Cliffs SMP</i> | <i>Elkhorn SMR</i> | <i>Moro Cojo SMR</i> | <i>Soquel Canyon SMCA</i> | <i>Portuguese Ledge SMCA</i> |
|--|---------------|----------------------|---|------------------------|--------------------|----------------------|---------------------------|----------------------------------|
| Sablefish % of Value Affected (SA) | 23.30% | 0.80% | 0.00% | 0.00% | 0.00% | 0.00% | 22.07% | 0.43% |
| | | | | | | | | |
| White seabass % of Area Affected (G) | 8.36% | 2.68% | 0.08% | 0.03% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Area Affected (SA) | 10.22% | 3.27% | 0.10% | 0.04% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Value Affected (G) | 7.92% | 1.88% | 0.06% | 0.02% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Value Affected (SA) | 8.78% | 2.08% | 0.06% | 0.03% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Surfperch % of Area Affected (G) | 22.78% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (SA) | 22.78% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (G) | 9.41% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (SA) | 9.41% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Spot Prawn % of Area Affected (G) | 2.88% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (SA) | 21.17% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (G) | 5.30% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (SA) | 19.53% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Squid % of Area Affected (G) | 9.76% | 1.74% | 0.05% | 0.00% | 0.00% | 0.00% | 0.00% | 0.70% |
| Squid % of Area Affected (SA) | 12.88% | 2.29% | 0.07% | 0.00% | 0.00% | 0.00% | 0.00% | 0.92% |
| Squid % of Value Affected (G) | 7.34% | 2.10% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% | 0.44% |
| Squid % of Value Affected (SA) | 7.83% | 2.24% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% | 0.47% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 3 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Ed Ricketts SMCA</i> | <i>Hopkins SMR</i> | <i>Pacific Grove SMCA</i> | <i>Pacific Grove SMR</i> | <i>Pinnacles SMR</i> | <i>Carmel Bay SMCA</i> | <i>Point Lobos SMR</i> | <i>Point Lobos SMCA</i> |
|--|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| Subregion | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur |
| Type of MPA | SMCA | SMR | SMCA | SMR | SMR | SMCA | SMR | SMCA |
| Level of Protection | SMCA low | SMR | SMCA low | SMR | SMR | SMCA low | SMR | SMCA moderate |
| Commercial Fisheries | | | | | | | | |
| Anchovy % of Area Affected (G) | 0.01% | 0.01% | 0.01% | 0.03% | 0.02% | 0.00% | 0.08% | 0.30% |
| Anchovy % of Area Affected (SA) | 0.02% | 0.02% | 0.03% | 0.07% | 0.04% | 0.00% | 0.20% | 0.70% |
| Anchovy % of Value Affected (G) | 0.03% | 0.03% | 0.05% | 0.06% | 0.03% | 0.00% | 0.20% | 0.22% |
| Anchovy % of Value Affected (SA) | 0.04% | 0.04% | 0.08% | 0.10% | 0.04% | 0.00% | 0.31% | 0.35% |
| | | | | | | | | |
| Cabazon % of Area Affected (G) | 0.03% | 0.01% | 0.00% | 0.01% | 0.05% | 0.00% | 0.31% | 0.17% |
| Cabazon % of Area Affected (SA) | 0.03% | 0.01% | 0.00% | 0.01% | 0.06% | 0.00% | 0.36% | 0.20% |
| Cabazon % of Value Affected (G) | 0.01% | 0.00% | 0.00% | 0.07% | 0.47% | 0.00% | 0.29% | 0.05% |
| Cabazon % of Value Affected (SA) | 0.01% | 0.00% | 0.00% | 0.07% | 0.48% | 0.00% | 0.30% | 0.05% |
| | | | | | | | | |
| Dungeness crab % of Area Affected (G) | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% | 0.22% |
| Dungeness crab % of Area Affected (SA) | 0.03% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% | 0.45% |
| Dungeness crab % of Value Affected (G) | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.07% |
| Dungeness crab % of Value Affected (SA) | 0.02% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% | 0.16% |
| | | | | | | | | |
| Deep Nearshore Rockfish % of Area Affected (G) | 0.03% | 0.01% | 0.00% | 0.01% | 0.11% | 0.32% | 0.29% | 0.00% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 0.03% | 0.01% | 0.00% | 0.01% | 0.12% | 0.35% | 0.32% | 0.00% |
| Deep Nearshore Rockfish % of Value Affected (G) | 0.01% | 0.00% | 0.00% | 0.01% | 0.37% | 0.76% | 0.71% | 0.00% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 0.01% | 0.00% | 0.00% | 0.01% | 0.39% | 0.80% | 0.75% | 0.00% |
| | | | | | | | | |
| Halibut % of Area Affected (G) | 0.02% | 0.04% | 0.05% | 0.10% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Area Affected (SA) | 0.03% | 0.05% | 0.06% | 0.12% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Value Affected (G) | 0.06% | 0.01% | 0.01% | 0.03% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Value Affected (SA) | 0.06% | 0.01% | 0.01% | 0.03% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Kelp Greenling % of Area Affected (G) | 0.04% | 0.01% | 0.00% | 0.01% | 0.07% | 0.00% | 0.11% | 0.00% |
| Kelp Greenling % of Area Affected (SA) | 0.04% | 0.01% | 0.00% | 0.01% | 0.07% | 0.00% | 0.12% | 0.00% |
| Kelp Greenling % of Value Affected (G) | 0.01% | 0.00% | 0.00% | 0.12% | 0.75% | 0.01% | 0.37% | 0.00% |
| Kelp Greenling % of Value Affected (SA) | 0.01% | 0.00% | 0.00% | 0.12% | 0.76% | 0.01% | 0.37% | 0.00% |
| | | | | | | | | |
| Lingcod % of Area Affected (G) | 0.03% | 0.01% | 0.00% | 0.01% | 0.06% | 0.00% | 0.36% | 0.18% |
| Lingcod % of Area Affected (SA) | 0.03% | 0.01% | 0.00% | 0.01% | 0.07% | 0.00% | 0.38% | 0.19% |
| Lingcod % of Value Affected (G) | 0.01% | 0.00% | 0.00% | 0.07% | 0.46% | 0.00% | 0.21% | 0.00% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 3 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Ed Ricketts SMCA</i> | <i>Hopkins SMR</i> | <i>Pacific Grove SMCA</i> | <i>Pacific Grove SMR</i> | <i>Pinnacles SMR</i> | <i>Carmel Bay SMCA</i> | <i>Point Lobos SMR</i> | <i>Point Lobos SMCA</i> |
|---|-------------------------|--------------------|---------------------------|--------------------------|----------------------|------------------------|------------------------|-------------------------|
| Lingcod % of Value Affected (SA) | 0.01% | 0.00% | 0.00% | 0.07% | 0.47% | 0.00% | 0.22% | 0.00% |
| Mackerel % of Area Affected (G) | 0.01% | 0.01% | 0.03% | 0.06% | 0.03% | 0.00% | 0.15% | 0.49% |
| Mackerel % of Area Affected (SA) | 0.02% | 0.02% | 0.04% | 0.08% | 0.04% | 0.00% | 0.22% | 0.69% |
| Mackerel % of Value Affected (G) | 0.03% | 0.03% | 0.05% | 0.06% | 0.06% | 0.00% | 0.35% | 0.08% |
| Mackerel % of Value Affected (SA) | 0.03% | 0.03% | 0.06% | 0.07% | 0.07% | 0.00% | 0.41% | 0.10% |
| Rockfish Nearshore % of Area Affected (G) | 0.02% | 0.01% | 0.00% | 0.01% | 0.04% | 0.00% | 0.26% | 0.14% |
| Rockfish Nearshore % of Area Affected (SA) | 0.03% | 0.01% | 0.00% | 0.02% | 0.05% | 0.00% | 0.30% | 0.16% |
| Rockfish Nearshore % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.02% | 0.21% | 0.00% | 0.23% | 0.03% |
| Rockfish Nearshore % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.02% | 0.22% | 0.00% | 0.24% | 0.03% |
| Rockfish Shelf % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.39% |
| Rockfish Slope % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 8.82% |
| Rockfish Slope % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.39% |
| Rockfish Slope % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 8.82% |
| Rock Crab % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.04% | 0.38% |
| Rock Crab % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.10% | 0.88% |
| Rock Crab % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% | 0.19% |
| Rock Crab % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.05% | 0.40% |
| Salmon % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.01% | 0.01% | 0.01% | 0.03% | 0.00% |
| Salmon % of Area Affected (SA) | 0.02% | 0.03% | 0.03% | 0.07% | 0.08% | 0.18% | 0.33% | 0.00% |
| Salmon % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% | 0.01% | 0.18% | 0.00% |
| Salmon % of Value Affected (SA) | 0.01% | 0.01% | 0.01% | 0.02% | 0.06% | 0.03% | 0.81% | 0.00% |
| Sardine % of Area Affected (G) | 0.01% | 0.01% | 0.01% | 0.03% | 0.02% | 0.00% | 0.08% | 0.30% |
| Sardine % of Area Affected (SA) | 0.02% | 0.02% | 0.03% | 0.07% | 0.04% | 0.00% | 0.20% | 0.70% |
| Sardine % of Value Affected (G) | 0.02% | 0.02% | 0.05% | 0.06% | 0.04% | 0.00% | 0.22% | 0.21% |
| Sardine % of Value Affected (SA) | 0.04% | 0.03% | 0.07% | 0.09% | 0.05% | 0.00% | 0.34% | 0.31% |
| Sablefish % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |

G = fishing grounds SA = study area SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 3 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Ed Ricketts SMCA</i> | <i>Hopkins SMR</i> | <i>Pacific Grove SMCA</i> | <i>Pacific Grove SMR</i> | <i>Pinnacles SMR</i> | <i>Carmel Bay SMCA</i> | <i>Point Lobos SMR</i> | <i>Point Lobos SMCA</i> |
|--|-------------------------|--------------------|---------------------------|--------------------------|----------------------|------------------------|------------------------|-------------------------|
| Sablefish % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Area Affected (G) | 0.03% | 0.01% | 0.00% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Area Affected (SA) | 0.04% | 0.01% | 0.00% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Value Affected (G) | 0.03% | 0.01% | 0.00% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Value Affected (SA) | 0.03% | 0.01% | 0.00% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% | 0.00% |
| Spot Prawn % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.07% | 0.00% |
| Spot Prawn % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% | 0.00% |
| Spot Prawn % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.06% | 0.00% |
| Squid % of Area Affected (G) | 0.02% | 0.02% | 0.02% | 0.00% | 0.02% | 0.00% | 0.18% | 0.02% |
| Squid % of Area Affected (SA) | 0.03% | 0.02% | 0.03% | 0.00% | 0.02% | 0.00% | 0.23% | 0.03% |
| Squid % of Value Affected (G) | 0.02% | 0.02% | 0.02% | 0.00% | 0.17% | 0.00% | 0.60% | 0.03% |
| Squid % of Value Affected (SA) | 0.02% | 0.02% | 0.03% | 0.00% | 0.18% | 0.00% | 0.64% | 0.04% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 3 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Point Sur SMR</i> | <i>Point Sur SMCA</i> | <i>Expanded Big Creek SMR</i> | <i>Piedras Blancas SMR</i> | <i>Piedras Blancas SMCA</i> | <i>Cambria SMP</i> | <i>Cambria SMR</i> | <i>Estero Bluff SMP</i> |
|--|-------------------------|-------------------------|-------------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------------|
| Subregion | Point Sur to San Martin | Point Sur to San Martin | Point Sur to San Martin | San Martin to Point Estero | San Martin to Point Estero | San Martin to Point Estero | San Martin to Point Estero | Point Estero to Santa Maria River |
| Type of MPA | SMR | SMCA | SMR | SMR | SMCA | SMP | SMR | SMP |
| Level of Protection | SMR | SMCA high | SMR | SMR | SMCA high | SMP low | SMR + SMCA low | SMP low |
| Commercial Fisheries | | | | | | | | |
| Anchovy % of Area Affected (G) | 0.21% | 0.37% | 0.77% | 0.34% | 0.46% | 0.27% | 0.10% | 0.01% |
| Anchovy % of Area Affected (SA) | 0.49% | 0.85% | 1.77% | 0.79% | 1.05% | 0.62% | 0.22% | 0.02% |
| Anchovy % of Value Affected (G) | 0.24% | 0.39% | 0.50% | 0.26% | 0.40% | 0.16% | 0.06% | 0.01% |
| Anchovy % of Value Affected (SA) | 0.38% | 0.61% | 0.79% | 0.41% | 0.63% | 0.25% | 0.09% | 0.01% |
| | | | | | | | | |
| Cabezon % of Area Affected (G) | 0.80% | 1.23% | 0.43% | 1.28% | 1.40% | 1.00% | 0.36% | 0.04% |
| Cabezon % of Area Affected (SA) | 0.91% | 1.40% | 0.49% | 1.46% | 1.60% | 1.14% | 0.41% | 0.04% |
| Cabezon % of Value Affected (G) | 2.40% | 0.34% | 1.10% | 3.35% | 1.00% | 2.23% | 1.10% | 0.08% |
| Cabezon % of Value Affected (SA) | 2.43% | 0.34% | 1.12% | 3.39% | 1.02% | 2.26% | 1.12% | 0.08% |
| | | | | | | | | |
| Dungeness crab % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.16% | 0.00% | 0.02% |
| Dungeness crab % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.32% | 0.00% | 0.03% |
| Dungeness crab % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.06% | 0.00% | 0.00% |
| Dungeness crab % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.14% | 0.00% | 0.01% |
| | | | | | | | | |
| Deep Nearshore Rockfish % of Area Affected (G) | 0.58% | 0.00% | 0.70% | 1.41% | 1.28% | 1.10% | 0.40% | 0.04% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 0.64% | 0.00% | 0.77% | 1.56% | 1.42% | 1.22% | 0.44% | 0.04% |
| Deep Nearshore Rockfish % of Value Affected (G) | 1.98% | 0.00% | 2.06% | 1.36% | 0.44% | 0.70% | 0.29% | 0.04% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 2.08% | 0.00% | 2.16% | 1.42% | 0.47% | 0.74% | 0.30% | 0.04% |
| | | | | | | | | |
| Halibut % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.57% | 0.60% | 0.86% | 0.31% | 0.03% |
| Halibut % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.70% | 0.74% | 1.05% | 0.38% | 0.04% |
| Halibut % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.91% | 0.62% | 1.68% | 0.38% | 0.08% |
| Halibut % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.98% | 0.68% | 1.82% | 0.42% | 0.09% |
| | | | | | | | | |
| Kelp Greenling % of Area Affected (G) | 0.72% | 0.00% | 0.59% | 1.67% | 0.50% | 1.37% | 0.49% | 0.05% |
| Kelp Greenling % of Area Affected (SA) | 0.75% | 0.00% | 0.61% | 1.73% | 0.52% | 1.42% | 0.51% | 0.05% |
| Kelp Greenling % of Value Affected (G) | 2.16% | 0.00% | 1.97% | 2.21% | 0.20% | 0.82% | 0.71% | 0.07% |
| Kelp Greenling % of Value Affected (SA) | 2.19% | 0.00% | 1.99% | 2.24% | 0.20% | 0.83% | 0.72% | 0.07% |
| | | | | | | | | |
| Lingcod % of Area Affected (G) | 0.72% | 0.00% | 0.84% | 1.45% | 0.83% | 1.16% | 0.42% | 0.04% |
| Lingcod % of Area Affected (SA) | 0.76% | 0.00% | 0.89% | 1.54% | 0.87% | 1.23% | 0.44% | 0.04% |
| Lingcod % of Value Affected (G) | 2.27% | 0.00% | 1.16% | 3.29% | 0.33% | 1.61% | 1.07% | 0.08% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 3 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Point Sur SMR</i> | <i>Point Sur SMCA</i> | <i>Expanded Big Creek SMR</i> | <i>Piedras Blancas SMR</i> | <i>Piedras Blancas SMCA</i> | <i>Cambria SMP</i> | <i>Cambria SMR</i> | <i>Estero Bluff SMP</i> |
|---|----------------------|-----------------------|-------------------------------|----------------------------|-----------------------------|--------------------|--------------------|-------------------------|
| Lingcod % of Value Affected (SA) | 2.31% | 0.00% | 1.18% | 3.34% | 0.34% | 1.64% | 1.08% | 0.09% |
| Mackerel % of Area Affected (G) | 0.38% | 0.65% | 0.42% | 0.61% | 0.81% | 0.48% | 0.17% | 0.02% |
| Mackerel % of Area Affected (SA) | 0.55% | 0.92% | 0.61% | 0.88% | 1.16% | 0.69% | 0.25% | 0.02% |
| Mackerel % of Value Affected (G) | 0.41% | 0.62% | 0.28% | 0.38% | 0.58% | 0.23% | 0.08% | 0.01% |
| Mackerel % of Value Affected (SA) | 0.49% | 0.73% | 0.33% | 0.45% | 0.68% | 0.27% | 0.10% | 0.01% |
| Rockfish Nearshore % of Area Affected (G) | 0.66% | 1.06% | 0.38% | 1.06% | 1.20% | 0.83% | 0.30% | 0.03% |
| Rockfish Nearshore % of Area Affected (SA) | 0.76% | 1.22% | 0.43% | 1.22% | 1.38% | 0.95% | 0.34% | 0.03% |
| Rockfish Nearshore % of Value Affected (G) | 2.16% | 0.39% | 0.90% | 2.86% | 0.94% | 1.52% | 0.77% | 0.05% |
| Rockfish Nearshore % of Value Affected (SA) | 2.23% | 0.40% | 0.93% | 2.96% | 0.97% | 1.58% | 0.79% | 0.05% |
| Rockfish Shelf % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rock Crab % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.46% | 0.62% | 0.36% | 0.13% | 0.01% |
| Rock Crab % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 1.09% | 1.45% | 0.85% | 0.31% | 0.03% |
| Rock Crab % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.37% | 0.50% | 0.29% | 0.15% | 0.02% |
| Rock Crab % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.77% | 1.02% | 0.60% | 0.32% | 0.04% |
| Salmon % of Area Affected (G) | 0.04% | 0.06% | 0.15% | 0.06% | 0.08% | 0.05% | 0.02% | 0.00% |
| Salmon % of Area Affected (SA) | 0.49% | 0.84% | 1.95% | 0.79% | 1.04% | 0.61% | 0.22% | 0.02% |
| Salmon % of Value Affected (G) | 0.08% | 0.21% | 0.29% | 0.09% | 0.18% | 0.07% | 0.02% | 0.00% |
| Salmon % of Value Affected (SA) | 0.36% | 0.93% | 1.30% | 0.39% | 0.81% | 0.30% | 0.10% | 0.01% |
| Sardine % of Area Affected (G) | 0.21% | 0.00% | 0.76% | 0.34% | 0.00% | 0.27% | 0.10% | 0.01% |
| Sardine % of Area Affected (SA) | 0.49% | 0.00% | 1.77% | 0.79% | 0.00% | 0.62% | 0.22% | 0.02% |
| Sardine % of Value Affected (G) | 0.27% | 0.00% | 0.46% | 0.24% | 0.00% | 0.15% | 0.05% | 0.01% |
| Sardine % of Value Affected (SA) | 0.41% | 0.00% | 0.70% | 0.37% | 0.00% | 0.22% | 0.08% | 0.01% |
| Sablefish % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 3 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Point Sur SMR</i> | <i>Point Sur SMCA</i> | <i>Expanded Big Creek SMR</i> | <i>Piedras Blancas SMR</i> | <i>Piedras Blancas SMCA</i> | <i>Cambria SMP</i> | <i>Cambria SMR</i> | <i>Estero Bluff SMP</i> |
|--|----------------------|-----------------------|-------------------------------|----------------------------|-----------------------------|--------------------|--------------------|-------------------------|
| Sablefish % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.25% | 0.00% | 0.23% | 0.00% | 0.04% |
| White seabass % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.30% | 0.00% | 0.29% | 0.00% | 0.05% |
| White seabass % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.98% | 0.00% | 0.92% | 0.00% | 0.11% |
| White seabass % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 1.09% | 0.00% | 1.02% | 0.00% | 0.12% |
| Surfperch % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 9.18% | 0.00% | 9.08% | 0.00% | 0.00% |
| Surfperch % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 9.18% | 0.00% | 9.08% | 0.00% | 0.00% |
| Surfperch % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 2.77% | 0.00% | 2.74% | 0.00% | 0.00% |
| Surfperch % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 2.77% | 0.00% | 2.74% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (G) | 0.00% | 0.16% | 2.01% | 0.00% | 0.70% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (SA) | 0.00% | 1.19% | 14.77% | 0.00% | 5.14% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (G) | 0.00% | 0.36% | 4.58% | 0.00% | 0.35% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (SA) | 0.00% | 1.31% | 16.85% | 0.00% | 1.31% | 0.00% | 0.00% | 0.00% |
| Squid % of Area Affected (G) | 0.30% | 0.84% | 0.47% | 0.86% | 1.14% | 0.45% | 0.00% | 0.02% |
| Squid % of Area Affected (SA) | 0.40% | 1.11% | 0.62% | 1.13% | 1.51% | 0.60% | 0.00% | 0.03% |
| Squid % of Value Affected (G) | 0.26% | 0.35% | 0.31% | 0.43% | 0.52% | 0.44% | 0.00% | 0.01% |
| Squid % of Value Affected (SA) | 0.27% | 0.37% | 0.33% | 0.46% | 0.56% | 0.46% | 0.00% | 0.02% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 3 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Morro Bay SMCA</i> | <i>Morro Bay South SMRMA</i> | <i>Morro Bay East SMR</i> | <i>Point Buchon SMR</i> | <i>Point Buchon SMCA</i> | <i>Point Sal SMR</i> | <i>Vandenberg SMR</i> |
|--|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|---------------------------------------|---------------------------------------|
| Subregion | Point Estero to Santa Maria River | Point Estero to Santa Maria River | Point Estero to Santa Maria River | Point Estero to Santa Maria River | Point Estero to Santa Maria River | Santa Maria River to Point Conception | Santa Maria River to Point Conception |
| Type of MPA | SMCA | SMRMA | SMR | SMR | SMCA | SMR | SMR |
| Level of Protection | SMCA low | SMCA high | SMR | SMR | SMCA low | SMR | SMR |
| Commercial Fisheries | | | | | | | |
| Anchovy % of Area Affected (G) | 0.09% | 0.02% | 0.01% | 0.16% | 0.47% | 0.78% | 0.36% |
| Anchovy % of Area Affected (SA) | 0.20% | 0.06% | 0.03% | 0.36% | 1.08% | 1.79% | 0.84% |
| Anchovy % of Value Affected (G) | 0.05% | 0.01% | 0.01% | 0.09% | 0.27% | 0.54% | 0.36% |
| Anchovy % of Value Affected (SA) | 0.08% | 0.02% | 0.01% | 0.14% | 0.43% | 0.85% | 0.57% |
| | | | | | | | |
| Cabazon % of Area Affected (G) | 0.33% | 0.09% | 0.05% | 0.58% | 0.69% | 2.77% | 1.36% |
| Cabazon % of Area Affected (SA) | 0.37% | 0.11% | 0.05% | 0.66% | 0.79% | 3.16% | 1.55% |
| Cabazon % of Value Affected (G) | 0.05% | 0.01% | 0.01% | 4.40% | 1.21% | 2.40% | 0.55% |
| Cabazon % of Value Affected (SA) | 0.05% | 0.01% | 0.01% | 4.46% | 1.23% | 2.43% | 0.55% |
| | | | | | | | |
| Dungeness crab % of Area Affected (G) | 0.15% | 0.04% | 0.02% | 0.27% | 0.81% | 1.35% | 0.66% |
| Dungeness crab % of Area Affected (SA) | 0.31% | 0.09% | 0.04% | 0.56% | 1.67% | 2.77% | 1.35% |
| Dungeness crab % of Value Affected (G) | 0.03% | 0.01% | 0.00% | 0.06% | 0.49% | 1.66% | 0.53% |
| Dungeness crab % of Value Affected (SA) | 0.08% | 0.02% | 0.01% | 0.14% | 1.15% | 3.87% | 1.23% |
| | | | | | | | |
| Deep Nearshore Rockfish % of Area Affected (G) | 0.36% | 0.10% | 0.05% | 0.64% | 0.66% | 2.82% | 1.90% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 0.40% | 0.11% | 0.06% | 0.71% | 0.73% | 3.11% | 2.10% |
| Deep Nearshore Rockfish % of Value Affected (G) | 0.16% | 0.04% | 0.02% | 0.43% | 0.11% | 5.13% | 2.37% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 0.17% | 0.04% | 0.02% | 0.45% | 0.11% | 5.37% | 2.49% |
| | | | | | | | |
| Halibut % of Area Affected (G) | 0.28% | 0.08% | 0.04% | 0.38% | 0.16% | 2.49% | 1.17% |
| Halibut % of Area Affected (SA) | 0.34% | 0.10% | 0.05% | 0.46% | 0.20% | 3.03% | 1.42% |
| Halibut % of Value Affected (G) | 0.71% | 0.20% | 0.10% | 0.24% | 0.16% | 2.45% | 0.51% |
| Halibut % of Value Affected (SA) | 0.77% | 0.22% | 0.11% | 0.26% | 0.18% | 2.66% | 0.56% |
| | | | | | | | |
| Kelp Greenling % of Area Affected (G) | 0.45% | 0.13% | 0.06% | 0.80% | 0.60% | 3.95% | 1.85% |
| Kelp Greenling % of Area Affected (SA) | 0.46% | 0.13% | 0.06% | 0.83% | 0.62% | 4.09% | 1.91% |
| Kelp Greenling % of Value Affected (G) | 0.08% | 0.02% | 0.01% | 2.99% | 0.58% | 3.81% | 0.56% |
| Kelp Greenling % of Value Affected (SA) | 0.08% | 0.02% | 0.01% | 3.03% | 0.59% | 3.86% | 0.56% |
| | | | | | | | |
| Lingcod % of Area Affected (G) | 0.38% | 0.11% | 0.05% | 0.67% | 1.62% | 3.35% | 1.56% |
| Lingcod % of Area Affected (SA) | 0.40% | 0.11% | 0.06% | 0.71% | 1.71% | 3.55% | 1.65% |
| Lingcod % of Value Affected (G) | 0.05% | 0.01% | 0.01% | 3.07% | 0.99% | 4.23% | 0.51% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 3 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Morro Bay SMCA</i> | <i>Morro Bay South SMRMA</i> | <i>Morro Bay East SMR</i> | <i>Point Buchon SMR</i> | <i>Point Buchon SMCA</i> | <i>Point Sal SMR</i> | <i>Vandenberg SMR</i> |
|---|-----------------------|------------------------------|---------------------------|-------------------------|--------------------------|----------------------|-----------------------|
| Lingcod % of Value Affected (SA) | 0.05% | 0.01% | 0.01% | 3.12% | 1.01% | 4.31% | 0.52% |
| Mackerel % of Area Affected (G) | 0.16% | 0.04% | 0.02% | 0.28% | 0.51% | 1.39% | 0.65% |
| Mackerel % of Area Affected (SA) | 0.22% | 0.06% | 0.03% | 0.40% | 0.73% | 1.98% | 0.93% |
| Mackerel % of Value Affected (G) | 0.07% | 0.02% | 0.01% | 0.13% | 0.24% | 0.78% | 0.52% |
| Mackerel % of Value Affected (SA) | 0.09% | 0.02% | 0.01% | 0.16% | 0.29% | 0.93% | 0.62% |
| Rockfish Nearshore % of Area Affected (G) | 0.27% | 0.08% | 0.04% | 0.48% | 1.17% | 2.39% | 1.12% |
| Rockfish Nearshore % of Area Affected (SA) | 0.31% | 0.09% | 0.04% | 0.55% | 1.34% | 2.75% | 1.29% |
| Rockfish Nearshore % of Value Affected (G) | 0.10% | 0.03% | 0.01% | 2.72% | 1.65% | 3.62% | 0.56% |
| Rockfish Nearshore % of Value Affected (SA) | 0.10% | 0.03% | 0.01% | 2.82% | 1.71% | 3.75% | 0.58% |
| Rockfish Shelf % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 2.15% | 1.96% | 12.02% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 2.35% | 2.15% | 13.18% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 3.14% | 2.44% | 9.75% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 3.35% | 2.61% | 10.41% | 0.00% |
| Rockfish Slope % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rock Crab % of Area Affected (G) | 0.12% | 0.03% | 0.02% | 0.21% | 0.63% | 1.05% | 0.49% |
| Rock Crab % of Area Affected (SA) | 0.28% | 0.08% | 0.04% | 0.50% | 1.49% | 2.47% | 1.16% |
| Rock Crab % of Value Affected (G) | 0.09% | 0.03% | 0.01% | 0.34% | 0.93% | 2.36% | 0.69% |
| Rock Crab % of Value Affected (SA) | 0.20% | 0.06% | 0.03% | 0.71% | 1.93% | 4.87% | 1.42% |
| Salmon % of Area Affected (G) | 0.02% | 0.00% | 0.00% | 0.03% | 0.00% | 0.14% | 0.08% |
| Salmon % of Area Affected (SA) | 0.20% | 0.06% | 0.03% | 0.36% | 0.00% | 1.78% | 1.06% |
| Salmon % of Value Affected (G) | 0.02% | 0.01% | 0.00% | 0.04% | 0.00% | 0.26% | 0.10% |
| Salmon % of Value Affected (SA) | 0.09% | 0.03% | 0.01% | 0.19% | 0.00% | 1.17% | 0.43% |
| Sardine % of Area Affected (G) | 0.09% | 0.02% | 0.01% | 0.16% | 0.47% | 0.77% | 0.36% |
| Sardine % of Area Affected (SA) | 0.20% | 0.06% | 0.03% | 0.36% | 1.08% | 1.79% | 0.84% |
| Sardine % of Value Affected (G) | 0.05% | 0.01% | 0.01% | 0.08% | 0.25% | 0.50% | 0.33% |
| Sardine % of Value Affected (SA) | 0.07% | 0.02% | 0.01% | 0.13% | 0.38% | 0.76% | 0.51% |
| Sablefish % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package 3 (February 9, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Morro Bay SMCA</i> | <i>Morro Bay South SMRMA</i> | <i>Morro Bay East SMR</i> | <i>Point Buchon SMR</i> | <i>Point Buchon SMCA</i> | <i>Point Sal SMR</i> | <i>Vandenberg SMR</i> |
|--|-----------------------|------------------------------|---------------------------|-------------------------|--------------------------|----------------------|-----------------------|
| Sablefish % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Area Affected (G) | 0.34% | 0.10% | 0.05% | 0.00% | 0.00% | 3.07% | 1.44% |
| White seabass % of Area Affected (SA) | 0.42% | 0.12% | 0.06% | 0.00% | 0.00% | 3.75% | 1.76% |
| White seabass % of Value Affected (G) | 1.01% | 0.28% | 0.14% | 0.00% | 0.00% | 1.71% | 0.76% |
| White seabass % of Value Affected (SA) | 1.12% | 0.31% | 0.15% | 0.00% | 0.00% | 1.90% | 0.85% |
| Surfperch % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 4.52% | 0.00% |
| Surfperch % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 4.52% | 0.00% |
| Surfperch % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 3.90% | 0.00% |
| Surfperch % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 3.90% | 0.00% |
| Spot Prawn % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Squid % of Area Affected (G) | 0.22% | 0.06% | 0.03% | 0.06% | 0.08% | 1.77% | 0.69% |
| Squid % of Area Affected (SA) | 0.29% | 0.08% | 0.04% | 0.08% | 0.10% | 2.34% | 0.91% |
| Squid % of Value Affected (G) | 0.07% | 0.02% | 0.01% | 0.04% | 0.02% | 0.65% | 0.80% |
| Squid % of Value Affected (SA) | 0.08% | 0.02% | 0.01% | 0.04% | 0.02% | 0.69% | 0.85% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package S (February 22, 2006 version)

Prepared by Ecotrust

February 24, 2006

| | <i>TOTALS</i> | <i>Ano Nuevo SMR</i> | <i>Natural Bridges SMR</i> | <i>Elkhorn Slough SMR</i> | <i>Moro Cojo Slough SMR</i> | <i>Soquel Canyon SMCA</i> | <i>Portuguese Ledge SMCA</i> | <i>Ed Ricketts SMCA</i> |
|--|---------------|--------------------------|----------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|----------------------------------|
| Subregion | | Pigeon Point to Capitola | Pigeon Point to Capitola | Capitola to Monterey Breakwater | Capitola to Monterey Breakwater | Capitola to Monterey Breakwater | Capitola to Monterey Breakwater | Monterey Breakwater to Point Sur |
| Type of MPA | | SMR | SMR | SMR | SMR | SMCA | SMCA | SMCA |
| Level of Protection | | SMR + SMCA moderate | SMR | SMR | SMR | SMCA high | SMCA high | SMCA low |
| Commercial Fisheries | | | | | | | | |
| Anchovy % of Area Affected (G) | 4.35% | 0.85% | 0.09% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| Anchovy % of Area Affected (SA) | 9.99% | 1.96% | 0.20% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| Anchovy % of Value Affected (G) | 4.16% | 1.10% | 0.16% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% |
| Anchovy % of Value Affected (SA) | 6.51% | 1.72% | 0.26% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| Cabazon % of Area Affected (G) | 15.82% | 2.34% | 0.32% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% |
| Cabazon % of Area Affected (SA) | 18.05% | 2.67% | 0.36% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| Cabazon % of Value Affected (G) | 24.58% | 0.87% | 0.09% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| Cabazon % of Value Affected (SA) | 24.95% | 0.88% | 0.10% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| Dungeness crab % of Area Affected (G) | 7.06% | 1.47% | 0.15% | 0.00% | 0.00% | 1.28% | 0.51% | 0.01% |
| Dungeness crab % of Area Affected (SA) | 14.51% | 3.03% | 0.30% | 0.00% | 0.00% | 2.63% | 1.05% | 0.02% |
| Dungeness crab % of Value Affected (G) | 5.61% | 1.17% | 0.09% | 0.00% | 0.00% | 1.34% | 0.56% | 0.01% |
| Dungeness crab % of Value Affected (SA) | 13.10% | 2.74% | 0.21% | 0.00% | 0.00% | 3.13% | 1.30% | 0.01% |
| Deep Nearshore Rockfish % of Area Affected (G) | 16.46% | 2.58% | 0.35% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 18.20% | 2.86% | 0.39% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| Deep Nearshore Rockfish % of Value Affected (G) | 20.59% | 0.64% | 0.06% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 21.55% | 0.67% | 0.06% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Area Affected (G) | 9.99% | 2.72% | 0.27% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% |
| Halibut % of Area Affected (SA) | 12.18% | 3.31% | 0.33% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% |
| Halibut % of Value Affected (G) | 8.24% | 1.62% | 0.36% | 0.00% | 0.00% | 0.00% | 0.00% | 0.04% |
| Halibut % of Value Affected (SA) | 8.96% | 1.76% | 0.39% | 0.00% | 0.00% | 0.00% | 0.00% | 0.05% |
| Kelp Greenling % of Area Affected (G) | 17.43% | 3.21% | 0.43% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| Kelp Greenling % of Area Affected (SA) | 18.03% | 3.33% | 0.45% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| Kelp Greenling % of Value Affected (G) | 21.36% | 1.18% | 0.16% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| Kelp Greenling % of Value Affected (SA) | 21.64% | 1.20% | 0.16% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| Lingcod % of Area Affected (G) | 17.40% | 2.92% | 0.37% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| Lingcod % of Area Affected (SA) | 18.38% | 3.09% | 0.39% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| Lingcod % of Value Affected (G) | 23.39% | 2.20% | 0.12% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |

G = fishing grounds

SA = study area

SMCA = state marine conservation area

SMP = state marine park

SMR = state marine reserve

SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package S (February 22, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>TOTALS</i> | <i>Ano Nuevo SMR</i> | <i>Natural Bridges SMR</i> | <i>Elkhorn Slough SMR</i> | <i>Moro Cojo Slough SMR</i> | <i>Soquel Canyon SMCA</i> | <i>Portuguese Ledge SMCA</i> | <i>Ed Ricketts SMCA</i> |
|---|----------------------|-----------------------------|-----------------------------------|----------------------------------|------------------------------------|----------------------------------|-------------------------------------|--------------------------------|
| Lingcod % of Value Affected (SA) | 23.79% | 2.24% | 0.12% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| Mackerel % of Area Affected (G) | 6.96% | 1.51% | 0.15% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| Mackerel % of Area Affected (SA) | 9.97% | 2.17% | 0.22% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% |
| Mackerel % of Value Affected (G) | 5.99% | 1.93% | 0.24% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% |
| Mackerel % of Value Affected (SA) | 7.10% | 2.28% | 0.28% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| Rockfish Nearshore % of Area Affected (G) | 14.38% | 2.52% | 0.26% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% |
| Rockfish Nearshore % of Area Affected (SA) | 16.55% | 2.90% | 0.30% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% |
| Rockfish Nearshore % of Value Affected (G) | 23.24% | 2.42% | 0.34% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Nearshore % of Value Affected (SA) | 24.07% | 2.51% | 0.35% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (G) | 11.53% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 12.64% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 10.57% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 11.28% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (G) | 0.96% | 0.00% | 0.00% | 0.00% | 0.00% | 0.52% | 0.06% | 0.00% |
| Rockfish Slope % of Area Affected (SA) | 21.64% | 0.00% | 0.00% | 0.00% | 0.00% | 11.73% | 1.39% | 0.00% |
| Rockfish Slope % of Value Affected (G) | 0.96% | 0.00% | 0.00% | 0.00% | 0.00% | 0.52% | 0.06% | 0.00% |
| Rockfish Slope % of Value Affected (SA) | 21.64% | 0.00% | 0.00% | 0.00% | 0.00% | 11.73% | 1.39% | 0.00% |
| Rock Crab % of Area Affected (G) | 6.23% | 0.09% | 0.02% | 0.00% | 0.00% | 1.04% | 0.45% | 0.00% |
| Rock Crab % of Area Affected (SA) | 14.63% | 0.22% | 0.05% | 0.00% | 0.00% | 2.44% | 1.06% | 0.00% |
| Rock Crab % of Value Affected (G) | 6.27% | 0.05% | 0.02% | 0.00% | 0.00% | 0.53% | 0.23% | 0.00% |
| Rock Crab % of Value Affected (SA) | 12.96% | 0.10% | 0.04% | 0.00% | 0.00% | 1.10% | 0.48% | 0.00% |
| Salmon % of Area Affected (G) | 0.80% | 0.15% | 0.01% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Salmon % of Area Affected (SA) | 10.71% | 1.94% | 0.19% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| Salmon % of Value Affected (G) | 1.53% | 0.37% | 0.03% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Salmon % of Value Affected (SA) | 6.84% | 1.62% | 0.15% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| Sardine % of Area Affected (G) | 4.30% | 0.84% | 0.08% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| Sardine % of Area Affected (SA) | 9.99% | 1.96% | 0.20% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% |
| Sardine % of Value Affected (G) | 4.14% | 1.23% | 0.16% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% |
| Sardine % of Value Affected (SA) | 6.26% | 1.87% | 0.24% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| Sablefish % of Area Affected (G) | 2.30% | 0.10% | 0.00% | 0.00% | 0.00% | 2.07% | 0.13% | 0.00% |
| Sablefish % of Area Affected (SA) | 21.61% | 0.95% | 0.00% | 0.00% | 0.00% | 19.46% | 1.20% | 0.00% |
| Sablefish % of Value Affected (G) | 3.14% | 0.12% | 0.00% | 0.00% | 0.00% | 2.96% | 0.06% | 0.00% |

G = fishing grounds

SA = study area

SMCA = state marine conservation area

SMP = state marine park

SMR = state marine reserve

SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package S (February 22, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>TOTALS</i> | <i>Ano Nuevo SMR</i> | <i>Natural Bridges SMR</i> | <i>Elkhorn Slough SMR</i> | <i>Moro Cojo Slough SMR</i> | <i>Soquel Canyon SMCA</i> | <i>Portuguese Ledge SMCA</i> | <i>Ed Ricketts SMCA</i> |
|--|----------------------|-----------------------------|-----------------------------------|----------------------------------|------------------------------------|----------------------------------|-------------------------------------|--------------------------------|
| Sablefish % of Value Affected (SA) | 23.71% | 0.91% | 0.00% | 0.00% | 0.00% | 22.38% | 0.42% | 0.00% |
| White seabass % of Area Affected (G) | 8.50% | 2.87% | 0.34% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% |
| White seabass % of Area Affected (SA) | 10.36% | 3.50% | 0.41% | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% |
| White seabass % of Value Affected (G) | 7.15% | 2.01% | 0.24% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% |
| White seabass % of Value Affected (SA) | 7.93% | 2.23% | 0.26% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% |
| Surfperch % of Area Affected (G) | 15.65% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (SA) | 15.65% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (G) | 4.72% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (SA) | 4.72% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (G) | 2.88% | 0.00% | 0.00% | 0.00% | 0.00% | 0.18% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (SA) | 21.12% | 0.00% | 0.00% | 0.00% | 0.00% | 1.33% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (G) | 5.22% | 0.00% | 0.00% | 0.00% | 0.00% | 0.26% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (SA) | 19.26% | 0.00% | 0.00% | 0.00% | 0.00% | 0.96% | 0.00% | 0.00% |
| Squid % of Area Affected (G) | 9.92% | 2.12% | 0.20% | 0.00% | 0.00% | 0.00% | 0.70% | 0.02% |
| Squid % of Area Affected (SA) | 13.08% | 2.80% | 0.26% | 0.00% | 0.00% | 0.00% | 0.92% | 0.02% |
| Squid % of Value Affected (G) | 9.10% | 2.33% | 0.08% | 0.00% | 0.00% | 0.00% | 0.44% | 0.02% |
| Squid % of Value Affected (SA) | 9.70% | 2.48% | 0.09% | 0.00% | 0.00% | 0.00% | 0.47% | 0.02% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package S (February 22, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Hopkins SMR</i> | <i>Pacific Grove SMCA</i> | <i>Carmel Pinnacles SMR</i> | <i>Carmel Bay SMCA</i> | <i>Point Lobos SMR</i> | <i>Point Lobos SMCA</i> | <i>Point Sur SMR</i> | <i>Point Sur SMCA</i> |
|--|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|-------------------------|--------------------------|
| Subregion | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Point Sur to San Martin | Point. Sur to San Martin |
| Type of MPA | SMR | SMCA | SMR | SMCA | SMR | SMCA | SMR | SMCA |
| Level of Protection | SMR | SMCA low | SMR | SMCA low | SMR | SMCA moderate | SMR | SMCA high |
| Commercial Fisheries | | | | | | | | |
| Anchovy % of Area Affected (G) | 0.01% | 0.06% | 0.02% | 0.00% | 0.11% | 0.00% | 0.34% | 0.00% |
| Anchovy % of Area Affected (SA) | 0.03% | 0.13% | 0.04% | 0.00% | 0.25% | 0.00% | 0.77% | 0.00% |
| Anchovy % of Value Affected (G) | 0.04% | 0.17% | 0.03% | 0.00% | 0.23% | 0.00% | 0.26% | 0.00% |
| Anchovy % of Value Affected (SA) | 0.07% | 0.27% | 0.04% | 0.00% | 0.36% | 0.00% | 0.40% | 0.00% |
| Cabazon % of Area Affected (G) | 0.01% | 0.04% | 0.05% | 0.00% | 0.40% | 0.19% | 1.16% | 0.82% |
| Cabazon % of Area Affected (SA) | 0.02% | 0.05% | 0.06% | 0.00% | 0.46% | 0.22% | 1.32% | 0.93% |
| Cabazon % of Value Affected (G) | 0.00% | 0.07% | 0.47% | 0.00% | 0.32% | 0.05% | 3.44% | 0.22% |
| Cabazon % of Value Affected (SA) | 0.00% | 0.07% | 0.48% | 0.00% | 0.33% | 0.05% | 3.49% | 0.23% |
| Dungeness crab % of Area Affected (G) | 0.01% | 0.02% | 0.00% | 0.00% | 0.02% | 0.30% | 0.00% | 0.00% |
| Dungeness crab % of Area Affected (SA) | 0.02% | 0.04% | 0.00% | 0.00% | 0.05% | 0.62% | 0.00% | 0.00% |
| Dungeness crab % of Value Affected (G) | 0.01% | 0.01% | 0.00% | 0.00% | 0.01% | 0.09% | 0.00% | 0.00% |
| Dungeness crab % of Value Affected (SA) | 0.01% | 0.03% | 0.00% | 0.00% | 0.02% | 0.21% | 0.00% | 0.00% |
| Deep Nearshore Rockfish % of Area Affected (G) | 0.02% | 0.03% | 0.11% | 0.34% | 0.33% | 0.00% | 0.97% | 0.00% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 0.02% | 0.04% | 0.12% | 0.37% | 0.37% | 0.00% | 1.07% | 0.00% |
| Deep Nearshore Rockfish % of Value Affected (G) | 0.00% | 0.02% | 0.37% | 0.80% | 0.82% | 0.00% | 3.28% | 0.00% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 0.00% | 0.02% | 0.39% | 0.84% | 0.85% | 0.00% | 3.43% | 0.00% |
| Halibut % of Area Affected (G) | 0.05% | 0.18% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Area Affected (SA) | 0.06% | 0.22% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Value Affected (G) | 0.04% | 0.10% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Value Affected (SA) | 0.05% | 0.11% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Kelp Greenling % of Area Affected (G) | 0.02% | 0.04% | 0.07% | 0.00% | 0.18% | 0.00% | 1.20% | 0.00% |
| Kelp Greenling % of Area Affected (SA) | 0.02% | 0.04% | 0.07% | 0.00% | 0.19% | 0.00% | 1.24% | 0.00% |
| Kelp Greenling % of Value Affected (G) | 0.01% | 0.11% | 0.75% | 0.01% | 0.37% | 0.00% | 3.57% | 0.00% |
| Kelp Greenling % of Value Affected (SA) | 0.01% | 0.11% | 0.76% | 0.01% | 0.38% | 0.00% | 3.61% | 0.00% |
| Lingcod % of Area Affected (G) | 0.02% | 0.06% | 0.06% | 0.00% | 0.46% | 0.18% | 1.02% | 0.00% |
| Lingcod % of Area Affected (SA) | 0.02% | 0.06% | 0.07% | 0.00% | 0.49% | 0.19% | 1.08% | 0.00% |
| Lingcod % of Value Affected (G) | 0.00% | 0.06% | 0.46% | 0.00% | 0.21% | 0.00% | 3.41% | 0.00% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package S (February 22, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Hopkins SMR</i> | <i>Pacific Grove SMCA</i> | <i>Carmel Pinnacles SMR</i> | <i>Carmel Bay SMCA</i> | <i>Point Lobos SMR</i> | <i>Point Lobos SMCA</i> | <i>Point Sur SMR</i> | <i>Point Sur SMCA</i> |
|---|--------------------|---------------------------|-----------------------------|------------------------|------------------------|-------------------------|----------------------|-----------------------|
| Lingcod % of Value Affected (SA) | 0.00% | 0.06% | 0.47% | 0.00% | 0.22% | 0.00% | 3.46% | 0.00% |
| Mackerel % of Area Affected (G) | 0.02% | 0.10% | 0.03% | 0.00% | 0.19% | 0.00% | 0.60% | 0.00% |
| Mackerel % of Area Affected (SA) | 0.03% | 0.15% | 0.04% | 0.00% | 0.27% | 0.00% | 0.86% | 0.00% |
| Mackerel % of Value Affected (G) | 0.05% | 0.18% | 0.06% | 0.00% | 0.38% | 0.00% | 0.39% | 0.00% |
| Mackerel % of Value Affected (SA) | 0.06% | 0.21% | 0.07% | 0.00% | 0.45% | 0.00% | 0.47% | 0.00% |
| Rockfish Nearshore % of Area Affected (G) | 0.01% | 0.04% | 0.04% | 0.00% | 0.33% | 0.16% | 1.03% | 0.70% |
| Rockfish Nearshore % of Area Affected (SA) | 0.01% | 0.05% | 0.05% | 0.00% | 0.38% | 0.18% | 1.19% | 0.80% |
| Rockfish Nearshore % of Value Affected (G) | 0.00% | 0.02% | 0.21% | 0.00% | 0.33% | 0.04% | 3.07% | 0.25% |
| Rockfish Nearshore % of Value Affected (SA) | 0.00% | 0.02% | 0.22% | 0.00% | 0.34% | 0.04% | 3.18% | 0.26% |
| Rockfish Shelf % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.38% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 8.52% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.38% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 8.52% | 0.00% | 0.00% |
| Rock Crab % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.06% | 0.44% | 0.00% | 0.00% |
| Rock Crab % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.13% | 1.04% | 0.00% | 0.00% |
| Rock Crab % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.03% | 0.23% | 0.00% | 0.00% |
| Rock Crab % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.06% | 0.47% | 0.00% | 0.00% |
| Salmon % of Area Affected (G) | 0.00% | 0.01% | 0.01% | 0.01% | 0.03% | 0.00% | 0.06% | 0.00% |
| Salmon % of Area Affected (SA) | 0.04% | 0.13% | 0.08% | 0.19% | 0.38% | 0.00% | 0.77% | 0.00% |
| Salmon % of Value Affected (G) | 0.00% | 0.01% | 0.01% | 0.01% | 0.11% | 0.00% | 0.13% | 0.00% |
| Salmon % of Value Affected (SA) | 0.02% | 0.05% | 0.06% | 0.03% | 0.50% | 0.00% | 0.57% | 0.00% |
| Sardine % of Area Affected (G) | 0.01% | 0.06% | 0.02% | 0.00% | 0.11% | 0.00% | 0.33% | 0.00% |
| Sardine % of Area Affected (SA) | 0.03% | 0.13% | 0.04% | 0.00% | 0.25% | 0.00% | 0.77% | 0.00% |
| Sardine % of Value Affected (G) | 0.04% | 0.17% | 0.04% | 0.00% | 0.25% | 0.00% | 0.25% | 0.00% |
| Sardine % of Value Affected (SA) | 0.06% | 0.26% | 0.05% | 0.00% | 0.37% | 0.00% | 0.38% | 0.00% |
| Sablefish % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |

G = fishing grounds

SA = study area

SMCA = state marine conservation area

SMP = state marine park

SMR = state marine reserve

SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package S (February 22, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Hopkins SMR</i> | <i>Pacific Grove SMCA</i> | <i>Carmel Pinnacles SMR</i> | <i>Carmel Bay SMCA</i> | <i>Point Lobos SMR</i> | <i>Point Lobos SMCA</i> | <i>Point Sur SMR</i> | <i>Point Sur SMCA</i> |
|--|--------------------|---------------------------|-----------------------------|------------------------|------------------------|-------------------------|----------------------|-----------------------|
| Sablefish % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Area Affected (G) | 0.02% | 0.05% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Area Affected (SA) | 0.03% | 0.06% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Value Affected (G) | 0.03% | 0.06% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Value Affected (SA) | 0.03% | 0.07% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% | 0.14% |
| Spot Prawn % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% | 0.00% | 0.04% | 0.99% |
| Spot Prawn % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% | 0.29% |
| Spot Prawn % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% | 0.00% | 0.05% | 1.07% |
| Squid % of Area Affected (G) | 0.03% | 0.06% | 0.02% | 0.00% | 0.19% | 0.00% | 0.52% | 0.61% |
| Squid % of Area Affected (SA) | 0.03% | 0.08% | 0.02% | 0.00% | 0.25% | 0.00% | 0.69% | 0.80% |
| Squid % of Value Affected (G) | 0.07% | 0.17% | 0.17% | 0.00% | 0.66% | 0.00% | 0.18% | 0.15% |
| Squid % of Value Affected (SA) | 0.07% | 0.18% | 0.18% | 0.00% | 0.71% | 0.00% | 0.19% | 0.16% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package S (February 22, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Julia Pfeffer Burns SMR</i> | <i>Julia Pfeffer Burns SMCA</i> | <i>Big Creek SMR</i> | <i>Piedras Blancas SMR</i> | <i>Piedras Blancas SMCA</i> | <i>Cambria SMP</i> | <i>Cambria SMR</i> | <i>Estero Bluff SMR</i> |
|--|------------------------------------|-------------------------------------|-------------------------|----------------------------|---------------------------------|----------------------------|----------------------------|-----------------------------------|
| Subregion | Point Sur to San Martin | Point Sur to San Martin | Point Sur to San Martin | San Martin to Point Estero | San Martin to Point Estero | San Martin to Point Estero | San Martin to Point Estero | Point Estero to Santa Maria River |
| Type of MPA | SMR | SMCA | SMR | SMR | SMCA | SMP | SMR | SMR |
| Level of Protection | SMR | SMCA moderate | SMR | SMR | SMCA high | SMP low | SMR + SMCA low | SMR |
| Commercial Fisheries | | | | | | | | |
| Anchovy % of Area Affected (G) | 0.25% | 0.00% | 0.42% | 0.34% | 0.00% | 0.21% | 0.14% | 0.00% |
| Anchovy % of Area Affected (SA) | 0.58% | 0.00% | 0.96% | 0.79% | 0.00% | 0.48% | 0.32% | 0.01% |
| Anchovy % of Value Affected (G) | 0.17% | 0.00% | 0.27% | 0.26% | 0.00% | 0.12% | 0.08% | 0.00% |
| Anchovy % of Value Affected (SA) | 0.27% | 0.00% | 0.42% | 0.41% | 0.00% | 0.19% | 0.13% | 0.00% |
| Cabazon % of Area Affected (G) | 0.32% | 0.00% | 0.20% | 1.28% | 1.40% | 0.78% | 0.51% | 0.02% |
| Cabazon % of Area Affected (SA) | 0.36% | 0.00% | 0.23% | 1.46% | 1.60% | 0.89% | 0.58% | 0.02% |
| Cabazon % of Value Affected (G) | 1.16% | 0.00% | 0.48% | 3.35% | 1.00% | 1.62% | 1.41% | 0.04% |
| Cabazon % of Value Affected (SA) | 1.18% | 0.00% | 0.48% | 3.39% | 1.02% | 1.64% | 1.43% | 0.04% |
| Dungeness crab % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.12% | 0.00% | 0.01% |
| Dungeness crab % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.24% | 0.00% | 0.02% |
| Dungeness crab % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.05% | 0.00% | 0.00% |
| Dungeness crab % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.11% | 0.00% | 0.00% |
| Deep Nearshore Rockfish % of Area Affected (G) | 0.30% | 0.00% | 0.45% | 1.41% | 1.28% | 0.86% | 0.49% | 0.02% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 0.34% | 0.00% | 0.49% | 1.56% | 1.42% | 0.95% | 0.54% | 0.02% |
| Deep Nearshore Rockfish % of Value Affected (G) | 0.89% | 0.00% | 1.20% | 1.36% | 0.44% | 0.52% | 0.34% | 0.02% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 0.93% | 0.00% | 1.26% | 1.42% | 0.47% | 0.54% | 0.36% | 0.02% |
| Halibut % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.57% | 0.60% | 0.67% | 0.44% | 0.02% |
| Halibut % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.70% | 0.74% | 0.81% | 0.54% | 0.02% |
| Halibut % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.91% | 0.62% | 1.11% | 0.54% | 0.05% |
| Halibut % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.98% | 0.68% | 1.20% | 0.59% | 0.05% |
| Kelp Greenling % of Area Affected (G) | 0.38% | 0.00% | 0.28% | 1.67% | 0.50% | 1.07% | 0.70% | 0.02% |
| Kelp Greenling % of Area Affected (SA) | 0.39% | 0.00% | 0.29% | 1.73% | 0.52% | 1.10% | 0.73% | 0.03% |
| Kelp Greenling % of Value Affected (G) | 0.86% | 0.00% | 0.85% | 2.21% | 0.20% | 0.61% | 0.91% | 0.03% |
| Kelp Greenling % of Value Affected (SA) | 0.87% | 0.00% | 0.86% | 2.24% | 0.20% | 0.62% | 0.93% | 0.03% |
| Lingcod % of Area Affected (G) | 0.47% | 0.00% | 0.32% | 1.45% | 0.83% | 0.90% | 0.59% | 0.02% |
| Lingcod % of Area Affected (SA) | 0.49% | 0.00% | 0.34% | 1.54% | 0.87% | 0.95% | 0.63% | 0.02% |
| Lingcod % of Value Affected (G) | 1.21% | 0.00% | 0.51% | 3.29% | 0.33% | 1.18% | 1.34% | 0.04% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package S (February 22, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Julia Pfeffer Burns SMR</i> | <i>Julia Pfeffer Burns SMCA</i> | <i>Big Creek SMR</i> | <i>Piedras Blancas SMR</i> | <i>Piedras Blancas SMCA</i> | <i>Cambria SMP</i> | <i>Cambria SMR</i> | <i>Estero Bluff SMR</i> |
|---|------------------------------------|-------------------------------------|----------------------|----------------------------|---------------------------------|--------------------|--------------------|-------------------------|
| Lingcod % of Value Affected (SA) | 1.23% | 0.00% | 0.51% | 3.34% | 0.34% | 1.20% | 1.37% | 0.04% |
| Mackerel % of Area Affected (G) | 0.24% | 0.00% | 0.20% | 0.61% | 0.00% | 0.37% | 0.25% | 0.01% |
| Mackerel % of Area Affected (SA) | 0.34% | 0.00% | 0.28% | 0.88% | 0.00% | 0.53% | 0.35% | 0.01% |
| Mackerel % of Value Affected (G) | 0.15% | 0.00% | 0.13% | 0.38% | 0.00% | 0.18% | 0.12% | 0.00% |
| Mackerel % of Value Affected (SA) | 0.18% | 0.00% | 0.15% | 0.45% | 0.00% | 0.21% | 0.14% | 0.00% |
| Rockfish Nearshore % of Area Affected (G) | 0.26% | 0.00% | 0.17% | 1.06% | 1.20% | 0.64% | 0.42% | 0.01% |
| Rockfish Nearshore % of Area Affected (SA) | 0.30% | 0.00% | 0.19% | 1.22% | 1.38% | 0.74% | 0.49% | 0.02% |
| Rockfish Nearshore % of Value Affected (G) | 0.98% | 0.00% | 0.38% | 2.86% | 0.94% | 1.12% | 0.97% | 0.02% |
| Rockfish Nearshore % of Value Affected (SA) | 1.02% | 0.00% | 0.39% | 2.96% | 0.97% | 1.16% | 1.01% | 0.02% |
| Rockfish Shelf % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rock Crab % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.46% | 0.62% | 0.28% | 0.19% | 0.01% |
| Rock Crab % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 1.09% | 1.45% | 0.66% | 0.44% | 0.02% |
| Rock Crab % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.37% | 0.50% | 0.23% | 0.22% | 0.01% |
| Rock Crab % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.77% | 1.02% | 0.47% | 0.46% | 0.02% |
| Salmon % of Area Affected (G) | 0.04% | 0.00% | 0.09% | 0.06% | 0.00% | 0.04% | 0.02% | 0.00% |
| Salmon % of Area Affected (SA) | 0.57% | 0.00% | 1.15% | 0.79% | 0.00% | 0.48% | 0.31% | 0.01% |
| Salmon % of Value Affected (G) | 0.10% | 0.00% | 0.16% | 0.09% | 0.00% | 0.05% | 0.04% | 0.00% |
| Salmon % of Value Affected (SA) | 0.43% | 0.00% | 0.73% | 0.39% | 0.00% | 0.24% | 0.16% | 0.01% |
| Sardine % of Area Affected (G) | 0.25% | 0.00% | 0.41% | 0.34% | 0.00% | 0.21% | 0.14% | 0.00% |
| Sardine % of Area Affected (SA) | 0.58% | 0.00% | 0.96% | 0.79% | 0.00% | 0.48% | 0.32% | 0.01% |
| Sardine % of Value Affected (G) | 0.16% | 0.00% | 0.25% | 0.24% | 0.00% | 0.11% | 0.07% | 0.00% |
| Sardine % of Value Affected (SA) | 0.24% | 0.00% | 0.38% | 0.37% | 0.00% | 0.17% | 0.11% | 0.00% |
| Sablefish % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |

G = fishing grounds

SA = study area

SMCA = state marine conservation area

SMP = state marine park

SMR = state marine reserve

SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package S (February 22, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Julia Pfeffer Burns SMR</i> | <i>Julia Pfeffer Burns SMCA</i> | <i>Big Creek SMR</i> | <i>Piedras Blancas SMR</i> | <i>Piedras Blancas SMCA</i> | <i>Cambria SMP</i> | <i>Cambria SMR</i> | <i>Estero Bluff SMR</i> |
|--|------------------------------------|-------------------------------------|----------------------|----------------------------|---------------------------------|--------------------|--------------------|-------------------------|
| Sablefish % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.25% | 0.00% | 0.00% | 0.00% | 0.02% |
| White seabass % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.30% | 0.00% | 0.00% | 0.00% | 0.02% |
| White seabass % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.98% | 0.00% | 0.00% | 0.00% | 0.06% |
| White seabass % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 1.09% | 0.00% | 0.00% | 0.00% | 0.07% |
| Surfperch % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 9.18% | 0.00% | 6.47% | 0.00% | 0.00% |
| Surfperch % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 9.18% | 0.00% | 6.47% | 0.00% | 0.00% |
| Surfperch % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 2.77% | 0.00% | 1.95% | 0.00% | 0.00% |
| Surfperch % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 2.77% | 0.00% | 1.95% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (G) | 0.60% | 0.00% | 1.25% | 0.00% | 0.70% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (SA) | 4.41% | 0.00% | 9.19% | 0.00% | 5.14% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (G) | 1.44% | 0.00% | 2.87% | 0.00% | 0.35% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (SA) | 5.31% | 0.00% | 10.55% | 0.00% | 1.31% | 0.00% | 0.00% | 0.00% |
| Squid % of Area Affected (G) | 0.32% | 0.00% | 0.22% | 0.86% | 1.14% | 0.31% | 0.02% | 0.01% |
| Squid % of Area Affected (SA) | 0.42% | 0.00% | 0.30% | 1.13% | 1.51% | 0.40% | 0.03% | 0.02% |
| Squid % of Value Affected (G) | 0.96% | 0.00% | 0.14% | 0.43% | 0.52% | 0.29% | 0.02% | 0.01% |
| Squid % of Value Affected (SA) | 1.02% | 0.00% | 0.15% | 0.46% | 0.56% | 0.31% | 0.02% | 0.01% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package S (February 22, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Morro Bay SMCA</i> | <i>South Morro Bay SMRMA</i> | <i>East Morro Bay SMR</i> | <i>Point Buchon SMR</i> | <i>Point Buchon SMCA</i> | <i>Purisima SMR</i> | <i>Vandenberg SMR</i> |
|--|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|---------------------------------------|---------------------------------------|
| Subregion | Point Estero to Santa Maria River | Point Estero to Santa Maria River | Point Estero to Santa Maria River | Point Estero to Santa Maria River | Point Estero to Santa Maria River | Santa Maria River to Point Conception | Santa Maria River to Point Conception |
| Type of MPA | SMCA | SMRMA | SMR | SMR | SMCA | SMR | SMR |
| Level of Protection | SMCA low | SMCA high | SMR | SMR | SMCA high | SMR | SMR |
| Commercial Fisheries | | | | | | | |
| Anchovy % of Area Affected (G) | 0.08% | 0.03% | 0.01% | 0.25% | 0.00% | 0.63% | 0.50% |
| Anchovy % of Area Affected (SA) | 0.17% | 0.07% | 0.03% | 0.58% | 0.00% | 1.46% | 1.15% |
| Anchovy % of Value Affected (G) | 0.04% | 0.02% | 0.01% | 0.15% | 0.00% | 0.44% | 0.59% |
| Anchovy % of Value Affected (SA) | 0.07% | 0.03% | 0.01% | 0.23% | 0.00% | 0.68% | 0.92% |
| | | | | | | | |
| Cabazon % of Area Affected (G) | 0.28% | 0.11% | 0.04% | 0.93% | 0.39% | 2.35% | 1.86% |
| Cabazon % of Area Affected (SA) | 0.32% | 0.12% | 0.05% | 1.06% | 0.44% | 2.68% | 2.12% |
| Cabazon % of Value Affected (G) | 0.04% | 0.01% | 0.01% | 4.66% | 0.64% | 2.60% | 2.02% |
| Cabazon % of Value Affected (SA) | 0.04% | 0.01% | 0.01% | 4.73% | 0.65% | 2.64% | 2.05% |
| | | | | | | | |
| Dungeness crab % of Area Affected (G) | 0.13% | 0.05% | 0.02% | 0.44% | 0.69% | 1.10% | 0.73% |
| Dungeness crab % of Area Affected (SA) | 0.27% | 0.10% | 0.04% | 0.90% | 1.42% | 2.26% | 1.50% |
| Dungeness crab % of Value Affected (G) | 0.03% | 0.01% | 0.00% | 0.10% | 0.48% | 1.20% | 0.45% |
| Dungeness crab % of Value Affected (SA) | 0.07% | 0.03% | 0.01% | 0.23% | 1.13% | 2.81% | 1.05% |
| | | | | | | | |
| Deep Nearshore Rockfish % of Area Affected (G) | 0.31% | 0.12% | 0.05% | 0.99% | 0.36% | 2.60% | 2.46% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 0.34% | 0.13% | 0.05% | 1.10% | 0.40% | 2.87% | 2.72% |
| Deep Nearshore Rockfish % of Value Affected (G) | 0.12% | 0.05% | 0.02% | 0.47% | 0.06% | 5.78% | 3.33% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 0.13% | 0.05% | 0.02% | 0.49% | 0.06% | 6.05% | 3.49% |
| | | | | | | | |
| Halibut % of Area Affected (G) | 0.24% | 0.09% | 0.04% | 0.42% | 0.04% | 2.02% | 1.60% |
| Halibut % of Area Affected (SA) | 0.29% | 0.11% | 0.04% | 0.52% | 0.05% | 2.47% | 1.95% |
| Halibut % of Value Affected (G) | 0.60% | 0.23% | 0.09% | 0.28% | 0.04% | 0.88% | 0.73% |
| Halibut % of Value Affected (SA) | 0.65% | 0.25% | 0.10% | 0.30% | 0.05% | 0.96% | 0.79% |
| | | | | | | | |
| Kelp Greenling % of Area Affected (G) | 0.39% | 0.15% | 0.06% | 1.21% | 0.13% | 3.23% | 2.46% |
| Kelp Greenling % of Area Affected (SA) | 0.40% | 0.15% | 0.06% | 1.25% | 0.13% | 3.34% | 2.54% |
| Kelp Greenling % of Value Affected (G) | 0.07% | 0.03% | 0.01% | 3.45% | 0.09% | 3.90% | 1.97% |
| Kelp Greenling % of Value Affected (SA) | 0.07% | 0.03% | 0.01% | 3.49% | 0.10% | 3.95% | 1.99% |
| | | | | | | | |
| Lingcod % of Area Affected (G) | 0.33% | 0.13% | 0.05% | 1.09% | 1.29% | 2.73% | 2.08% |
| Lingcod % of Area Affected (SA) | 0.34% | 0.13% | 0.05% | 1.15% | 1.36% | 2.89% | 2.20% |
| Lingcod % of Value Affected (G) | 0.04% | 0.01% | 0.01% | 3.27% | 0.59% | 3.31% | 1.79% |

G = fishing grounds

SA = study area

SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package S (February 22, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Morro Bay SMCA</i> | <i>South Morro Bay SMRMA</i> | <i>East Morro Bay SMR</i> | <i>Point Buchon SMR</i> | <i>Point Buchon SMCA</i> | <i>Purisima SMR</i> | <i>Vandenberg SMR</i> |
|---|-----------------------|------------------------------|---------------------------|-------------------------|--------------------------|---------------------|-----------------------|
| Lingcod % of Value Affected (SA) | 0.04% | 0.02% | 0.01% | 3.32% | 0.60% | 3.37% | 1.82% |
| Mackerel % of Area Affected (G) | 0.13% | 0.05% | 0.02% | 0.45% | 0.00% | 1.13% | 0.89% |
| Mackerel % of Area Affected (SA) | 0.19% | 0.07% | 0.03% | 0.64% | 0.00% | 1.61% | 1.28% |
| Mackerel % of Value Affected (G) | 0.06% | 0.02% | 0.01% | 0.21% | 0.00% | 0.63% | 0.85% |
| Mackerel % of Value Affected (SA) | 0.08% | 0.03% | 0.01% | 0.25% | 0.00% | 0.75% | 1.00% |
| Rockfish Nearshore % of Area Affected (G) | 0.23% | 0.09% | 0.03% | 0.78% | 0.89% | 1.95% | 1.54% |
| Rockfish Nearshore % of Area Affected (SA) | 0.27% | 0.10% | 0.04% | 0.89% | 1.02% | 2.24% | 1.77% |
| Rockfish Nearshore % of Value Affected (G) | 0.08% | 0.03% | 0.01% | 3.36% | 0.90% | 3.55% | 1.36% |
| Rockfish Nearshore % of Value Affected (SA) | 0.08% | 0.03% | 0.01% | 3.48% | 0.94% | 3.67% | 1.41% |
| Rockfish Shelf % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 3.55% | 0.42% | 7.56% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 3.89% | 0.46% | 8.29% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 4.88% | 0.53% | 5.16% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 5.21% | 0.56% | 5.51% | 0.00% |
| Rockfish Slope % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rock Crab % of Area Affected (G) | 0.10% | 0.04% | 0.01% | 0.34% | 0.54% | 0.86% | 0.68% |
| Rock Crab % of Area Affected (SA) | 0.24% | 0.09% | 0.04% | 0.80% | 1.26% | 2.01% | 1.59% |
| Rock Crab % of Value Affected (G) | 0.08% | 0.03% | 0.01% | 0.57% | 0.82% | 1.52% | 0.82% |
| Rock Crab % of Value Affected (SA) | 0.17% | 0.07% | 0.02% | 1.18% | 1.70% | 3.14% | 1.69% |
| Salmon % of Area Affected (G) | 0.01% | 0.01% | 0.00% | 0.04% | 0.00% | 0.11% | 0.10% |
| Salmon % of Area Affected (SA) | 0.17% | 0.07% | 0.03% | 0.58% | 0.00% | 1.45% | 1.37% |
| Salmon % of Value Affected (G) | 0.02% | 0.01% | 0.00% | 0.09% | 0.00% | 0.18% | 0.12% |
| Salmon % of Value Affected (SA) | 0.08% | 0.03% | 0.01% | 0.38% | 0.00% | 0.82% | 0.55% |
| Sardine % of Area Affected (G) | 0.07% | 0.03% | 0.01% | 0.25% | 0.00% | 0.63% | 0.50% |
| Sardine % of Area Affected (SA) | 0.17% | 0.07% | 0.03% | 0.58% | 0.00% | 1.46% | 1.15% |
| Sardine % of Value Affected (G) | 0.04% | 0.02% | 0.01% | 0.14% | 0.00% | 0.40% | 0.54% |
| Sardine % of Value Affected (SA) | 0.06% | 0.02% | 0.01% | 0.21% | 0.00% | 0.61% | 0.82% |
| Sablefish % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |

G = fishing grounds

SA = study area

SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package S (February 22, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Morro Bay SMCA</i> | <i>South Morro Bay SMRMA</i> | <i>East Morro Bay SMR</i> | <i>Point Buchon SMR</i> | <i>Point Buchon SMCA</i> | <i>Purisima SMR</i> | <i>Vandenberg SMR</i> |
|--|-----------------------|----------------------------------|---------------------------|-------------------------|--------------------------|---------------------|-----------------------|
| Sablefish % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Area Affected (G) | 0.30% | 0.11% | 0.04% | 0.00% | 0.00% | 2.50% | 1.98% |
| White seabass % of Area Affected (SA) | 0.36% | 0.14% | 0.05% | 0.00% | 0.00% | 3.05% | 2.41% |
| White seabass % of Value Affected (G) | 0.86% | 0.32% | 0.12% | 0.00% | 0.00% | 1.28% | 1.17% |
| White seabass % of Value Affected (SA) | 0.95% | 0.36% | 0.14% | 0.00% | 0.00% | 1.42% | 1.29% |
| Surfperch % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Squid % of Area Affected (G) | 0.19% | 0.07% | 0.03% | 0.03% | 0.02% | 1.19% | 1.04% |
| Squid % of Area Affected (SA) | 0.25% | 0.10% | 0.04% | 0.04% | 0.03% | 1.57% | 1.37% |
| Squid % of Value Affected (G) | 0.06% | 0.02% | 0.01% | 0.02% | 0.01% | 0.14% | 2.20% |
| Squid % of Value Affected (SA) | 0.06% | 0.02% | 0.01% | 0.02% | 0.01% | 0.15% | 2.35% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package AC (January 6, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>TOTALS</i> | <i>Ano Nuevo SMR</i> | <i>Año Nuevo SMCA</i> | <i>Sand Hill Bluff SMR</i> | <i>Elkhorn Slough SMR</i> | <i>Moro Coho Slough SMR</i> | <i>Soquel Canyon SMCA</i> | <i>Portuguese Ledge SMR</i> |
|--|----------------------|-----------------------------|------------------------------|-----------------------------------|----------------------------------|------------------------------------|----------------------------------|------------------------------------|
| Subregion | | Pigeon Point to Capitola | Pigeon Point to Capitola | Pigeon Point to Capitola | Capitola to Monterey Breakwater | Capitola to Monterey Breakwater | Capitola to Monterey Breakwater | Capitola to Monterey Breakwater |
| Type of MPA | | SMR | SMCA | SMR | SMR | SMR | SMCA | SMR |
| Level of Protection | | SMCA moderate | SMCA low | SMR | SMR | SMR | SMCA moderate | SMR |
| Commercial Fisheries | | | | | | | | |
| Anchovy % of Area Affected (G) | 10.62% | 0.25% | 0.00% | 0.52% | 0.00% | 0.00% | 1.10% | 0.57% |
| Anchovy % of Area Affected (SA) | 24.55% | 0.58% | 0.00% | 1.20% | 0.00% | 0.00% | 2.54% | 1.32% |
| Anchovy % of Value Affected (G) | 10.46% | 0.26% | 0.00% | 0.76% | 0.00% | 0.00% | 0.82% | 0.38% |
| Anchovy % of Value Affected (SA) | 16.35% | 0.40% | 0.00% | 1.20% | 0.00% | 0.00% | 1.29% | 0.60% |
| | | | | | | | | |
| Cabazon % of Area Affected (G) | 24.31% | 0.94% | 0.91% | 0.53% | 0.00% | 0.00% | 0.00% | 0.00% |
| Cabazon % of Area Affected (SA) | 27.73% | 1.07% | 1.04% | 0.61% | 0.00% | 0.00% | 0.00% | 0.00% |
| Cabazon % of Value Affected (G) | 32.02% | 0.39% | 0.34% | 0.15% | 0.00% | 0.00% | 0.00% | 0.00% |
| Cabazon % of Value Affected (SA) | 32.47% | 0.39% | 0.35% | 0.15% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Dungeness crab % of Area Affected (G) | 11.77% | 0.44% | 1.41% | 0.90% | 0.00% | 0.00% | 1.08% | 0.73% |
| Dungeness crab % of Area Affected (SA) | 24.18% | 0.90% | 2.90% | 1.85% | 0.00% | 0.00% | 2.22% | 1.51% |
| Dungeness crab % of Value Affected (G) | 12.33% | 0.24% | 2.18% | 1.34% | 0.00% | 0.00% | 1.09% | 0.85% |
| Dungeness crab % of Value Affected (SA) | 28.79% | 0.57% | 5.09% | 3.13% | 0.00% | 0.00% | 2.55% | 1.99% |
| | | | | | | | | |
| Deep Nearshore Rockfish % of Area Affected (G) | 23.86% | 1.03% | 1.00% | 0.59% | 0.00% | 0.00% | 0.00% | 0.00% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 26.39% | 1.14% | 1.11% | 0.65% | 0.00% | 0.00% | 0.00% | 0.00% |
| Deep Nearshore Rockfish % of Value Affected (G) | 35.65% | 0.22% | 0.34% | 0.10% | 0.00% | 0.00% | 0.00% | 0.00% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 37.37% | 0.24% | 0.36% | 0.10% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Halibut % of Area Affected (G) | 18.04% | 0.81% | 1.98% | 1.49% | 0.00% | 0.00% | 0.04% | 0.00% |
| Halibut % of Area Affected (SA) | 21.98% | 0.98% | 2.42% | 1.82% | 0.00% | 0.00% | 0.05% | 0.00% |
| Halibut % of Value Affected (G) | 12.59% | 0.50% | 0.93% | 0.85% | 0.00% | 0.00% | 0.01% | 0.00% |
| Halibut % of Value Affected (SA) | 13.68% | 0.55% | 1.01% | 0.92% | 0.00% | 0.00% | 0.02% | 0.00% |
| | | | | | | | | |
| Kelp Greenling % of Area Affected (G) | 23.82% | 1.29% | 1.25% | 0.73% | 0.00% | 0.00% | 0.00% | 0.00% |
| Kelp Greenling % of Area Affected (SA) | 24.61% | 1.33% | 1.29% | 0.75% | 0.00% | 0.00% | 0.00% | 0.00% |
| Kelp Greenling % of Value Affected (G) | 30.44% | 0.47% | 0.46% | 0.27% | 0.00% | 0.00% | 0.00% | 0.00% |
| Kelp Greenling % of Value Affected (SA) | 30.83% | 0.48% | 0.47% | 0.27% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Lingcod % of Area Affected (G) | 23.45% | 1.09% | 1.27% | 0.62% | 0.00% | 0.00% | 0.00% | 0.00% |
| Lingcod % of Area Affected (SA) | 24.85% | 1.15% | 1.35% | 0.65% | 0.00% | 0.00% | 0.00% | 0.00% |
| Lingcod % of Value Affected (G) | 33.44% | 0.79% | 1.00% | 0.28% | 0.00% | 0.00% | 0.00% | 0.00% |
| Lingcod % of Value Affected (SA) | 34.02% | 0.80% | 1.01% | 0.29% | 0.00% | 0.00% | 0.00% | 0.00% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package AC (January 6, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>TOTALS</i> | <i>Ano Nuevo SMR</i> | <i>Año Nuevo SMCA</i> | <i>Sand Hill Bluff SMR</i> | <i>Elkhorn Slough SMR</i> | <i>Moro Coho Slough SMR</i> | <i>Soquel Canyon SMCA</i> | <i>Portuguese Ledge SMR</i> |
|---|----------------------|-----------------------------|------------------------------|-----------------------------------|----------------------------------|------------------------------------|----------------------------------|------------------------------------|
| Mackerel % of Area Affected (G) | 16.64% | 0.45% | 0.00% | 0.93% | 0.00% | 0.00% | 1.97% | 1.02% |
| Mackerel % of Area Affected (SA) | 23.82% | 0.64% | 0.00% | 1.33% | 0.00% | 0.00% | 2.81% | 1.46% |
| Mackerel % of Value Affected (G) | 12.94% | 0.40% | 0.00% | 1.18% | 0.00% | 0.00% | 0.66% | 0.14% |
| Mackerel % of Value Affected (SA) | 15.30% | 0.47% | 0.00% | 1.40% | 0.00% | 0.00% | 0.78% | 0.16% |
| Rockfish Nearshore % of Area Affected (G) | 23.72% | 0.78% | 1.89% | 1.05% | 0.00% | 0.00% | 0.17% | 0.00% |
| Rockfish Nearshore % of Area Affected (SA) | 27.23% | 0.89% | 2.17% | 1.21% | 0.00% | 0.00% | 0.19% | 0.00% |
| Rockfish Nearshore % of Value Affected (G) | 32.74% | 0.75% | 1.57% | 1.01% | 0.00% | 0.00% | 0.06% | 0.00% |
| Rockfish Nearshore % of Value Affected (SA) | 33.91% | 0.78% | 1.63% | 1.05% | 0.00% | 0.00% | 0.06% | 0.00% |
| Rockfish Shelf % of Area Affected (G) | 29.16% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 31.97% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 26.30% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 28.07% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (G) | 6.96% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 5.23% | 0.30% |
| Rockfish Slope % of Area Affected (SA) | 32.49% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 24.42% | 1.41% |
| Rockfish Slope % of Value Affected (G) | 6.96% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 5.23% | 0.30% |
| Rockfish Slope % of Value Affected (SA) | 32.49% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 24.42% | 1.41% |
| Rock Crab % of Area Affected (G) | 9.57% | 0.00% | 0.27% | 0.64% | 0.00% | 0.00% | 0.92% | 0.63% |
| Rock Crab % of Area Affected (SA) | 22.49% | 0.00% | 0.64% | 1.50% | 0.00% | 0.00% | 2.16% | 1.49% |
| Rock Crab % of Value Affected (G) | 10.99% | 0.00% | 0.14% | 0.51% | 0.00% | 0.00% | 0.47% | 0.33% |
| Rock Crab % of Value Affected (SA) | 22.69% | 0.00% | 0.29% | 1.06% | 0.00% | 0.00% | 0.97% | 0.67% |
| Salmon % of Area Affected (G) | 1.47% | 0.04% | 0.00% | 0.09% | 0.00% | 0.00% | 0.00% | 0.10% |
| Salmon % of Area Affected (SA) | 19.26% | 0.58% | 0.00% | 1.19% | 0.00% | 0.00% | 0.00% | 1.31% |
| Salmon % of Value Affected (G) | 3.57% | 0.07% | 0.00% | 0.40% | 0.00% | 0.00% | 0.00% | 0.50% |
| Salmon % of Value Affected (SA) | 15.85% | 0.33% | 0.00% | 1.77% | 0.00% | 0.00% | 0.00% | 2.20% |
| Sardine % of Area Affected (G) | 10.55% | 0.25% | 0.00% | 0.52% | 0.00% | 0.00% | 1.10% | 0.57% |
| Sardine % of Area Affected (SA) | 24.55% | 0.58% | 0.00% | 1.20% | 0.00% | 0.00% | 2.54% | 1.32% |
| Sardine % of Value Affected (G) | 10.60% | 0.25% | 0.00% | 0.91% | 0.00% | 0.00% | 1.09% | 0.58% |
| Sardine % of Value Affected (SA) | 16.07% | 0.38% | 0.00% | 1.37% | 0.00% | 0.00% | 1.66% | 0.88% |
| Sablefish % of Area Affected (G) | 2.94% | 0.00% | 0.03% | 0.24% | 0.00% | 0.00% | 2.51% | 0.16% |
| Sablefish % of Area Affected (SA) | 27.58% | 0.00% | 0.26% | 2.29% | 0.00% | 0.00% | 23.56% | 1.47% |
| Sablefish % of Value Affected (G) | 4.15% | 0.00% | 0.03% | 0.30% | 0.00% | 0.00% | 3.75% | 0.07% |
| Sablefish % of Value Affected (SA) | 31.41% | 0.00% | 0.24% | 2.29% | 0.00% | 0.00% | 28.36% | 0.52% |

G = fishing grounds *SA* = study area SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package AC (January 6, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>TOTALS</i> | <i>Ano Nuevo SMR</i> | <i>Año Nuevo SMCA</i> | <i>Sand Hill Bluff SMR</i> | <i>Elkhorn Slough SMR</i> | <i>Moro Coho Slough SMR</i> | <i>Soquel Canyon SMCA</i> | <i>Portuguese Ledge SMR</i> |
|--|----------------------|-----------------------------|------------------------------|-----------------------------------|----------------------------------|--|----------------------------------|--|
| White seabass % of Area Affected (G) | 16.56% | 0.65% | 1.61% | 1.84% | 0.00% | 0.00% | 0.03% | 0.00% |
| White seabass % of Area Affected (SA) | 20.24% | 0.79% | 1.97% | 2.25% | 0.00% | 0.00% | 0.03% | 0.00% |
| White seabass % of Value Affected (G) | 11.59% | 0.46% | 1.13% | 1.29% | 0.00% | 0.00% | 0.02% | 0.00% |
| White seabass % of Value Affected (SA) | 12.82% | 0.50% | 1.25% | 1.43% | 0.00% | 0.00% | 0.02% | 0.00% |
| | | | | | | | | |
| Surfperch % of Area Affected (G) | 15.18% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (SA) | 15.18% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (G) | 5.94% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (SA) | 5.94% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Spot Prawn % of Area Affected (G) | 3.70% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (SA) | 27.08% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (G) | 8.37% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (SA) | 30.82% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Squid % of Area Affected (G) | 15.65% | 0.63% | 0.00% | 1.17% | 0.00% | 0.00% | 0.02% | 1.01% |
| Squid % of Area Affected (SA) | 20.64% | 0.83% | 0.00% | 1.54% | 0.00% | 0.00% | 0.02% | 1.34% |
| Squid % of Value Affected (G) | 17.77% | 0.29% | 0.00% | 1.04% | 0.00% | 0.00% | 0.00% | 0.66% |
| Squid % of Value Affected (SA) | 18.91% | 0.30% | 0.00% | 1.10% | 0.00% | 0.00% | 0.00% | 0.70% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package AC (January 6, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Monterey Shale Beds SMP</i> | <i>Edward F. Ricketts SMR</i> | <i>Hopkins SMR</i> | <i>Pacific Grove SMCA</i> | <i>Cypress Pinnacles SMR</i> | <i>Carmel Bay SMP</i> | <i>Point Lobos SMR</i> | <i>Point Lobos SMCA</i> |
|--|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Subregion | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur | Monterey Breakwater to Point Sur |
| Type of MPA | SMP | SMR | SMR | SMCA | SMR | SMP | SMR | SMCA |
| Level of Protection | SMP low | SMR | SMR | SMCA low | SMR | SMP low | SMR | SMCA moderate |
| Commercial Fisheries | | | | | | | | |
| Anchovy % of Area Affected (G) | 0.04% | 0.04% | 0.00% | 0.00% | 0.02% | 0.00% | 0.14% | 0.47% |
| Anchovy % of Area Affected (SA) | 0.10% | 0.10% | 0.00% | 0.00% | 0.05% | 0.01% | 0.33% | 1.07% |
| Anchovy % of Value Affected (G) | 0.18% | 0.19% | 0.01% | 0.00% | 0.03% | 0.01% | 0.29% | 0.34% |
| Anchovy % of Value Affected (SA) | 0.28% | 0.30% | 0.01% | 0.00% | 0.05% | 0.01% | 0.45% | 0.53% |
| | | | | | | | | |
| Cabazon % of Area Affected (G) | 0.15% | 0.10% | 0.00% | 0.04% | 0.07% | 0.01% | 0.53% | 0.34% |
| Cabazon % of Area Affected (SA) | 0.17% | 0.11% | 0.01% | 0.05% | 0.08% | 0.01% | 0.60% | 0.39% |
| Cabazon % of Value Affected (G) | 0.04% | 0.03% | 0.00% | 0.16% | 0.63% | 0.09% | 0.54% | 0.09% |
| Cabazon % of Value Affected (SA) | 0.04% | 0.03% | 0.00% | 0.17% | 0.64% | 0.09% | 0.55% | 0.09% |
| | | | | | | | | |
| Dungeness crab % of Area Affected (G) | 0.08% | 0.06% | 0.00% | 0.01% | 0.00% | 0.00% | 0.02% | 0.52% |
| Dungeness crab % of Area Affected (SA) | 0.15% | 0.12% | 0.00% | 0.02% | 0.00% | 0.00% | 0.05% | 1.07% |
| Dungeness crab % of Value Affected (G) | 0.04% | 0.03% | 0.00% | 0.01% | 0.00% | 0.00% | 0.01% | 0.16% |
| Dungeness crab % of Value Affected (SA) | 0.09% | 0.08% | 0.00% | 0.01% | 0.00% | 0.00% | 0.02% | 0.37% |
| | | | | | | | | |
| Deep Nearshore Rockfish % of Area Affected (G) | 0.17% | 0.11% | 0.01% | 0.04% | 0.13% | 0.30% | 0.48% | 0.00% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 0.18% | 0.12% | 0.01% | 0.05% | 0.14% | 0.33% | 0.53% | 0.00% |
| Deep Nearshore Rockfish % of Value Affected (G) | 0.03% | 0.02% | 0.00% | 0.03% | 0.45% | 0.75% | 1.21% | 0.00% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 0.03% | 0.02% | 0.00% | 0.04% | 0.48% | 0.79% | 1.27% | 0.00% |
| | | | | | | | | |
| Halibut % of Area Affected (G) | 0.14% | 0.14% | 0.02% | 0.21% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Area Affected (SA) | 0.17% | 0.17% | 0.02% | 0.26% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Value Affected (G) | 0.30% | 0.29% | 0.01% | 0.09% | 0.00% | 0.00% | 0.00% | 0.00% |
| Halibut % of Value Affected (SA) | 0.33% | 0.31% | 0.01% | 0.10% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Kelp Greenling % of Area Affected (G) | 0.21% | 0.13% | 0.01% | 0.06% | 0.09% | 0.01% | 0.30% | 0.00% |
| Kelp Greenling % of Area Affected (SA) | 0.21% | 0.14% | 0.01% | 0.06% | 0.09% | 0.01% | 0.32% | 0.00% |
| Kelp Greenling % of Value Affected (G) | 0.08% | 0.05% | 0.00% | 0.27% | 0.92% | 0.14% | 0.64% | 0.00% |
| Kelp Greenling % of Value Affected (SA) | 0.08% | 0.05% | 0.00% | 0.27% | 0.93% | 0.14% | 0.65% | 0.00% |
| | | | | | | | | |
| Lingcod % of Area Affected (G) | 0.18% | 0.15% | 0.01% | 0.05% | 0.08% | 0.01% | 0.61% | 0.31% |
| Lingcod % of Area Affected (SA) | 0.19% | 0.16% | 0.01% | 0.05% | 0.09% | 0.01% | 0.65% | 0.33% |
| Lingcod % of Value Affected (G) | 0.05% | 0.03% | 0.00% | 0.15% | 0.63% | 0.09% | 0.40% | 0.00% |
| Lingcod % of Value Affected (SA) | 0.05% | 0.03% | 0.00% | 0.16% | 0.64% | 0.09% | 0.41% | 0.00% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package AC (January 6, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Monterey Shale Beds SMP</i> | <i>Edward F. Ricketts SMR</i> | <i>Hopkins SMR</i> | <i>Pacific Grove SMCA</i> | <i>Cypress Pinnacles SMR</i> | <i>Carmel Bay SMP</i> | <i>Point Lobos SMR</i> | <i>Point Lobos SMCA</i> |
|---|------------------------------------|-----------------------------------|--------------------|---------------------------|----------------------------------|-----------------------|------------------------|-------------------------|
| Mackerel % of Area Affected (G) | 0.08% | 0.07% | 0.00% | 0.00% | 0.04% | 0.01% | 0.25% | 0.71% |
| Mackerel % of Area Affected (SA) | 0.11% | 0.11% | 0.01% | 0.00% | 0.06% | 0.01% | 0.36% | 1.02% |
| Mackerel % of Value Affected (G) | 0.19% | 0.22% | 0.01% | 0.00% | 0.07% | 0.01% | 0.49% | 0.14% |
| Mackerel % of Value Affected (SA) | 0.22% | 0.25% | 0.01% | 0.00% | 0.09% | 0.02% | 0.58% | 0.17% |
| | | | | | | | | |
| Rockfish Nearshore % of Area Affected (G) | 0.12% | 0.08% | 0.00% | 0.04% | 0.06% | 0.01% | 0.44% | 0.28% |
| Rockfish Nearshore % of Area Affected (SA) | 0.14% | 0.09% | 0.00% | 0.05% | 0.07% | 0.01% | 0.50% | 0.32% |
| Rockfish Nearshore % of Value Affected (G) | 0.02% | 0.01% | 0.00% | 0.04% | 0.29% | 0.02% | 0.54% | 0.07% |
| Rockfish Nearshore % of Value Affected (SA) | 0.02% | 0.01% | 0.00% | 0.04% | 0.30% | 0.02% | 0.56% | 0.07% |
| | | | | | | | | |
| Rockfish Shelf % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | | |
| Rockfish Slope % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 1.43% |
| Rockfish Slope % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 6.66% |
| Rockfish Slope % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 1.43% |
| Rockfish Slope % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 6.66% |
| | | | | | | | | |
| Rock Crab % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.04% | 0.62% |
| Rock Crab % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.10% | 1.45% |
| Rock Crab % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.02% | 0.32% |
| Rock Crab % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.04% | 0.65% |
| | | | | | | | | |
| Salmon % of Area Affected (G) | 0.01% | 0.01% | 0.00% | 0.01% | 0.01% | 0.01% | 0.04% | 0.00% |
| Salmon % of Area Affected (SA) | 0.10% | 0.10% | 0.01% | 0.15% | 0.09% | 0.17% | 0.48% | 0.00% |
| Salmon % of Value Affected (G) | 0.02% | 0.02% | 0.00% | 0.01% | 0.02% | 0.01% | 0.16% | 0.00% |
| Salmon % of Value Affected (SA) | 0.10% | 0.09% | 0.00% | 0.05% | 0.07% | 0.04% | 0.70% | 0.00% |
| | | | | | | | | |
| Sardine % of Area Affected (G) | 0.04% | 0.04% | 0.00% | 0.00% | 0.02% | 0.00% | 0.14% | 0.46% |
| Sardine % of Area Affected (SA) | 0.10% | 0.10% | 0.00% | 0.00% | 0.05% | 0.01% | 0.33% | 1.07% |
| Sardine % of Value Affected (G) | 0.18% | 0.19% | 0.01% | 0.00% | 0.05% | 0.01% | 0.31% | 0.31% |
| Sardine % of Value Affected (SA) | 0.28% | 0.29% | 0.01% | 0.00% | 0.07% | 0.01% | 0.47% | 0.48% |
| | | | | | | | | |
| Sablefish % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package AC (January 6, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Monterey Shale Beds SMP</i> | <i>Edward F. Ricketts SMR</i> | <i>Hopkins SMR</i> | <i>Pacific Grove SMCA</i> | <i>Cypress Pinnacles SMR</i> | <i>Carmel Bay SMP</i> | <i>Point Lobos SMR</i> | <i>Point Lobos SMCA</i> |
|--|------------------------------------|-----------------------------------|--------------------|---------------------------|----------------------------------|-----------------------|------------------------|-------------------------|
| White seabass % of Area Affected (G) | 0.17% | 0.14% | 0.01% | 0.04% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Area Affected (SA) | 0.21% | 0.17% | 0.01% | 0.05% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Value Affected (G) | 0.24% | 0.19% | 0.01% | 0.05% | 0.00% | 0.00% | 0.00% | 0.00% |
| White seabass % of Value Affected (SA) | 0.27% | 0.21% | 0.01% | 0.05% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% | 0.00% |
| Spot Prawn % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.04% | 0.00% |
| Spot Prawn % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.01% | 0.00% |
| Spot Prawn % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.04% | 0.00% |
| Squid % of Area Affected (G) | 0.11% | 0.10% | 0.00% | 0.00% | 0.02% | 0.01% | 0.23% | 0.04% |
| Squid % of Area Affected (SA) | 0.14% | 0.14% | 0.00% | 0.00% | 0.03% | 0.01% | 0.31% | 0.05% |
| Squid % of Value Affected (G) | 0.41% | 0.43% | 0.00% | 0.00% | 0.18% | 0.03% | 0.81% | 0.05% |
| Squid % of Value Affected (SA) | 0.44% | 0.46% | 0.00% | 0.00% | 0.19% | 0.04% | 0.86% | 0.06% |

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package AC (January 6, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Big Sur SMR</i> | <i>Big Creek SMR</i> | <i>Big Creek SMCA</i> | <i>Piedras Blancas SMR</i> | <i>Cambria SMP</i> | <i>Cambria SMR</i> | <i>Morro Bay East SMR</i> | <i>Morro Bay South SMR</i> |
|--|-------------------------|-------------------------|-------------------------|----------------------------|----------------------------|----------------------------|-----------------------------------|-----------------------------------|
| Subregion | Point Sur to San Martin | Point Sur to San Martin | Point Sur to San Martin | San Martin to Point Estero | San Martin to Point Estero | San Martin to Point Estero | Point Estero to Santa Maria River | Point Estero to Santa Maria River |
| Type of MPA | SMR | SMR | SMCA | SMR | SMP | SMR | SMR | SMR |
| Level of Protection | SMR | SMR | SMCA moderate | SMR | SMP low | SMCA low | SMR | SMR |
| Commercial Fisheries | | | | | | | | |
| Anchovy % of Area Affected (G) | 2.06% | 0.09% | 0.58% | 0.49% | 0.35% | 0.13% | 0.01% | 0.03% |
| Anchovy % of Area Affected (SA) | 4.74% | 0.21% | 1.33% | 1.12% | 0.81% | 0.30% | 0.03% | 0.07% |
| Anchovy % of Value Affected (G) | 1.65% | 0.07% | 0.37% | 0.40% | 0.21% | 0.08% | 0.01% | 0.02% |
| Anchovy % of Value Affected (SA) | 2.59% | 0.10% | 0.58% | 0.63% | 0.32% | 0.12% | 0.01% | 0.03% |
| | | | | | | | | |
| Cabazon % of Area Affected (G) | 3.86% | 0.33% | 0.24% | 1.70% | 1.31% | 0.49% | 0.05% | 0.11% |
| Cabazon % of Area Affected (SA) | 4.40% | 0.38% | 0.28% | 1.94% | 1.50% | 0.56% | 0.06% | 0.12% |
| Cabazon % of Value Affected (G) | 8.69% | 0.33% | 0.11% | 2.46% | 2.11% | 0.99% | 0.01% | 0.01% |
| Cabazon % of Value Affected (SA) | 8.81% | 0.33% | 0.11% | 2.49% | 2.14% | 1.00% | 0.01% | 0.01% |
| | | | | | | | | |
| Dungeness crab % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.25% | 0.00% | 0.03% | 0.05% |
| Dungeness crab % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.51% | 0.00% | 0.05% | 0.10% |
| Dungeness crab % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.10% | 0.00% | 0.01% | 0.01% |
| Dungeness crab % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.23% | 0.00% | 0.01% | 0.03% |
| | | | | | | | | |
| Deep Nearshore Rockfish % of Area Affected (G) | 2.44% | 0.57% | 0.05% | 1.68% | 1.21% | 0.31% | 0.06% | 0.12% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 2.70% | 0.63% | 0.06% | 1.86% | 1.34% | 0.34% | 0.07% | 0.13% |
| Deep Nearshore Rockfish % of Value Affected (G) | 7.81% | 1.71% | 0.14% | 1.08% | 0.70% | 0.20% | 0.02% | 0.05% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 8.18% | 1.79% | 0.15% | 1.13% | 0.73% | 0.21% | 0.03% | 0.05% |
| | | | | | | | | |
| Halibut % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 1.39% | 1.13% | 0.42% | 0.05% | 0.09% |
| Halibut % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 1.70% | 1.38% | 0.51% | 0.06% | 0.11% |
| Halibut % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 1.96% | 1.75% | 0.48% | 0.12% | 0.23% |
| Halibut % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 2.13% | 1.90% | 0.52% | 0.13% | 0.25% |
| | | | | | | | | |
| Kelp Greenling % of Area Affected (G) | 3.04% | 0.45% | 0.06% | 1.37% | 1.55% | 0.54% | 0.08% | 0.15% |
| Kelp Greenling % of Area Affected (SA) | 3.15% | 0.47% | 0.06% | 1.42% | 1.60% | 0.56% | 0.08% | 0.15% |
| Kelp Greenling % of Value Affected (G) | 7.86% | 0.35% | 0.01% | 1.13% | 0.87% | 0.62% | 0.01% | 0.03% |
| Kelp Greenling % of Value Affected (SA) | 7.95% | 0.36% | 0.01% | 1.15% | 0.89% | 0.62% | 0.01% | 0.03% |
| | | | | | | | | |
| Lingcod % of Area Affected (G) | 2.81% | 0.39% | 0.13% | 1.73% | 1.32% | 0.57% | 0.06% | 0.12% |
| Lingcod % of Area Affected (SA) | 2.97% | 0.41% | 0.14% | 1.83% | 1.39% | 0.60% | 0.07% | 0.13% |
| Lingcod % of Value Affected (G) | 8.33% | 0.33% | 0.04% | 2.11% | 1.48% | 0.94% | 0.01% | 0.01% |
| Lingcod % of Value Affected (SA) | 8.47% | 0.34% | 0.04% | 2.15% | 1.50% | 0.95% | 0.01% | 0.01% |

G = fishing grounds SA = study area SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package AC (January 6, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Big Sur SMR</i> | <i>Big Creek SMR</i> | <i>Big Creek SMCA</i> | <i>Piedras Blancas SMR</i> | <i>Cambria SMP</i> | <i>Cambria SMR</i> | <i>Morro Bay East SMR</i> | <i>Morro Bay South SMR</i> |
|---|--------------------|----------------------|-----------------------|----------------------------|--------------------|--------------------|---------------------------|----------------------------|
| Mackerel % of Area Affected (G) | 2.49% | 0.16% | 0.21% | 0.86% | 0.63% | 0.23% | 0.03% | 0.05% |
| Mackerel % of Area Affected (SA) | 3.56% | 0.23% | 0.31% | 1.23% | 0.90% | 0.34% | 0.04% | 0.07% |
| Mackerel % of Value Affected (G) | 1.95% | 0.09% | 0.15% | 0.58% | 0.30% | 0.11% | 0.01% | 0.02% |
| Mackerel % of Value Affected (SA) | 2.30% | 0.11% | 0.18% | 0.69% | 0.35% | 0.13% | 0.01% | 0.03% |
| Rockfish Nearshore % of Area Affected (G) | 4.55% | 0.28% | 0.35% | 1.44% | 1.09% | 0.40% | 0.05% | 0.09% |
| Rockfish Nearshore % of Area Affected (SA) | 5.23% | 0.32% | 0.40% | 1.65% | 1.25% | 0.46% | 0.05% | 0.10% |
| Rockfish Nearshore % of Value Affected (G) | 7.92% | 0.67% | 0.24% | 2.12% | 1.52% | 0.70% | 0.02% | 0.03% |
| Rockfish Nearshore % of Value Affected (SA) | 8.20% | 0.69% | 0.25% | 2.20% | 1.57% | 0.73% | 0.02% | 0.03% |
| Rockfish Shelf % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rock Crab % of Area Affected (G) | 0.00% | 0.01% | 0.01% | 0.66% | 0.48% | 0.18% | 0.02% | 0.04% |
| Rock Crab % of Area Affected (SA) | 0.00% | 0.03% | 0.02% | 1.55% | 1.12% | 0.42% | 0.05% | 0.09% |
| Rock Crab % of Value Affected (G) | 0.00% | 0.01% | 0.00% | 0.53% | 0.38% | 0.19% | 0.02% | 0.03% |
| Rock Crab % of Value Affected (SA) | 0.00% | 0.02% | 0.01% | 1.09% | 0.79% | 0.38% | 0.03% | 0.06% |
| Salmon % of Area Affected (G) | 0.36% | 0.03% | 0.00% | 0.08% | 0.06% | 0.02% | 0.00% | 0.00% |
| Salmon % of Area Affected (SA) | 4.70% | 0.35% | 0.00% | 1.11% | 0.81% | 0.30% | 0.03% | 0.07% |
| Salmon % of Value Affected (G) | 0.90% | 0.03% | 0.00% | 0.17% | 0.10% | 0.04% | 0.00% | 0.01% |
| Salmon % of Value Affected (SA) | 3.99% | 0.13% | 0.00% | 0.75% | 0.46% | 0.19% | 0.02% | 0.03% |
| Sardine % of Area Affected (G) | 2.04% | 0.09% | 0.57% | 0.48% | 0.35% | 0.13% | 0.01% | 0.03% |
| Sardine % of Area Affected (SA) | 4.74% | 0.21% | 1.33% | 1.12% | 0.81% | 0.30% | 0.03% | 0.07% |
| Sardine % of Value Affected (G) | 1.61% | 0.06% | 0.34% | 0.37% | 0.19% | 0.07% | 0.01% | 0.02% |
| Sardine % of Value Affected (SA) | 2.44% | 0.09% | 0.52% | 0.57% | 0.29% | 0.11% | 0.01% | 0.02% |
| Sablefish % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |

G = fishing grounds *SA = study area* *SMCA = state marine conservation area* *SMP = state marine park* *SMR = state marine reserve* *SMRMA = state marine recreational management area*

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package AC (January 6, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Big Sur SMR</i> | <i>Big Creek SMR</i> | <i>Big Creek SMCA</i> | <i>Piedras Blancas SMR</i> | <i>Cambria SMP</i> | <i>Cambria SMR</i> | <i>Morro Bay East SMR</i> | <i>Morro Bay South SMR</i> |
|--|--------------------|----------------------|-----------------------|----------------------------|--------------------|--------------------|---------------------------|----------------------------|
| White seabass % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.41% | 0.00% | 0.00% | 0.06% | 0.11% |
| White seabass % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.50% | 0.00% | 0.00% | 0.07% | 0.14% |
| White seabass % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 1.60% | 0.00% | 0.00% | 0.16% | 0.32% |
| White seabass % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 1.78% | 0.00% | 0.00% | 0.18% | 0.35% |
| Surfperch % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 5.48% | 7.07% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 5.48% | 7.07% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 1.64% | 2.11% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 1.64% | 2.11% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (G) | 3.39% | 0.00% | 0.00% | 0.30% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (SA) | 24.86% | 0.00% | 0.00% | 2.18% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (G) | 8.21% | 0.00% | 0.00% | 0.15% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (SA) | 30.22% | 0.00% | 0.00% | 0.56% | 0.00% | 0.00% | 0.00% | 0.00% |
| Squid % of Area Affected (G) | 2.71% | 0.13% | 0.30% | 1.21% | 0.64% | 0.04% | 0.04% | 0.07% |
| Squid % of Area Affected (SA) | 3.57% | 0.17% | 0.40% | 1.60% | 0.84% | 0.05% | 0.05% | 0.09% |
| Squid % of Value Affected (G) | 1.32% | 0.31% | 0.20% | 0.42% | 0.65% | 0.04% | 0.01% | 0.02% |
| Squid % of Value Affected (SA) | 1.40% | 0.33% | 0.21% | 0.45% | 0.70% | 0.04% | 0.01% | 0.02% |

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package AC (January 6, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Point Buchon SMR</i> | <i>Point Buchon SMCA</i> | <i>Point Sal SMR</i> | <i>Purisima Point SMR</i> | <i>Purisima Point SMCA</i> | <i>Arguello Promontory SMR</i> | <i>Boathouse SMCA</i> |
|--|-----------------------------------|-----------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| Subregion | Point Estero to Santa Maria River | Point Estero to Santa Maria River | Santa Maria River to Point Conception | Santa Maria River to Point Conception | Santa Maria River to Point Conception | Santa Maria River to Point Conception | Santa Maria River to Point Conception |
| Type of MPA | SMR | SMCA | SMR | SMR | SMCA | SMR | SMCA |
| Level of Protection | SMCA high | SMCA high | SMR | SMR | SMCA low | SMR | SMCA low |
| Commercial Fisheries | | | | | | | |
| Anchovy % of Area Affected (G) | 0.46% | 0.16% | 0.84% | 0.63% | 0.21% | 1.38% | 0.05% |
| Anchovy % of Area Affected (SA) | 1.07% | 0.38% | 1.93% | 1.46% | 0.49% | 3.18% | 0.13% |
| Anchovy % of Value Affected (G) | 0.27% | 0.10% | 0.59% | 0.44% | 0.15% | 2.80% | 0.03% |
| Anchovy % of Value Affected (SA) | 0.42% | 0.15% | 0.92% | 0.70% | 0.23% | 4.38% | 0.05% |
| | | | | | | | |
| Cabazon % of Area Affected (G) | 0.94% | 0.61% | 3.11% | 2.36% | 0.79% | 4.59% | 0.20% |
| Cabazon % of Area Affected (SA) | 1.07% | 0.69% | 3.54% | 2.69% | 0.89% | 5.24% | 0.23% |
| Cabazon % of Value Affected (G) | 1.68% | 4.44% | 3.28% | 2.13% | 0.93% | 1.80% | 0.59% |
| Cabazon % of Value Affected (SA) | 1.71% | 4.51% | 3.32% | 2.16% | 0.94% | 1.83% | 0.60% |
| | | | | | | | |
| Dungeness crab % of Area Affected (G) | 0.80% | 0.28% | 1.45% | 1.10% | 0.37% | 2.10% | 0.09% |
| Dungeness crab % of Area Affected (SA) | 1.65% | 0.58% | 2.98% | 2.26% | 0.75% | 4.32% | 0.19% |
| Dungeness crab % of Value Affected (G) | 0.37% | 0.06% | 2.39% | 1.35% | 0.43% | 1.63% | 0.03% |
| Dungeness crab % of Value Affected (SA) | 0.86% | 0.15% | 5.59% | 3.16% | 0.99% | 3.80% | 0.07% |
| | | | | | | | |
| Deep Nearshore Rockfish % of Area Affected (G) | 0.90% | 0.67% | 3.29% | 2.60% | 0.87% | 5.01% | 0.22% |
| Deep Nearshore Rockfish % of Area Affected (SA) | 1.00% | 0.74% | 3.64% | 2.87% | 0.96% | 5.54% | 0.25% |
| Deep Nearshore Rockfish % of Value Affected (G) | 0.22% | 0.85% | 7.43% | 5.40% | 1.88% | 4.63% | 0.38% |
| Deep Nearshore Rockfish % of Value Affected (SA) | 0.23% | 0.89% | 7.78% | 5.66% | 1.97% | 4.85% | 0.39% |
| | | | | | | | |
| Halibut % of Area Affected (G) | 0.20% | 0.38% | 2.67% | 2.03% | 0.68% | 4.00% | 0.17% |
| Halibut % of Area Affected (SA) | 0.24% | 0.46% | 3.26% | 2.47% | 0.82% | 4.87% | 0.21% |
| Halibut % of Value Affected (G) | 0.07% | 0.12% | 1.82% | 0.95% | 0.29% | 1.74% | 0.08% |
| Halibut % of Value Affected (SA) | 0.07% | 0.13% | 1.97% | 1.03% | 0.32% | 1.89% | 0.09% |
| | | | | | | | |
| Kelp Greenling % of Area Affected (G) | 0.47% | 0.83% | 4.24% | 3.13% | 1.08% | 2.47% | 0.28% |
| Kelp Greenling % of Area Affected (SA) | 0.48% | 0.86% | 4.38% | 3.24% | 1.11% | 2.55% | 0.29% |
| Kelp Greenling % of Value Affected (G) | 0.56% | 3.50% | 5.09% | 3.36% | 1.51% | 1.69% | 0.55% |
| Kelp Greenling % of Value Affected (SA) | 0.57% | 3.54% | 5.16% | 3.41% | 1.53% | 1.71% | 0.55% |
| | | | | | | | |
| Lingcod % of Area Affected (G) | 1.44% | 0.70% | 3.60% | 2.73% | 0.91% | 2.33% | 0.23% |
| Lingcod % of Area Affected (SA) | 1.53% | 0.75% | 3.82% | 2.89% | 0.96% | 2.47% | 0.25% |
| Lingcod % of Value Affected (G) | 0.97% | 3.42% | 5.70% | 3.50% | 1.23% | 1.49% | 0.46% |
| Lingcod % of Value Affected (SA) | 0.98% | 3.48% | 5.80% | 3.57% | 1.25% | 1.52% | 0.47% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package AC (January 6, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Point Buchon SMR</i> | <i>Point Buchon SMCA</i> | <i>Point Sal SMR</i> | <i>Purisima Point SMR</i> | <i>Purisima Point SMCA</i> | <i>Arguello Promontory SMR</i> | <i>Boathouse SMCA</i> |
|---|-------------------------|--------------------------|----------------------|---------------------------|----------------------------|--------------------------------|-----------------------|
| Mackerel % of Area Affected (G) | 0.60% | 0.29% | 1.49% | 1.13% | 0.38% | 2.46% | 0.10% |
| Mackerel % of Area Affected (SA) | 0.86% | 0.42% | 2.13% | 1.61% | 0.54% | 3.52% | 0.14% |
| Mackerel % of Value Affected (G) | 0.29% | 0.14% | 0.85% | 0.64% | 0.21% | 4.04% | 0.05% |
| Mackerel % of Value Affected (SA) | 0.34% | 0.16% | 1.00% | 0.76% | 0.25% | 4.78% | 0.06% |
| Rockfish Nearshore % of Area Affected (G) | 0.91% | 0.50% | 2.57% | 1.95% | 0.65% | 3.80% | 0.17% |
| Rockfish Nearshore % of Area Affected (SA) | 1.04% | 0.58% | 2.96% | 2.24% | 0.75% | 4.37% | 0.19% |
| Rockfish Nearshore % of Value Affected (G) | 1.60% | 2.95% | 4.66% | 2.99% | 1.24% | 1.42% | 0.28% |
| Rockfish Nearshore % of Value Affected (SA) | 1.66% | 3.06% | 4.82% | 3.10% | 1.28% | 1.47% | 0.29% |
| Rockfish Shelf % of Area Affected (G) | 1.48% | 2.28% | 13.02% | 9.23% | 3.15% | 0.00% | 0.00% |
| Rockfish Shelf % of Area Affected (SA) | 1.62% | 2.50% | 14.27% | 10.12% | 3.46% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (G) | 1.77% | 4.00% | 11.14% | 7.15% | 2.24% | 0.00% | 0.00% |
| Rockfish Shelf % of Value Affected (SA) | 1.89% | 4.27% | 11.89% | 7.63% | 2.39% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rockfish Slope % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Rock Crab % of Area Affected (G) | 0.62% | 0.22% | 1.13% | 0.86% | 0.29% | 1.86% | 0.07% |
| Rock Crab % of Area Affected (SA) | 1.47% | 0.52% | 2.65% | 2.01% | 0.67% | 4.38% | 0.17% |
| Rock Crab % of Value Affected (G) | 1.20% | 0.44% | 2.20% | 1.55% | 0.52% | 2.06% | 0.07% |
| Rock Crab % of Value Affected (SA) | 2.48% | 0.92% | 4.56% | 3.20% | 1.08% | 4.25% | 0.14% |
| Salmon % of Area Affected (G) | 0.00% | 0.03% | 0.15% | 0.11% | 0.04% | 0.26% | 0.01% |
| Salmon % of Area Affected (SA) | 0.00% | 0.37% | 1.91% | 1.45% | 0.48% | 3.38% | 0.12% |
| Salmon % of Value Affected (G) | 0.00% | 0.05% | 0.27% | 0.20% | 0.07% | 0.51% | 0.01% |
| Salmon % of Value Affected (SA) | 0.00% | 0.21% | 1.20% | 0.91% | 0.29% | 2.28% | 0.04% |
| Sardine % of Area Affected (G) | 0.46% | 0.16% | 0.83% | 0.63% | 0.21% | 1.37% | 0.05% |
| Sardine % of Area Affected (SA) | 1.07% | 0.38% | 1.93% | 1.46% | 0.49% | 3.18% | 0.13% |
| Sardine % of Value Affected (G) | 0.25% | 0.09% | 0.54% | 0.41% | 0.14% | 2.58% | 0.03% |
| Sardine % of Value Affected (SA) | 0.38% | 0.13% | 0.82% | 0.62% | 0.21% | 3.91% | 0.05% |
| Sablefish % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Sablefish % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |

G = fishing grounds *SA = study area* *SMCA = state marine conservation area* *SMP = state marine park* *SMR = state marine reserve* *SMRMA = state marine recreational management area*

Commercial Fishing Area and Value Potentially Affected by MLPA Central Coast MPA Package AC (January 6, 2006 version)
Prepared by Ecotrust
February 24, 2006

| | <i>Point Buchon SMR</i> | <i>Point Buchon SMCA</i> | <i>Point Sal SMR</i> | <i>Purisima Point SMR</i> | <i>Purisima Point SMCA</i> | <i>Arguello Promontory SMR</i> | <i>Boathouse SMCA</i> |
|--|-------------------------|--------------------------|----------------------|---------------------------|----------------------------|--------------------------------|-----------------------|
| White seabass % of Area Affected (G) | 0.00% | 0.00% | 3.30% | 2.50% | 0.83% | 4.65% | 0.21% |
| White seabass % of Area Affected (SA) | 0.00% | 0.00% | 4.03% | 3.05% | 1.02% | 5.69% | 0.26% |
| White seabass % of Value Affected (G) | 0.00% | 0.00% | 1.69% | 1.28% | 0.43% | 2.57% | 0.15% |
| White seabass % of Value Affected (SA) | 0.00% | 0.00% | 1.87% | 1.42% | 0.47% | 2.85% | 0.16% |
| | | | | | | | |
| Surfperch % of Area Affected (G) | 0.00% | 0.31% | 2.32% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Area Affected (SA) | 0.00% | 0.31% | 2.32% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (G) | 0.00% | 0.21% | 1.98% | 0.00% | 0.00% | 0.00% | 0.00% |
| Surfperch % of Value Affected (SA) | 0.00% | 0.21% | 1.98% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | |
| Spot Prawn % of Area Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Area Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (G) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Spot Prawn % of Value Affected (SA) | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| | | | | | | | |
| Squid % of Area Affected (G) | 0.00% | 0.00% | 1.83% | 1.32% | 0.43% | 3.45% | 0.14% |
| Squid % of Area Affected (SA) | 0.00% | 0.00% | 2.42% | 1.74% | 0.57% | 4.55% | 0.18% |
| Squid % of Value Affected (G) | 0.00% | 0.00% | 0.34% | 0.06% | 0.04% | 10.37% | 0.09% |
| Squid % of Value Affected (SA) | 0.00% | 0.00% | 0.36% | 0.06% | 0.04% | 11.05% | 0.09% |

G = fishing grounds *SA = study area* SMCA = state marine conservation area SMP = state marine park SMR = state marine reserve SMRMA = state marine recreational management area

**Summary of Commercial Fishing Area and Value Potentially Affected by
MLPA Central Coast MPA Packages
Prepared by Ecotrust
February 24, 2006**

Table 1: Area of total fishing grounds potentially affected

| Fishery | Package 1 | Package 2 | Package 3 | Package S | Package AC |
|-------------------------|------------------|------------------|------------------|------------------|-------------------|
| Anchovy | 4.39% | 7.98% | 6.01% | 4.35% | 10.62% |
| Cabazon | 13.27% | 16.96% | 14.95% | 15.82% | 24.31% |
| Dungeness crab | 3.38% | 7.09% | 6.75% | 7.06% | 11.77% |
| Deep Nearshore Rockfish | 13.02% | 16.54% | 14.97% | 16.46% | 23.86% |
| Halibut | 9.08% | 10.09% | 9.50% | 9.99% | 18.04% |
| Kelp Greenling | 12.33% | 17.74% | 16.16% | 17.43% | 23.82% |
| Lingcod | 12.61% | 18.44% | 16.31% | 17.40% | 23.45% |
| Mackerel | 6.66% | 12.30% | 9.41% | 6.96% | 16.64% |
| Rockfish Nearshore | 11.92% | 15.39% | 13.70% | 14.38% | 23.72% |
| Rockfish Shelf | 5.18% | 13.21% | 16.13% | 11.53% | 29.16% |
| Rockfish Slope | 0.64% | 1.10% | 0.97% | 0.96% | 6.96% |
| Rock Crab | 4.79% | 6.63% | 6.10% | 6.23% | 9.57% |
| Salmon | 0.44% | 1.05% | 0.91% | 0.80% | 1.47% |
| Sardine | 4.38% | 7.91% | 5.16% | 4.30% | 10.55% |
| Sablefish | 0.86% | 2.26% | 2.26% | 2.30% | 2.94% |
| White seabass | 9.47% | 7.84% | 8.36% | 8.50% | 16.56% |
| Surfperch | 8.07% | 16.77% | 22.78% | 15.65% | 15.18% |
| Spot Prawn | 0.87% | 2.50% | 2.88% | 2.88% | 3.70% |
| Squid | 6.82% | 10.89% | 9.76% | 9.92% | 15.65% |

Table 2: Area of fishing grounds within the study area potentially affected

| Fishery | Package 1 | Package 2 | Package 3 | Package S | Package AC |
|-------------------------|------------------|------------------|------------------|------------------|-------------------|
| Anchovy | 10.14% | 18.40% | 13.88% | 9.99% | 24.55% |
| Cabazon | 15.11% | 19.31% | 17.05% | 18.05% | 27.73% |
| Dungeness crab | 6.96% | 14.57% | 13.87% | 14.51% | 24.18% |
| Deep Nearshore Rockfish | 14.39% | 18.26% | 16.54% | 18.20% | 26.39% |
| Halibut | 11.07% | 12.30% | 11.59% | 12.18% | 21.98% |
| Kelp Greenling | 12.74% | 18.35% | 16.73% | 18.03% | 24.61% |
| Lingcod | 13.32% | 19.53% | 17.25% | 18.38% | 24.85% |
| Mackerel | 9.49% | 17.58% | 13.44% | 9.97% | 23.82% |
| Rockfish Nearshore | 13.73% | 17.70% | 15.73% | 16.55% | 27.23% |
| Rockfish Shelf | 5.67% | 14.48% | 17.68% | 12.64% | 31.97% |
| Rockfish Slope | 14.33% | 24.76% | 21.87% | 21.64% | 32.49% |
| Rock Crab | 11.28% | 15.59% | 14.38% | 14.63% | 22.49% |
| Salmon | 6.07% | 13.82% | 11.85% | 10.71% | 19.26% |
| Sardine | 10.14% | 18.40% | 11.98% | 9.99% | 24.55% |
| Sablefish | 8.05% | 21.22% | 21.22% | 21.61% | 27.58% |
| White seabass | 11.56% | 9.58% | 10.22% | 10.36% | 20.24% |
| Surfperch | 8.07% | 16.79% | 22.78% | 15.65% | 15.18% |
| Spot Prawn | 6.49% | 18.36% | 21.17% | 21.12% | 27.08% |
| Squid | 9.00% | 14.37% | 12.88% | 13.08% | 20.64% |

**Summary of Commercial Fishing Area and Value Potentially Affected by
MLPA Central Coast MPA Packages
Prepared by Ecotrust
February 24, 2006**

Table 3: Value of total fishing grounds potentially affected

| Fishery | Package 1 | Package 2 | Package 3 | Package S | Package AC |
|-------------------------|------------------|------------------|------------------|------------------|-------------------|
| Anchovy | 3.65% | 6.97% | 5.26% | 4.16% | 10.46% |
| Cabazon | 14.42% | 27.34% | 21.85% | 24.58% | 32.02% |
| Dungeness crab | 1.92% | 5.50% | 5.78% | 5.61% | 12.33% |
| Deep Nearshore Rockfish | 15.78% | 21.81% | 17.54% | 20.59% | 35.65% |
| Halibut | 5.92% | 9.24% | 9.66% | 8.24% | 12.59% |
| Kelp Greenling | 12.95% | 23.60% | 18.44% | 21.36% | 30.44% |
| Lingcod | 12.87% | 25.15% | 21.30% | 23.39% | 33.44% |
| Mackerel | 4.52% | 8.72% | 6.83% | 5.99% | 12.94% |
| Rockfish Nearshore | 13.82% | 24.78% | 20.83% | 23.24% | 32.74% |
| Rockfish Shelf | 6.99% | 11.86% | 15.33% | 10.57% | 26.30% |
| Rockfish Slope | 0.64% | 1.10% | 0.97% | 0.96% | 6.96% |
| Rock Crab | 5.79% | 6.42% | 6.78% | 6.27% | 10.99% |
| Salmon | 0.77% | 2.31% | 1.89% | 1.53% | 3.57% |
| Sardine | 3.45% | 7.30% | 4.57% | 4.14% | 10.60% |
| Sablefish | 0.90% | 3.09% | 3.09% | 3.14% | 4.15% |
| White seabass | 8.21% | 7.38% | 7.92% | 7.15% | 11.59% |
| Surfperch | 2.73% | 5.06% | 9.41% | 4.72% | 5.94% |
| Spot Prawn | 1.97% | 4.19% | 5.30% | 5.22% | 8.37% |
| Squid | 5.87% | 9.49% | 7.34% | 9.10% | 17.77% |

Table 4: Value of fishing grounds within the study area potentially affected

| Fishery | Package 1 | Package 2 | Package 3 | Package S | Package AC |
|-------------------------|------------------|------------------|------------------|------------------|-------------------|
| Anchovy | 5.72% | 10.89% | 8.24% | 6.51% | 16.35% |
| Cabazon | 14.64% | 27.72% | 22.15% | 24.95% | 32.47% |
| Dungeness crab | 4.50% | 12.83% | 13.52% | 13.10% | 28.79% |
| Deep Nearshore Rockfish | 16.49% | 22.82% | 18.39% | 21.55% | 37.37% |
| Halibut | 6.44% | 10.00% | 10.49% | 8.96% | 13.68% |
| Kelp Greenling | 13.12% | 23.91% | 18.66% | 21.64% | 30.83% |
| Lingcod | 13.11% | 25.58% | 21.68% | 23.79% | 34.02% |
| Mackerel | 5.36% | 10.28% | 8.09% | 7.10% | 15.30% |
| Rockfish Nearshore | 14.30% | 25.65% | 21.56% | 24.07% | 33.91% |
| Rockfish Shelf | 7.46% | 12.67% | 16.37% | 11.28% | 28.07% |
| Rockfish Slope | 14.33% | 24.76% | 21.87% | 21.64% | 32.49% |
| Rock Crab | 11.99% | 13.29% | 14.07% | 12.96% | 22.69% |
| Salmon | 3.42% | 10.30% | 8.49% | 6.84% | 15.85% |
| Sardine | 5.24% | 11.08% | 6.94% | 6.26% | 16.07% |
| Sablefish | 6.83% | 23.30% | 23.30% | 23.71% | 31.41% |
| White seabass | 9.11% | 8.16% | 8.78% | 7.93% | 12.82% |
| Surfperch | 2.73% | 5.06% | 9.41% | 4.72% | 5.94% |
| Spot Prawn | 7.28% | 15.48% | 19.53% | 19.26% | 30.82% |
| Squid | 6.27% | 10.13% | 7.83% | 9.70% | 18.91% |

**Percent of Commercial Average Revenues and Percent of Observed Recreational Fishing Trips
Statewide and for the MLPA Central Coast Study Region**
Prepared by Ecotrust
Revised January 28, 2006

| Commercial Fisheries | | | Recreational Fisheries | | |
|-------------------------|--|--|------------------------|---|---|
| Species or Group | % of CCSR fisheries revenues, 6-year average (1999-2004) | % of CA statewide fisheries revenues, 6-year average (1999-2004) | Species or Group | % of CCSR observed private and rental boat recreational fishing trips | % of CA statewide observed private and rental boat recreational fishing trips |
| Anchovy | 2.17% | 0.65% | | n/a | n/a |
| Cabazon | 2.73% | 0.59% | | n/a | n/a |
| Dungeness crab | 1.66% | 17.33% | | n/a | n/a |
| Halibut | 1.95% | 2.24% | | n/a | n/a |
| Kelp Greenling | 0.25% | 0.08% | | n/a | n/a |
| Lingcod | 0.33% | 0.17% | | n/a | n/a |
| Mackerel | 0.13% | 1.10% | | n/a | n/a |
| Deep Nearshore Rockfish | 4.83% | 1.24% | Rockfish | 22% | 10% |
| Rockfish Nearshore | | | | | |
| Rockfish Shelf | | | | | |
| Rockfish Slope | | | | | |
| Rock crab | 0.78% | 1.03% | | n/a | n/a |
| Salmon | 12.57% | 8.08% | Salmon | 50% | 23% |
| Sardine | 7.19% | 3.95% | | n/a | n/a |
| Sablefish | 5.53% | 3.40% | | n/a | n/a |
| White Seabass | 0.47% | 0.47% | | n/a | n/a |
| Surfperch | 0.20% | 0.09% | | n/a | n/a |
| Spot Prawn | 7.38% | 2.52% | | n/a | n/a |
| Squid | 24.49% | 18.81% | | n/a | n/a |

CCSR = MLPA Central Coast Study Region